



516151B

My

4.

TITA, A.

C

Apr.

2^a

Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

<https://archive.org/details/b30546126>

CATALOGUS
PLANTARUM

2020.1.17 AD

MUHAKKATE

CATALOGUS
PLANTARUM,
Quibus consitus est Patavii
Amoenissimus Hortus
Illustrissimi, ac Excellentissimi Equitis
JO: FRANCISCI
MAUROCENI
VENETI SENATORIS,

A B

ANTONIO TITA CONFECTUS.



PATAVII, Typis Semin. MDCCXIII.
Apud Joannem Manfrè. Superiorum Permissu.



326250

ANTONIUS TITA

Ad Lectorem ,

De Operis ratione , & instituto.

PArum videbar mihi de Munificentissimo Senatore Jo: Francisco Mauroceno Equite industria, & labore mereri , si ad unius Urbis delectationem , & utilitatem Hortum ejus ingenti planitarum copia & varietate fecundissimum coluissem . Itaque ceipi majora aliquanto cogitare tandiu sollicitus , donec Syn tagma hoc literarum ordine distributum conscripsi , unde esset aliquis exteris ipsis rerum nostrarum usus . Nihil enim late re patitur magna seculi hujus in artibus , ac scientiis propagan-

dis felicitas : jamque sibi invi-
cem literati homines mutuo
commercio utilissimi effatum
illud legis sanctissimæ loco ha-
bent : *bomo homini Deus*. Non e-
go quidem ita desipio , ut re-
pente velim inter literatos ob-
repere : Sed tamen cum Arti li-
beralissimæ tota vita proxime
inservierim , quis mihi glorio-
lam hanc literarii laboris invi-
deat ? Juvat ergo plantas om-
nes cum nostrates , tum exoti-
cas , quæ Patavii in Horto Mau-
rocenico germinant , in publi-
cam lucem exponere , adjecto
singulis Auëtore , cuius opera
inventæ sunt primum , aut illu-
stratæ . Habebis , Lector , ve-
luti & τύπω , juvenilia Viri suæ
civitatis longe Principis studia
quæ gravissimis subinde Reipu-
blicæ negotiis aut impedita , aut

retardata , nunquam tamen pe-
nitus interciderunt . Ex his si
quid emolumenti capies , aut
voluptatis , ejus liberalitati de-
bebis ; sin minus , mihi tamen
ignoscas , qui tuorum studio-
rum caussa opus evulgandum
putavi . Vale .

EXPLICATIO

Nominum Autborum Citatorum.

A Costa Cristophorus.

Ad. Adversaria Penæ.

Ægin. Ægineta.

Aldin. *Hort.* *Farn.* Thobiæ Aldini
Hortus Farnesianus.

Aldroan. Ulysses Aldroandus.

Alp. *Alpin.* Alpinus.

Ambros. Hyacinthi Ambrosini.

Ang. Anguillar.

Bocc. *Icon.* & *descr.* Pauli Bocconi I-
cones, & descriptiones rariorū
Plantarum Siciliæ.

Bocc. *Epist.* 21. & Observations e-
jusdem.

Bod.a Stap. Theophrasti Eresii de hi-
storia Plantarum Joannis Bodæi a
Stapel.

Bont. *cent.* Jacobi Bontii Historia.
Breyn.

- Breyn. cent.* Jacobi Breyni Centuria
prima.
- Brunf.* Brunfeltius.
- Cam.* Camerarius.
- C.B. Matth.* Andreæ Matthioli ope-
ra Caspari Bauhini.
- C.B. Phyt.* Phytophinax Caspari Ba-
uhini.
- C.B. Pinax* ejusdem.
- C.B. Prodr.* Prodromus Theatri Bo-
tanici ejusdem.
- Cast.* Castor Durante.
- Catal. Hort. Reg. Paris.* Catalogus
Horti Regii Parisiensis.
- Cat. Hort. Oxon.* Catalogus Horti O-
xoniensis Philippi Stephani , &
Guiliemi Brounei.
- Cæf.* Cæsalpinus.
- Clus.* Caroli Clusii Historia Panno-
nica.
- Clus.* Clusius Historia rariorum.
- Clus.* Hisp. Clusius Historia Hispa-
nica.

Co-

Colum. Fabii Columnæ.

Comm. Caspari Commelinii Catalogus indigenarum Hollandiæ.

Comm. Caspari Commelinii rariorū Plantarū descriptio.

Comm. Caspari Commelinii Præludia Botanica.

Cont. Nicolaus Contarenus.

Corn. Jacobi Cornuti.

Cort. Jacobus Antonius Cortusus.

Cost. in Mef. Costæus in Mesuem.

Dod. Dodart memor.

Dal. Dalecampius.

Dalech. in Diosc. Dalecampii in *Dioscoridem*.

Dalech. Lugd. Dalechampius in *historia universali Lugduni edita*.

Diosc. Dioscorides.

Dod. Gal. Dodonæus in *editione gallica Clusii*.

Dodon. ut. Dodonæus in *utraque tam Gallica, quam latina editio-*ne.

Eric.

Eric. & Val. Cord. Ericius, & Vale-
rius Cordus.

Ferr. Flor. Cult. Joannes Baptista
Ferrarii Flora, seu Florum cul-
tura.

Ferr. Hesp. Ejusdem Hesperides.

Flor. Florum Horti Lugduni Bata-
vi.

Fracast. Fracastorius.

Fuchs. Fuchsius in historia latina in
folio.

Fuchs. Ic. in Iconibus seorsim edi-
tis.

Gal. Galenus.

Gesn. Gesnerus.

Ger. Joannes Gerardus Anglus.

Hort. Cath. Hortus Catholicus Cu-
pani.

Hort. Cat. supp. not. Horti Catholici
Cupani supplementum.

Hofm. Flor. Mauritiij Ofmani Flo-
ra.

Hort. Maur. Hortus Maurocenus:
Hort.

Hort. Eyst. Hortus Eystettensis Basiliⁱ Besseri.

Hort. Lugd. Bat. Hortus Lugduno-Batavus Paul. Hermani.

Hon. Belli. Honorius Belli in Epistolis ad Clusium.

Imp. Ferrandes Imperatus.

Josephus Acosta in historia Indiæ.

Jonst. de Arb. It. Joannis Jonstonis.

Joa. B. Joannes Bauhinus.

Lac. Andr. Lacuna.

Leon. Nicolaus Leonicenus,

Lob. Lobelius in observation.

Lob. Icon. Lobelius in Iconibus.

Lon. Adamus Lonicerus.

Magn. Bot. Botanicum Monspeliense Petri Magnoli.

Manard. Joannes Manardus.

Matth. Matthiolus.

Moris. Hist. Roberti Morisoni Historia.

Moris. bort. Bles. Roberti Morisoni Hortus Regius Blesensis.

Mo.

Moris. *Umbel.* Morisoni ejusdem de
Plant. Umbelifer.

Parch. *Theat.* Theatrum Botanicum
Joannis Parkinsonii.

Pena. Petrus Pena in Adversariis.

Pluk. *Alm.* Pluknetii Almagestum.

Plin. Plinius.

Pon. Joannes Ponæ editione Latini-
na.

Pon. *Ital.* Ejusdem editione Italica
Montis Baldi.

Portæ. Jo: Baptista Portus.

Raij. *Cat.* Catalogus Plantarum An-
gliæ Joannis Raij.

Raij *bist.* Historia Plantarum ejus-
dem.

Ravu. Leonardus Ravujulfius.

Rob. Joannes Robinus.

Rond. Rondeletius.

Ruel. Joannes Ruellius.

Sberard. Gullielmus Sherard.

Sim. Paul.

Sutberl. *Hort.* *Edib.* Hortus medi-
cus

lus Ediburgensis Joannis Sutherland.

Svvert. Flor. Florilegium Emmanuelis Svvertii.

Tab. Jacobi Theodori Tabernæmontani edit. fol.

Tab. ico. Tabernæmontani Icones.

Theopb. Theophrastus.

Tb. Joannes Thalius.

Trag. Hieronymus Tragus.

Tourn. App. notat Tournefortii Appendix.

Tourn. Cor. Tournefortii Corollarium.

Triumph. obser. de Ortu, ac Vegetatione Plantarum Joannis Baptiste Triumpheti.

Tur. hist. Plant. Historia Plantarum Georgii Turre.

Turn. Guilielmus Turnerus.

Valeran. Valerandus Donreus Pharmacopæus.

Vesling. obs. Joannis Veslingii de Plantis

I. D. M. A. S. S. tis Ægyptiis observationes .
Volbam. Jo: Georg. Volchameri Flo-
ra Noribergensis.
Zan: bist. Bot. Historia Botanica Ja-
cobi Zanoni.

• El 10 de febrero se realizó la reunión
• entre autoridades nacionales y provinciales
• para establecer las estrategias para el manejo
• y control de la crisis. Se establecieron
• los criterios para la declaración de alerta
• y emergencia en cada uno de los países.
• El 11 de febrero se declaró la emergencia
• en Argentina, Chile, Perú y Uruguay.
• El 12 de febrero se declaró la emergencia
• en Bolivia y Paraguay.
• El 13 de febrero se declaró la emergencia
• en Ecuador y Colombia.
• El 14 de febrero se declaró la emergencia
• en Venezuela.
• El 15 de febrero se declaró la emergencia
• en Brasil.
• El 16 de febrero se declaró la emergencia
• en Costa Rica y Panamá.
• El 17 de febrero se declaró la emergencia
• en México.
• El 18 de febrero se declaró la emergencia
• en Uruguay.
• El 19 de febrero se declaró la emergencia
• en Bolivia.

State Library [unclear]

• 19. will come without charge
• 19. will come without charge
• 19. will come without charge

2017-2018-2019

NOI

NOI REFFORMATORI

Dello Studio di Padoa.

HAvendo veduto per la Fede di revisione , & approbatione del P. F. Ambrosio Lisotti Inquisitore di Padoa , nel Libro intitolato : Catalogus Plantarum , quibus consitus est Patavii Amoenissimus Hortus Illustr. , atque Excell. Equitis Jo: Francisci Mauroceni Veneti Senat. ab Antonio Tita Confectus , non v' esser cos' alcuna contro la Santa Fede Cattolica , & parimente per Attestato del Segretario Nostro ; niente contro Prencipi , e buoni costumi , concedemo Licenza a Giovanni Manfrè Stampatore , che possi esser stampato , osservando gl' ordini in Materia di Stampe , & presentando le solite copie alle Publiche Librarie di Venetia , & di Padoa .

Dat. 23. Novemb. 1713.

- (Francesco Loredan Cav. Proc. Ref.
- (Gio: Francesco Morosini Cav. Ref.
- (Alvise Pisani Cav. Proc. Ref.

Agostino Gadaldini Segret.

C A-

CATALOGUS PLANTARUM Quibus consitus est Patavii

Amoenissimus Hortus

Illusterrimi, ac Excellentissimi Equitis

**JO: FRANCISCI
MAUROCENI
VENETI SENATORIS,
ANNO MDCCXIII.**



Belmosch $\ddot{\text{A}}$ gyptiorum, sive Abutilum
Avicennæ. *Pon. Ital.* 29. Abelmosch,
seu Mosch Arabum. *Vesling. ad Alp.*
67. & *Ray. hist.* 1066. Belmuschus $\ddot{\text{A}}$ -
gyptia Hon. Bello. J.B. hist. tom. 2. 962.
Alcea $\ddot{\text{A}}$ gyptiaca villosa. C. B. Pin.
317. Alcea $\ddot{\text{A}}$ gyptia moscata. Park.

Cattu-Gasturi. *Hort. Malab.* P. 2. Quingombo, seu
Alcea moscata. Margr. Althæa $\ddot{\text{A}}$ gyptia villosa.
Moris. Bamia moscata quorundam. Ketmia $\ddot{\text{A}}$ -
gyptiaca semine moscato. Tournef.

A

Abies

- Abies conis sursum spectantibus, sive mas. C. B. Pin. 505. Abies legitima, vel mas. *Bellonii*; Taxi foliis. Herm. H. L. B.
- Abrotanum mas. angustifolium incanum. C. B. Pin. 136.
Abrotanum mas. incanum. *colum.*
- Abrotanum mas. angustifolium majus. C. B. Pin. 136.
Abrotanum vulgare mas. *Matth.* mas. *Dodon.*
- Abrotanum campestre. C. B. Pin. 136. Artemisia tenuifolia, sive septophyllos, aliis. Abrotanum sylvestre. I. B. hist. tom. 3. 194.
- Abrotanum mas. angustifolium minus. C. B. Pin. 136.
Abrotanum tertium. *Dod. Gal.*
- Abrotanum fœmina foliis teretibus. C. B. Pin. 136.
Abrotanum fœmina. *Matth.* Chamæcyparissus. I. B. tom. 3. l. 26. 133. Santolina. *Anguil.* Santolina altera. *Dodon.* Santolina vulgo. Herm. H. L. B.
- Abrotanum fœmina folio collecto incano; an Abrotanum fœmina tereti folio collecto ex canescenti obscure virenti, jucundius Chamæmelum olens. *Cupani corol. ad suppl.* H. C. rectius si *Chamæmelum Romanum* scripsisset.
- Abrotanum fœmina foliis cupressi. C. B. Pin. 137. Santolina 4. *Dodon.*
- Absinthium Ponticum, sive Romanum officinarum, seu Dioscoridis. C. B. Pin. 138. Absinthium. *Matth.* vulgare. *Tragi.* vulgare majus. I. B. tom. 3. l. 26. 168.
- Absinthium Ponticum tenuifolium incanum. C. B. Pin. 138. Absinthium Ponticum vulgare folio inferius albo. I. B. tom. 3. l. 26. 175. tenuifolium. *Dod. 24.*
- Absinthium maritimum lavendulæ folio. C. B. Pin. 139. maritimum latifolium, sive *Matth.* I. B. tom. 3. l. 26. 174. Artemisia marina *Lob.* & *Ger.*
- Absinthium insipidum, Absinthio vulgari simile. C. B. Pin. 139. Absinthium insipidum. I. B. tom. 3. l. 26. 138.
- Absinthium alpinum umbelliferum latifolium. C. B. Pin. 139. Absinthium alpinum umbelliferum. *Clus. hist.* um-

umbelliferum Clavenæ , umbelliferum. I. Ponæ Ital.
umbelliferum album alpinum Achilleæ floribus. Lob.
umbelliferum albis floribus, capitulis squamosis. I. B.
tom. 3. l. 26. 183. Ptarmica incana humili foliis laci-
niatis absinthii æmulis. Herm. H. L. B.

Absinthium Ægyptiacum. C. B. P. Santonicum ibid.

Absinthium Seryphium Ægyptiacum. Matth.

Acacia Indica Farnesiana. Aldini H. Farn. 2. Jonst. 366.
tab. 96. colum. in not. ad Henr. 867. Acacia Americana.
Monting. Pl. cult. 35. Bodæus a Stapel. not. in Theoph. 320.
Acacia Indica Ferrarii. Indica foliis scorpioidis legu-
minosæ siliquis fuscis teretibus resinosis. Herm. ca-
rat. H. L. B. Acacia Indica Mexicana Aldini. Hoff.
flor. Altford. Acacia Americana siliquis teretibus ven-
triosis floribus luteis. Herm. Prod. Parad. Bat. 303.
Eamdem esse cum Acacia Alpini, & Veslingii credi-
derim, si siliqua Farnesianæ responderet, qua de
causa eam Cl. Hermannus in H. L. B. recte separa-
vit, & Parkinsonus separata iconæ, utramque exhi-
buit p. 1548. & nostram Farnesianæ titulo proposuit.

Acacia spuria Anagyridis flore. Volckam. flor. Norib.
(addidissem albo) Pseudoacacia Rivini. Acacia Vir-
giniana siliquis glabris. Ray. hist. 1719. Arbor siliquo-
sa Virginiensis spinosa. Parkins. ex Volck. sed apud
ipsum Auctorem scribitur, Pseudoacacia Americana.
Robini p. 1550. Parkinsonus enim siliquas, & folia,
utriusque speciei, spinosas nimirum, & glabras sili-
quas sculptas dedic. unde, Acacia Virginiana siliquis
glabris: Arbor siliquosa Virginensis spinosas. Lycus
nostratis dicta. Park. spinosam vocavit Auctor
quoad arborem, non quoad siliquas: addit Rayus lo-
co supra citato: hæc arbor sæpissime falso vocatur
Acacia Americana Robini ab Hortulanis nostris, an-
notante ingeniosissimo Viro D. Leonardo Plukenetio;
ideo Parkinsonus ipse separatim siliquarum glabra-
rum, & spinosarum specimen nobis dedit.

Acanthium Matth. Acanthium vulgare flore purpureo.

Catalogus

4

- T. M. icon. 686. Spina alba tomentosa latifolia sylvestris. C. B. Pin. 382. Carduus tomentosus Achanthifolio vulgaris. *Tournef.* 441. spina alba sylvestris Fuchsi I. B. tom. 3. 54.
- Acanthus sativus, vel mollis Virgilii. C. B. Pin. 383. Branca Ursina Italorum. Guil. epist. Carduus Acanthus, sive Branca Ursina. I. B. tra. 3. 75. Acanthus sativus Dodon.
- Acanthus aculeatus. C. B. Pin. 383. Acanthus sylvestris Dod. Branca Ursina aculeata. *Lugd.* Carduus Acanthus, sive Branca spinosa. I. B. tom. 3. 75.
- Acarna flore purpurorubente patulo. C. B. Pin. 379. Achanthoides parva apula. *Colum.* P. I. 29. Carlina flore purpurorubente patulo. *Tournef.* 500. Carlina annua purpurea Monspeliensum. *Bot. monsp.*
- Acarna capitulis parvis luteis in umbella. C. B. Pin. 379. Acarna umbellata multicaulis, purpurante caule, patulo, candido, pallescente flore, radice perenni rub. stillante Belzoino non impar. *Cup. Hort. Cath.* Acarna, sive Acorna altera apula. *Colum.* P. I. 28. *Euphr.* qui umbellatam nuncupavit; flore est pallescente, sive subluteo ad albedinem inclinante.
- Acarna Theophrasti. *Imper. hist. descrip.* 754. pag. 766. Carduus Polyacanthus folioso caule, Acarna dictus. *Herm.* H. L. B. Polyacanthus Casabonæ, Acarnæ similis I. B. tom. 3. l. 25. 92. Acarna Theophrasti vulgo *Herm.* H. L. B.
- Acarna flore luteo patulo. C. B. Pin. 379. Carlina sylvestris minor Dodon.
- Acetosa pratensis. C. B. Pin. 114. Oxalis. *Trag. Mart.* Acetosa Americana foliis longissimis pediculis donatis I. in Prodr. C. B. Pin. 114. Acetosa vesicaria peregrina *Eyst.* Acetosa Indica folio crasso, semine amplissimo. *Cast.* H. *Mess.* Oxalis Africana. I. B. tom. 2. 992.
- Acetosa rotundifolia alpina, quæ 2. in Prodr. C. B. Pin. 117.

Ae-

- Acetosa rotundifolia hortensis.* C. B. Pin. 114. *Oxalis Franca*, seu *Romana*. *Ger.* *Acetosa Romana & Veterum.* *Dod. Gal.* *Acetosa rotundifolia.* *Dodon.* 649. *Oxalis folio rotundiore repens.* I. B. tom. 2. 991. *Acetosa arvensis lanceolata.* C. B. Pin. 114. *Oxalis Ovinna* T. M. *Oxalis parva auriculata repens.* I. B. tom. 2. 992. *Acetosa Africana arborescens rotundifolio.* *Acetosa arborescens subrotundofolio ex insulis Fortunatis.* *Pluk. Almeg. Bot. & Phytogr. Tab. 252. fig. 3. ex Tournefort.* 503. *Acetosa Ocimifolio Neapolitana.* C. B. P. *Acetosa Ocimifolio Neapolitana Columnæ.* *Acetosa lanceolata angustifolio repens.* C. B. P. 4. in *Prodromo.* *Aconitum unifolium luteum bulbosum.* C. B. Pin. 183. *Ranunculus cum flore in medio folio, radice tuberosa.* I. B. tom. 3. l. 4. 14. *Aconitum luteum minus.* *Dod.* 440. *Helleborus niger tuberosus Ranunculi folio flore luteo.* *Tournef.* 272. *Aconitum lycocotonum luteum.* C. B. Pin. 183. *Luparia.* *Trag.* *Aconitum folio Platani flore luteo pallescente.* I. B. tom. 3. 652. *Lycocotonum luteum majus.* *Dod.* 439. *Aconitum ceruleum hirsutum flore consolidæ regalis.* C. B. P. 183. *Lycocotonum flore Delphinii.* *Clus.* *Delphinium perenne montanum villosum Aconiti folio.* *Tournef.* 426. *Aconitum ceruleum*, seu *Napellus.* 1. C. B. Pin. 183. *Napellus Matth.* *Aconitum magnum purpureo flore, vulgo Napellus.* I. B. tom. 3. 655. *purpureo flore in figura, ceruleo in descriptione.* *Napellus Dod.* 442. *Aconitum violaceum*, sive *Napellus.* 2. C. B. Pin. 183. *Aconitum Lycocotonum 4. vel præcox Tauricum.* *Clus.* *Aconitum Napello simile*, sed minus *ceruleum præcocius.* I. B. tom. 3. 656. *Aconitum racemosum Actea Plinii.* C. B. P. 183. I. B.

- l. 27. 7. *Christophoriana*. *Gesn. Hort. Dod.* 402. *Christophoriana vulgaris nostras racemosa, & ramosa*. *Morris. hist. & Tournef.* 299.
- Aconitum salutiferum*, seu *Anthora*. C. B. P. 184. *Anthora Matth.* *Antithora* flore luteo *Aconiti*. I. B. tom. 3. 660. *Anthora Zedoaria*, *Aconitum salutiferum*. T. M. *Icon.* 112.
- Acorus verus*, sive *Calamus aromaticus officinarum*. C. B. P. 34. *Acorus*, perperam *calamus aromticus officinarum*. *Matth.*
- Adhatoda Zeylanensium*. *Herm. H. L. B. Wanæpala Malab. Hort. Malab.* P. 10. 1. 17. *Tourn.* 175.
- Adianthus foliis Coriandri*. C. B. P. 355. *Adianthus*, sive *capillus Veneris*. I. B. tom. 2. 1. 37. 751.
- Adianthus rubrum*. *Lon. Trichomanes*, sive *Polytrichum officinarum*. C. B. Pin. 365. *Trichomanes*, sive *Polythricum*. I. B. tom. 3. 754. *Thrichomanes*. *Dod.* 471.
- Adianthus candidum*. *Cordi. Ruta muraria*. C. B. P. 356. I. B. tom. 3. 753. *Dodon.* 470.
- Adianthus furcatum*. *Thal. Filix saxatilis corniculata*. C. B. P. 358. *Filix saxatilis*. *Tragi*; I. B. tom. 3. 755. *Holostium petræum*. T. M. *Icon.* 736. *Filicula saxatilis corniculata*. *Tournef.* 542.
- Adonis hortensis* flore minore atrorubente. C. B. Pin. 178. *Flos Adonis vulgo. Clusi*. mihi videtur potius qui passim sponte apud nos nascitur in agris, *Adonis sylvestris* flore phœnico, ejusque foliis longioribus in *Pinace* scribitur ab *hortensi* separatus.
- Ægilops Matth.* *Festuca altera capitulis duris*. C. B. Pin. 10.
- Æthiopis* foliis sinuosis. C. B. P. 241. *Æthiopis Matth. Horminum Æthiopicum incanum* foliis sinuosis, *Æthiopis dictum*. *Herm. H. L. B. Sclarea vulgaris lanuginosa amplissimo folio*. *Tournef.* 179. *Æthiopis multis*. I. B. tom. 3. 315.
- Æthiopis tota argentea perennis lanuginosa Cupani.* Age-

Plantarum.

7

Ageratum foliis serratis. C. B. P. 221. Eupatorium Mesues Tragi. Ageratum plerisque, herba Julia quibusdam. I. B. tom. 3. l. 26. 142.

Ageratum umbella candida folio millefolii minoris rigidiore tamen; *Lelii Triumfetti* apud Fratris observationes.

Ageratum umbella candida Ptarmicæ folio chamæmeli nobilis odore. *Triumfetti*.

Agerato mesues cognata procerior corimbis e luteo albicantibus. H. R. P.

Agnus Castus; Vitex foliis angustioribus cannabis modo dispositis. C. B. P. 475. Agnus folio non ferrato. I. B. tom. 1. l. 8. 208. floribus cæruleis.

Agrimonia officinarum; Eupatorium Veterum, seu Agrimonia. C. B. P. 321. Agrimonia, sive Eupatorium. I. B. Tom. 2. 398. Dod. 28.

Agrimoniæ similis. C. B. P. 321. Agrimonoides Colum. P. 1. 146.

Alcea vulgaris major. C. B. P. 316. Alcea vulgaris. I. B. tom. 2. l. 23. 953. Dod. 656. flore purpureo, sive ex rubro-roseo.

Alcea folio rotundo laciniato. C. B. P. 316. Malva montana, sive Alcea rotundifolia laciniata. Colum. P. 1. 148.

Alcea vesicaria. C. B. P. 317. Alcea solisequa multis Veneta. I. B. tom. 2. 1068. Append. Alcea vesicaria. Dod. 657. Kettmia vesicaria vulgaris. Tournef. 101. Althæa vesicaria Veneta. Moris. Herm. H. L. B.

Alcea vesicaria peregrina; Hypecoum Africanum triphyllum. Alcea Africana, seu vesicaria trifolia flore purpureo. Bocq. Icon. Tournef. 101.

Alcea Sabdariffa dicta trifoliata. Podachini. an Alcea Bengalensis sabdariffæ similis. Pluk. Pbyt. ex Tourn. 101.

Alcea Pernambucana Carpini folio, flosculis minimis luteis, semine simplici rostro donato. Moris. hist. 2. 528. Herm. H. L. B. Althæa peregrina semine rostra-

to flore luteo minimo. *Moris. H. Bles.* 220. *Bocc. Pl. Sic.* 11. *Zanoni hist. Bot.* 132.

Alcea Virginiana Ricinifolio. *Althaea Ricinifolio Virginiana.* *Herm. H. L. B. Malva Aceris folio Virginiana.* *Tourn. 95.*

Alchimilla vulgaris. C. B. Pin. 319. *Pes Leonis.* *Fuchs. Stellaria.* *Matth.* *Pes Leonis,* sive *Alchimilla.* I. B. tom. 2. l. 17. 598.

Alchimilla montana minima. *Colum. Ecph.* 145. *Chærophyllo nonnihil similis.* C. B. P. 152. *Percepier. Angelorum quibusdam.* I. B. tom. 3. l. 27. 74.

Alysson siliqua lata aspera, quibusdam *Lunaria* flore luteo. I. B. tom. 2. l. 22. 934. *Leucojum Alyssoides clypeatum majus.* C. B. P. 201. *Leucojum asperum siliquis asperis clypeiformibus.* *Moris. hist.* *Lunaria Leucocii folio siliqua oblonga major.* *Tournef.* 218. *Alysson. Diosc. Dod.*

Alliaria Matth. Trag. cui *Thlaspidium cornutum.* C. B. P. 110. *Alliaria.* I. B. tom. 2. l. 21. 883. *Hesperis Allium redolens.* *Herm. H. L. B. Moris.* & *Tournef.* 222. extat epistola C. B. apud Hildanum, quæ omne tulit punctum.

Allium sylvestre latifolium. C. B. P. 74. *Allium Ursinum* quod vocant, & *Matth.* *Ursinum bifolium vernum sylvaticum.* I. B. tom. 2. l. 19. 569. *Allium latifolium palustre.* *Moris. hist.*

Allium sylvestre campestre purpurascens. C. B. P. 74. *Allium caninum primum.* *Trag.*

Allium sylvestre bincorne flore obsoleto. C. B. P. 74. *Allium caninum alterum.* *Trag.*

Allium sphærico capite folio latiore, sive *Scorodoprasum alterum.* C. B. Pin. 74. *Scorodoprassum dictum.* I. B. tom. 2. l. 19. 558. *Allium maximum multis porraceis foliis latioribus,* sphærico capite ex floribus albis conflato. *Moris. hist.*

Allium sativum alterum, sive *Allioprasum caulis summo circumvoluta.* C. B. P. 73. *Moris. hist.* Alii genus ophio-

ophioscorodon dictum quibusdam . . B. tom. 2. l. 19.
559.

Alnus rotundifolia glutinosa viridis . C. B. P. 428. Al-
nus vulgaris . I. B. tom. 1. l. 8. 151. Alnus . Dod.

Alnus nigra baccifera . C. B. P. 428. I. B. tom. 1. l. 5.
560.

Aloe vulgaris . C. B. P. 286. Aloe Matth.

Aloe flore in oblongum aculeum abeunte . C. B. P. 286.
Aloe Americana . Dod.

Aloe Africana caulescens , foliis minus glaucis caulem
amplectentibus , dorsi parte supraem spinosa . Comme-
lin. Prælud. Bot. 69.

Aloe Africana humilis foliis ex albo , & viridi variega-
tis . Commel. Præl. Bot. 79.

Aloe Africana foliis glaucis, margine , & dorsi parte su-
periore spinosis , flore rubro . Commel. Præl. Bot. 75.
scribit Auctor: succus hujus plantæ viscosus , & dul-
cis est . apud nos e floribus tantum dulcissimus succus
emanat .

Aloe Africana minor . Cereus Africanus folio lato crasso.
Alsine hederulæ folio . C. B. P. 250. Veronica hederu-
læ folio . Moris. hist. Alsines genus . Fusch. Alsine fo-
lio hederulæ hirsuto . I. B. tom. 3. l. 29. 368. Alsine
hederacea . Ger. Alsine hederulæ folio minor . Park.
Morsus gallinæ folio hederulæ . Lob. Adu.

Alsine scandens baccifera . C. B. P. 250. Alsine repens.
Dod. Cacubalus Plinii . Lugd.

Alsine Veronicæ foliis , flosculis caulinis adhærenti-
bus . C. B. P. 250. Alsine serrato folio hirsutiori , flo-
ribus , & loculis caulinis adhærentibus . I. B. tom. 3.
l. 19. 367. Veronica flosculis caulinis adhærentibus
Moris. hist. 322. Alsine foliis Veronicæ . Ger. Alsine
foliis subrotundis Veronicæ . Park. Alysson. colum.
Phitob.

Alsine Chamædryfolia flosculis oblongis pediculis insi-
dentibus . C. B. P. 250. Alsine serrato folio glabro .
I. B. tom. 3. l. 29. 367. Veronica flosculis oblongis pe-
di-

- diculis insidentibus Chamædryos folio. *Moris.* Alsine
foliis Trissaginis. *Get. Park. & Lob.*
- Alsine major. C. B. P. 250. Alsine Marina. *Dod.* I. B.
tom. 3. l. 29. 364.
- * Alsine major scandens alpina circeæ minimæ Columæ
folio, flore albo.
- Alsine media. C. B. Pin. 250. Alsine. *Matth.* Alsine
vulgaris, sive morsus Gallinæ. I. B. tom. 3. l. 29.
363.
- Alsine major multicaulis. C. B. P. 250. morsus Galli-
næ. *Brunsf.* Alsine minima. *Dod.* & I. B. tom. 3. l. 29.
364. Centunculus minutissimus caulinis. *Cæsalp.*
- Alsine minor lini capitulis. C. B. Pin. 251. Alsine Pe-
trea minima. T. M.
- Alsine tenuifolia muscosa. C. B. P. 251. Alsine muscosa.
Lugd. Alsine tenuifolia. I. B. tom. 3. l. 29. 366.
- Alsine hederula altera. *Ger.* Alsine species. T. M. La-
minum foliis caulem ambientibus majus. C. B. P. 231.
Galeopsis, sive urtica iners minor folio caulem am-
biente. I. B. app. tom. 3. 813.
- Idem minor id. Lamium folio caulem ambiente minus.
C. B. P. 231. morsus Gallinæ folio hederulæ alter.
Lob. Icon. Leucas. 4. *Cæsalp.* Ballote crispa. *Lugd.*
- Alsine aquatica minor, & fluitans. C. B. P. 251. Alsine
fluvialis. T. M.
- Alsine verna Dalechampi. *Lugd.* Caryophyllus arvensis
umbellatus folio glabro. C. B. P. 210. Caryophyllus
arvensis umbelliferus. I. B. tom. 3. l. 29. 361. an Ly-
chnis graminea hirsuta umbellifera. *Moris.* Holo-
stæum caryophylleum arvense. T. M.
- Idem. Caryophyllus arvensis glaber flore majore. C. B.
P. 210. Gramen Leucanthemum. *Dod.*
- Althæa. *Dioscoridis*, & *Plinii.* C. B. P. 315. Althæa,
sive Bismalva. I. B. tom. 2. l. 23. 954. Malva sylvestris,
vel palustris, aut Ibiscus. *Moris. hist.*
- Althæa laciniato folio. C. B. P. 316. Althæa 4. *clusii*
hist.

Althæa palustris. C. B. P. 316. Althæa hortensis, sive peregrina. Dod.

Althæa frutescens folio rotundiore incano. C. B. P. 316.
Althæa arborescens. Clusi.

Althæa Theophrasti flore luteo. C. B. P. 316. Althæa altera, sive Abutilon Avicennæ. Matth. Althea Theophrasti flore luteo, quibusdam Abutilon. I. B. tom. 2. l. 23. 958.

Althæa Americana Bryoniæ folio, sive Althæa frutescens Bryoniæ folio. C. B. P. 316. & in Prodr. 138. quam Americanæ titulo accepit.

Althæa Americana Populi facie flore roseo. an Kettmia Africana populi folio. Tournef. 100. cui & Althæa rosea peregrina forte Rosa Möscheutos Plinii. Corn. 144.

Amaracus, sive Majorana tenuifolia. Matth. Majorana tenuifolia. C. B. P. 224. Majorana tenuior, & lignosior. I. B. tom. 3. l. 18. 241.

Amaracus Matth. Majorana vulgaris. C. B. P. 224.

Amaracus, Majorana Cretica origani folio. Turnef. Coroll.

Amaranthus cristatus rubicundissimo flore. Cat. H. R. P.
Amaranthus purpureus panicula speciosa cristata. I. B. tom. 2. l. 23. 969. cuius species variæ.

Amaranthus pennatus coccineus. Amaranthus paniculis coccineis. Herm. H. L. B. cuius species variæ.

Amaranthus spicatus purpureus. Amaranthus simplici panicula. C. B. P. 121. Amaranthus purpureus. Fuch.
Amaranthus spicatus. Eyst. cuius species variæ.

Amaranthus cristatus aureus, sive paniculis luteis cristatis. Herm. H. L. B. cuius variæ species.

Amaranthus spicatus luteus, paniculis surrectis luteis. Herm. H. L. B. cuius species variæ.

Amaranthus pennatus luteus, sive stamineis spicis luteis. Herm. H. L. B. cuius species variæ.

Amaranthus folio variegato. C. B. P. 121. Symphonia Plinii. Lugd. Amaranthus tricolor Lob. T. M. Blitum

- maculosum, & herba Papagalli: Dod. in ejus fol.
color variat.
- Amaranthus sicus spicatus perennis.* Bocc. Icon. 16. Amaranthus sicus spicatus radice perenni. Bocc. rar. plant. ex Tournef. 235.
- Amaranthus Indiæ Orientalis spicatus linariæ folio flore suave rubente.* Gherardi an descriptus?
- Amaranthus latifolius flore albicante, purpurascente.*
Plures Amaranthorum visuntur varietates præsertim in floribus, quibus Maurocenus Hortus quotannis gaudet, quos hic omnes recensere supervacaneum duimus.
- Amarantho affinis Africanus perennis.* Amarantho affinis indiæ Orientalis floribus glomeratis ocymoidis folio. Erey. cent. 1. 109. Icon. 51. *Amaranthoides Lynchidis* folio capitibus purpureis. Tourn. 564.
- Amaranthus baccifer indicus, sive Solanum racemosum indicum.* H. R. P. Solanum racemosum Americanum. Ray hist. 562. Solanum magnum rubrum Virginianum. Park. 347. Solan. racemosum tinctorium Americanum foliis & seminibus Amaranthi; Phytolacca. Tourn. 299. Phytolacca Americana majori fructu ejusdem.
- Ambrosia maritima.* C. B. Pin. 138. Ambrosia quibusdam. I. B. tom. 3. l. 26. 190. foliis Absinthii odoratis humilior.
- Ambrosia campestris repens.* C. B. P. 138. Coronopus. Ruellii; Nastrutium verrucosum. I. B. tom. 2. l. 22. 919. nastrutium verrucosum capsula bivalvi aspera, seu hirsuta. Moris.
- Ammi majus.* C. B. Pin. 15. Ammi vulgare majus latioribus foliis semine minus odorato. I. B. tom. 3. l. 27. 27. Ammi annum. Moris. Umbel. 21.
- Anagallis flore phæniceo.* C. B. P. 252. Anagallis phœnica mas. I. B. tom. 3. l. 29. 369.
- Anagallis flore cæruleo.* C. B. P. 202. Anagallis fœmina cærulea. I. B. tom. 3. 369.
- Anagallis aquatica major* folio subrotundo. C. B. P. 252.

- Anagallis, sive Beccabunga. Ger. Veronica aquatica major. Herm. H. L. B. Anagallis aquatica folio rotundiori. I. B. tom. 3. l. 38. 791.
- Anagallis aquatica flore ceruleo folio oblongo. I. B. tom. 3. l. 38. 791. Veronica aquat. major folio oblongo. Moris. bift.
- Anagallis cerulea tenuifolia flore ampio. Bocc.
- Anagallis aquatica major folio oblongo. C. B. P. 252. aquatica minor. Ger. & T. M.
- Anagallis aquatica folio rotundo non crenato. C. B. P. 252. Anagallis aquatica rotundifolia. Ger. aquatica 3. Lobel. Aquatica folio subrotundo non crenato. Park. Samolus Valerandi. I. B. tom. 3. part. 2. 792. Veronica aquatica folio subrotundo non crenato. Moris.
- Ananas Acostæ. Carduus Brasilianus foliis Aloes. C. B. Pin. 384. Ananas Acostæ. I. B. tom. 3. 95. & Linscotti. Ananas fructus. Bonn. l. 6. 145. Ananas. Pison. l. 4. 195. Matzatli, seu Pinea indica. Hernand. 311. Nana fructus, sive yayama. Lugd. 1481.
- Anagyris fetida. C. B. P. 391. Anagyris vera fetida. I. B. tom. 2. l. 11. 364.
- Anagyris non fetida major, vel alpina. C. B. Pin. 391. Laburnum arbor trifolia anagyridi similis. I. B. tom. 1. l. 11. 361.
- Anchusa lutea major. C. B. P. 255. Anchusa 3. Matib. Symphytum Echii folio ampliore, radice rubra flore luteo. Tourn. 138. Anchusa lutea. I. B. tom. 3. 538.
- Anchusa lutea minor. C. B. P. 255. Echioides lutea cerinthoides montana. Colum. p. 1. 183. Symphytum echii folio angustiore radice rubra flore luteo. Tourn. 138.
- Androsæmon maximum frutescens. C. B. P. 280. Androsænum. Dod. 78. Siciliana, aliis Ciciliana, vel Androsænum. I. B. tom. 3. 384. Hypericum, seu Androsænum maximum, quasi frutescens bacciferum. Moris.
- Androsæmon hirsutum. C. B. P. 280. Ascyrum. Mattb. Hy-

Hypericum Ascyrum dictum caule quadrangulo. I. B. tom. 3. l. 29. 132. an *Hypericum Ascyrum* dictum caule quadrangulo glabro. *Moris.*

Androsænum Matth. fol. Ascyrum, sive *Hypericum bifolium* glabrum non perforatum. C. B. P. 280. *Hypericum elegantissimum* non ramosum folio lato. I. B. tom. 3. l. 29. 383.

Anemone Geranei rotundo folio purpurascens. C. B. P. 173. *Anemone stellata* purpurea, & alba. T. M.

Anemone latifolia flore purpurascente. C. B. P. 173.

Eadem *latifolia* flore purpuro-saturo. C. B. P. 173.

Eadem *latifolia* simplici carneo flore. C. B. P. 173.

Eadem *Geranei Ropertiani* folio cærulea, an *Dioscoridis.* C. B. P. 173.

Eadem *tenuifolia* flore multifido dilute purpurascente. C. B. P. 174.

Eadem flore albo multiplex. C. B. P. var. 176.

Eadem flore flammeo, seu flore coccineo pleno. Eyst. & Moris. Hist.

Eadem flore carneo; forte *Byzantina* flore carneo vivacissimo. *Moris. Hist.*

Eadem flore violaceo; flore purpureo violaceo. C. B. P. Var. 173.

Anemone 2. *Matth. Lugd.* C. B. P. 175. an *Ranunculus* flore globoſo.

Anemone flore pleno purpureo.

Eiusdem varietates plurimæ petalorum numero magnitudine, colore, & forma pro vario lascivientis naturæ lusu.

Anethum hortense. C. B. P. 147. *Anethum.* I. B. tom. 3. l. 27. 6. *Moris. Umbel.* 36.

Anethum verum Pernambucense. Zan. *Anethum Pernambucense.* Herm. H. L. B.

Angelica sativa. C. B. P. 155. I. B. tom. 3. l. 27. 140. *sativa*, sive *officinarum*. *Moris.*

Angelica sylvestris minor, sive *erratica*. C. B. P. 155.

Angelica sylvestris repens. I. B. tom. 3. l. 27. 145. An-

ge-

gelica Podagraria dicta. Moris. Umbel. 9. Ægopodium.
T. M.

Angelica lucida Canadensis. Cornuti 197. Moris. Umbel.
9. Imperatoria lucida Canadensis. Tour. 317. Panax
Heracleum alterum Americanum splendente folio La-
serpitium creditum quibusdam. Parkins.

Anonis viscosa spinis carens lutea major. C. B. P. 389.
Natrix Plinii Herbariorum. Lob. Adv. Anonis lutea
montana. Camer. Epist. Matth.

Anonis spinis carens purpurea alopecuroides hirsuta.
ex Horto Cath.

Anonis spinosa flore purpureo. C. B. P. 389. Anonis,
sive resta bovis vulgaris purpurea spinosa. I. B. tom.
2. l. 17. 391. Anonis purpurea vulgaris spinosa, flore
purpureo siliquis erectis lentiformibus. Moris.

Anonis flore candidissimo, & caule. Volkam. an eadem
albido flore invariety. C. B. P. 389.

Anonis viscosa spinis carens lutea minor. C. B. P.

Anthyllis maritima Alsine foliis. C. B. Pin. 282. Poly-
gonum maritimum folio Alsines. Moris. Paronychia
Alsinefolia incana. I. B. tom. 3. l. 29. 367. Paronychia
altera. Matth.

Antirrhinum majus rotundiore folio. C. B. P. 211. An-
tirrhinum majus flore roseo. Cat. Hort.

Antirrhinum majus alterum folio longiori. C. B. P. 211.
Antirrhinum vulgare. I. B. tom. 3. l. 32. 462. flore
roseo.

Antirrhinum luteo flore. C. B. P. 211. Antirrhinum lu-
teum. T. M. Icon. flore subluteo. Dod. hist. variar.
flore pro naturæ lusu.

Antirrhinum siculum altissimum annum linariæ folio
flore lactescente, ex Hort. Cath.

Aparine. C. B. P. 234. I. B. P. 334. I. B. tom. 3. l. 36.
713.

Apium hortense, seu Petroselinum planum. I. B. tom.
3. l. 27. 97.

Apium hortense latifolium. C. B. P. 153. Apium latifo-
lium,

- lium, seu hortense maximum. *Moris. Umbel.* 21. Apium hortense magnum vulgare, hortensi, seu Petroselinum vocato, sapore idem, sive Anglicanum quibusdam. I. B. tom. 3. l. 27. 99.
- Apium, vel Petroselinum crispum. C. B. P. 153. Apium hortense vulgo petroselinum crispum. I. B. tom. 3. l. 27. 97.
- Apium montanum folio tenuiore. C. B. P. 153. Apium sativum hortense angustifolium. *Moris Umbel.* 23. Petroselinum Dalechampi. *Lugd.*
- Apium montanum folio ampliore. C. B. P. 153. Oreoselinum. *Adv. Lob.* 1. T. M.
- Apium montanum nigrum. C. B. P. 153. Petroselinum Parisientium. *Lugd.*
- Apium palustre, & Apium officinarum. C. B. P. 154. Apium palustre. *Matth.* Apium vulgare ingratius. I. B. tom. 3. l. 27. 100. Apium palustre Paludapium dictum. *Moris. Umbel.* 21. & 23.
- Apium Macedonicum. C. B. P. 154. Petroselinum Macedonicum. *Matth.* Apium, sive Petroselinum Macedonicum. I. B. Apium semine villoso, seu incano Macedonicum. *Moris. Umbel.* 21.
- Apios Americana. *Cornuti* 201. Astragalus perennis spicatus Americanus scandens caulis radice tuberosa donatus. 415. *Moris. hist.* Astragalus tuberosus scandens Fraxini folio. *Tournef.* 415. Terræ glandes Americanæ, sive Virginianæ. *Parkins.*
- Apocynum folio subrotundo. C. B. P. 302. Apocynum folio rotundiore flore ex albo palliente. I. B. tom. 2. l. 15. 134. Apocynum primum latifolium. *Clusii.*
- Apocynum angusto salicis folio. C. B. P. 303. secamone. Scammonii species Ægyptiis. *Alpin. de Pl. Ægypt.* 134. Apocyni secundi species altera. *Clus. hist.* & *Hisp.* Apocynum scandens Ægyptiacum, sefelios Æthiopici foliis, angustifolium. *Herm. Par. Bat.* 52. Periploca foliis oblongis angustioribus. *Tournef.*
- Apocynum folio oblongo. C. B. Pin. 303. Apocyna re-

pens. Matth. *Apocynum*, sive *Periploca scandens* folio longo, flore purpurante. I.B. tom.2. l.15.133.

Apocynum erectum Africanum villoso fructu salicis, folio glabro angusto. Herm. Por. Bath.24.

Apocynum erectum Africanum villoso fructu salicis, folio lato subhirsuto. Herm. Por. Bat.24.

Apocynum Corassavicum, seu *Americanum fibrosa radi- ce floribus aurantiis Chamenerii* foliis latioribus. Her. Por. Bot. 36.

Apocynum humile Aizoides siliquis erectis. Herm. H.L. B. *Fritillaria crassa Promontorii Bonæ spei*. Stapel. in not. ad Theoph. 335. Raji. hist. app. 1907. *Asclepias Africana Aizoides*. Tournef.94.

Apocynum erectum latifolium incanum Syriacum floribus parvis obsolete purpurascens. *Apocynum latifolium Syriacum incanum erectum* floribus umbellatis minoribus obsolete purpurascens, siliquis folliculatis rugosis. Herm. H.L.B. *Apocynum majus syriacum rectum Cornuti*. *Apocynum syriacum forte*. Clusii. *Apocynum rectum Americanum latifolium*, sive *majus*. Parkins. Beidelsar *Weixii Clusio*. Beidelsar *Veslingii*. Esula indica Patavinorum. Gerard. & Par. Bat. Herm. 32.

Apocynum maritimum Venetum salicis folio, flore purpureo. Tour. 92. *Apocynum maritimum erectum* flore purpureo. H.L.B. *Tithymalus maritimus* purpurascens floribus. C.B.P. 291. *Alypum quibusdam*, sive *Esula rara* floribus purpureo. I. B. tom. 3. 676. *Esula rara* e Lio Venetorum insula. Lobel. icon. 372. *Esula rara nostra* floribus purpurascens. Donati. 39.

Apocynum Asclepiadis folio flore nigro. H.L.B. *Asclepias* flore nigro. C.B.P. 303. *Asclepias* flore nigro quorundam. I.B. tom.2. l.15.140.

Apocynum erectum Americanum; folio Chamenerii. Par. Bat.

Asclepias flore albo. C.B.P. 303. *Asclepias*, sive *Vincetoxicum cum multis floribus albicantibus*. I.B. tom.2. l.15. 138.

- Aquilegia sylvestris.* C.B.P. 144. *Aquilegia flore simpli-
ci.* I. B. tom. 3. l. 30. 484. *Aquilegia.* Dod. *Aquilegia
simplex.* Camer.
- Aquilegia hortensis simplex.* C.B.P. 144. & I.B. tom. 3.
l. 30. 484. *descrip.*
- Aquilegia flore albo simplici.* C. B. P. 144. I. B. tom. 3.
l. 30. 484.
- Aquilegia flore violaceo.*
- Aquilegia flore castanei coloris.* C.B.P. 144. Sovvert.
- Aquilegia montana parvo flore Thalictri folio,* quæ se-
cunda in Prodr. 75. C.B.P. 144. I.B. tom. 3. 484.
- Aquilegia variegata.* Bry. C.B.P. 145. *flore variegato du-
plici.* Sovvert.
- Aquilegia hortensis multiplex flore magno.* C. B. Pin.
145. *Aquilegia multiflora variegata.* Lob. Icon.
- Aquilegia flore ceruleo pleno.* Eyſt. *Aquilegia hortensis
multiplex flore magno.* C. B. Pin. 145. *flore ceruleo
pleno.*
- Eadem flore albo pleno. Variet. C.B.P. 145. Eyſt.
- Eadem flore rubro pleno. Variet. C.B.P. 145. Eyſt.
- Eadem flore incarnato pleno. C.B.P. 145. Eyſt.
- Aquilegia stellata flore violaceo.* Eyſt.
- Arbutus folio ferrato.* C. B. P. 460. *Arbutus Comatus*
Theophrasti. I.B. tom. 1. l. 1. 83. Unedo Plinii vulgo.
Lob. Adv. *Arbutus.* Matth. & Dod. 804.
- Argentina.* Dod. *Potentilla.* C. B. P. 321. *Potentilla.*
Matth. *Pentaphylloides minus supinum,* seu procum-
bens foliis alatis argenteis, & serratis flore luteo. Mo-
rif. bisf. *Potentilla, sive Argentina.* I.B. tom. 2. l. 17. 398.
- Anserina vulgo.* Herm. & L.B. *Pentaphylloides argen-
teum alatum,* seu *Potentilla.* Tournef. 298.
- Arifarum.* Matth. *Arum venis albis.* C.B.P. 195.
- Arifarum angustifolium,* Dioscoridis forte. C.B.P. 196.
I.B. tom. 2. l. 19. 787. *Arum angustifolium pistillo lon-
gissimo tenui reflexo,* mucronato. Herm. H.L.B.
- Arum maculatum,* maculis candidis, vel nigris. C.B.P.
195. *Arum.* I.B. tom. 2. l. 19. 183.

Arum vulgare non maculatum. C.B.P. 195.

Aristolochia rotunda flore ex purpura nigro. C.B.P. 307.

Aristolochia rotunda. I.B. tom.3. l.32. 559. rotunda.

Matth.

Aristolochia Clematitis recta. C.B. P. 307. *Aristolochia clematitis vulgaris*. I.B. tom.3. l.32. 560.

Aristolochia Pistolochia altera. I. B. tom.3.l.32.563. *Pistolochia cretica*. C.B. P.307. *Aristolochia Pistolochia dicta cretica, smilacis folio semper virens*. H.L.B.

Argemone alpina coriandri folio. C.B.P. 172. *Argemone lutea*. *Ponæ Ital.* 100. *Papaver alpinum saxatile coriandri folio*. *Tournef.* 239.

Argemone capitulo longiore. C. B. Pin. 172. *Lob. Icon.* 276. *Lugd.* *Papaver erraticum alterum cæsalp.* *Argemone capitulo longiore spinoso*. I. B. tom.3. 396. *Papaver erraticum capite longiore hispido*. *Tournef.* 238.

Artemisia vulgaris major. C.B.P. 137. *Artem. vulgaris*. I.B. tom.3. l.26. 184

Arundo vulgaris, sive *Phragmitis Dioscoridis*. C. B. P. 17. *Arundo vulgaris palustris*. I. B. tom. 2. l.18. 485. *Arundo vallatoria*. *Dod.*

Arundo sativa, quæ *Donax*. *Diosc.* & *Theoph.* C. B. Pin. 17. *Arundo maxima*, & *hortensis*. I. B. tom. 2. l.18. 486.

Arundo indica variegata, seu *Laconica*. *Theoph.* *Cornuto* 55. *Arundo laconica a Petro Multerio*. *Eod. a Stapel.* *not. ad Theoph.* 480. *Arundo indica striata*, vel *sulcata* *alba Robini*. *Hist. Stirp.* *Lobel.* *Arundo indica variegata*. *Park.* 1209. *Arundo indica versicolor*. *Flor.* *Altford.*

Arundo indica latifolia. C.B.P. 19. I. B. tom.2. l.18.489. *Longoas Stapel.* 334. *canna indica latifolia humilior flore saturatus rubente*. H.L.B.

Arundo indica latissimo folio flore rutilo. H.R.P. *canna indica latifolia maxima*. H.L.B.

Arundo indica latifolia flore luteo punctato, que 3. *in Prod.* C.B.P. 19. *Arundo indica flore luteo punctato*. H.

L. B. Arundo indica flore luteo punctato. I. B. tom. 2. l. 18. 490.

Arundo maxima Ceilanica.

*Asarum. C.B.P. 197. I.B. tom.3. l.32. 548. Asarum bac-
caris, sive baccatus. Lob. Adv.*

*Asparagus sativa. C.B.P. 489. Asparagus hortensis. I.B.
tom.3. l.36. Asparagus domesticus. Moris.*

*Asparagus sylvestris tenuissimo folio. C.B.P. 490. Aspa-
ragus pratensis. I.B. tom.3. l.36. 725.*

*Asparagus Africanus caule spinoso cupressi folio, seu
Chamæ cupressus Africana. Ottoni. Asparagus Afri-
canus aculeatus. Herm. H.L.B.*

*Asperula cærulea arvensis. C. B. P. 334. Rubia cærulea
erectior, elatiorve. I.B. tom.3. l. 36. 719.*

*Asphodelus albus non ramosus. C. B. P. 28. & Moris. Af-
phodelus major flore albo non ramosus. I. B. tom.2.
l.19. 625.*

*Asphodelus luteus, & flore, & radice. C.B.P. 28. Af-
phodelus luteus. I. B. P.28. Asphodelus luteus. I. B.
tom.2. l.19. 632. Asphodelus folio fistuloso striato non
ramosus, luteus & flore, & radice. Moris. bist.*

*Asphodelus foliis fistulosis. C. B. P. 29. Asphodelus mi-
nor folio fistuloso. I. B. tom.2. l.19. 631. Phalangium
parvo flore ramosum foliis fistulosis annum. Herm.
H.L.B.*

*Asphodelus Africanus foliis cępaceis flore luteo; si flo-
ribus esset albis, forte Phalangium Æthiopicum ra-
mosum petalis reflexis Commel. H. Amstelod. 67. esse
crediderim.*

*Asplenium, sive Ceterach. I. B. tom.3.740. Ceterach of-
ficularum. C.B.P. 354.*

*Aster Atticus foliis circa florem mollibus. C.B.P. 226.
Chrysanthemum Asteris facie foliis circa florem mol-
libus. Herm. H.L.B. Aster cernuus. Column.*

*Aster luteus major foliis succisæ. C.B.P. 266. Chry-
santhemum Asteris facie foliis succisæ. Herm. H.L.B.
Pannonicus Aster primus, vel Pannonicus major. Clusi.*

Aster

- Aster luteus hirsutus salicis folio. C.B.P. 266. Aster. 3.
 Pannonicus. *Clusii*. Aster luteus folio hirsuto salicis.
Herm. H.L.B.
- Aster montanus luteus salicis glabro folio. C. B. P. 266.
 Conyza media Monspeliensis, quibusdam Asteris at-
 tici genus folio glabro rigido. I. B. tom. 2. l. 24.
 1049.
- Aster luteus folio glabro, & crenato. C. B. Pin. 266.
 Aster Italorum. *Lob. Adv.* Aster Atticus italicum.
Clusii.
- Aster luteus supinus. C. B. P. 267. Aster Atticus supi-
 nus. *Clusii.*
- Aster luteus Atticus odoratus. *Clusii*. Aster conyzoides
 odoratus luteus.
- Aster montanus cæruleus magno flore foliis oblongis:
 C. B. Pin. 267. Aster Atticus, sive Amellus alpinus.
Ponæ.
- Aster Atticus alpinus alter. C. B. P. 267. Aster Atticus
 cæruleus alpinus. *Camer. epit.*
- Aster tripolii flore. C.B.P. 267. Aster linariæ foliis Nar-
 bonensis. *Lob.*
- Aster conyzoides odoratus luteus. *Eyst. Tournef.* 483.
- Aster Atticus cæruleus vulgaris. C.B.P. 267. Aster At-
 ticus. *Mattb.* Aster Atticus purpureo flore. I. B. tom.
 2. l. 24. 1047.
- Aster arvensis cæruleus acris. *Tournef.* 481. Conyza cæ-
 rulea acris. C. B. P. 265. Senecio, sive Erygeron, cæ-
 ruleus, aliis Conyza. I. B. tom. 2. 1043. Erygerum
 quartum. *Dod. fol.* Dentelaria. *Gesn. Hort.*
- Aster latifolius Tripolii flore. H.R.P. *Moris.* H.R. *Bles.*
 & *Prælud. Bot.* 235. sed flore albo.
- Aster cæruleo flore Virgæ aureæ vulgaris undulato fo-
 lio.
- Aster novæ Angliæ altissimus hirsutus floribus omnium
 maximis purpuroviolaceis. *Par. Bot. Prodr.* Aster novæ
 Angliæ latifolius umbellatus, floribus dilute violaceis.
Herm. H.L.B.

Catalogus

22

- Aster maritimus palustris cæruleus salicis folio.* *Tournef.* 481. *Tripolium majus cæruleum.* C.B. Pin. 267. *Tripolium majus.* I.B. tom. 2. l.24. 1064. *Tripolium vulgare.* Lob. *Aster maritimus purpureus Tripolium dictus.* Raji. hist. 270.
- Aster maritimus palustris cæruleus minor.* *Tournef.* 482. *Tripolium minus.* C.B. Pin. 267. *Tripolium minus.* Lob. Icon. 298. I.B. tom. 2. 1064.
- Aster maritimus folio tereti, crasso in summo tricuspidato.* Herm. H.L.B. *Crithmum maritimum flore Asteris Attici.* C.B.P. 288. *Crithmum maritimum tertium.* Matth. flore luteo Buphthalmi. I.B. tom. 3.l.26. 106. *Crithmum Chrysanthemum.* Dod. 706.
- Astragalus luteus perennis procumbens vulgaris sylvestris.* Moris. hist. *Glyzyrrhiza silvestris floribus luteo pallentibus.* C.B. Pin. 352. *Fenum Græcum sylvestre, sive Fenum Græcum sylvestre primum.* Dod. 540.
- Astragalus Hispænicus siliqua epiglottidi simili, flore pureo major.* *Tournef.* & H.L.B. *Astragalus supinus, siliquis villosis glomeratis.* *Tournef.* 416.
- Astragalus luteus annuus Bæticus maritimus erectus.* Moris. hist. *Astragalus annuus angustifolius flosculis subcæruleis, cauliculis adhærentibus.* *Tournef.* 416. *Fenugræco sylvestri Tragi in quibusdam accedens planta.* I.B. tom. 2. 331.
- Astragalus alpinus Helveticus.* C.B. Pin. 351. *Cicer Astragaloïdes.* Tonæ in Baldo.
- Astragalus luteus annuus Monspeliacus procumbens.* Moris. *Securidaca lutea minor corniculis recurvis.* C.B. P. 349. *Securidaca altera, sive minor.* I.B. tom. 2. 347. *Hedysarum alterum.* Dod. 546.
- * *Astragalus alpinus purpureus perennis folio nitido flore purpureo semine trifolii Americani.* H.M.
- Astragalus purpureus perennis spicatus Pannonicus.* Moris. hist. *Onobrychis spicata flore purpureo.* C.B. P. 350.

Astra-

- Astragalus Syriacus hirsutus*. C.B.P. *Astragalus Syriacus*.
Lob. Christianæ radix. *Ravulf. & Lugd.*
- Astragalus procumbens flor. alb.*
- Astragalus perennis erectus flore purpureo magn.*
- Atriplex hortensis alba*, seu pallide virens. C.B.P. 119.
Atriplex alba. I.B. tom. 2. l. 23. 970. *Atriplex Matth.*
- Atriplex sativa alba*. *Lob. Icon.*
- Atriplex hortensis rubra*. C.B.P. 119. *Atriplex rubra*
hortensis. I.B. tom. 2. 970. *Atriplex sativa altera folio*,
& *flore purpureo-livens*. *Lob. Icon. 253.*
- Atriplex sylvestris folio sinuato candicante*. C.B.P. 119.
Chenopodium folio sinuato candicante. *Tournef. 506.*
- Atriplex sylvestris*. I.B. tom. 2. 972.
- Atriplex sylvestris altera*. C.B.P. 119. *Cynocrambe pri-*
ma Cæsalp.
- Atriplex urbana folio crasso*, calloso obscure virenti lu-
cido dentato. *Cup. H. Cath.*
- Atriplex sylvestris latifolia*. C.B.P. 119. *Atriplex sylve-*
stris, sive *pes Anserinus*, *latifolia aceris laciniis*. *Lob.*
Adv. Chenopodium pes Anserinus. I.T.M. *Icon. 427.*
- Atriplex sylvestris latifolia acutiori folio*. C.B.P. 119.
Chenopodium pes Anserinus secundus. T.M. *Icon. 428.*
- Tourn. 506. Atriplex dictus pes Anserinus alter*, sive
ratmosior. I.B. tom. 2. 976.
- Atriplex fetida*. C.B.P. 119. *Vulvaria*. T.M. *Lugd.*
Chenopodium fetidus. *Tourn. 506. Atriplex fetida*.
I.B. tom. 2. 974.
- Atriplex angusto oblongo folio*. C.B.P. 119. *Atri-*
plex sylvestris polygoni, aut *helxines folio*. *Adv.*
Lob.
- Atriplex maritima laciniata*. C.B.P. 120. *Atriplex mari-*
na. *Matth.*
- Atriplex mori fructu major*, seu *frugifera major*. *Mor-*
ris hist. 606. spinachia frugifera. *Aldini bort. Farn.*
85.
- Avena monoglymos*. *Cup. H. Cath.*

- Avellana major*. *Lugd. Camer.* *Corylus sativa fructu ro-*
tundo maximo. C. B. P. 418.
- Avellana rubra oblonga rubicunda Lombardica*. *Gesn.*
bort. *Corylus sativa fructu oblongo rubente*. C. B.
 Pin. 418.
- Auricula ursi*. *Dod.* *Sanicula alpina lutea*. C. B. P. 242.
- Auricula ursi flore purpureo*. *Lobel. Icon.* *Sanicula alpi-*
na purpurea. C. B. Pin. 242. *Sanicula alpina rubra*.
 T. M.
- Auricula ursi quinta*. *Clusii hist.* *Sanicula alpina foliis ro-*
tundis. C. B. P. 242.
- Auricula ursi 3.* *Clus.* *Sanicula alpina flore variegato*.
 C. B. P. 242. *Auricula ursi 8.* *Clus. Cur. post.* & T. M.
- Auricula ursi Hollandica latifolia oblongo cinereo flore*
violaceo, & species *saniculæ alpinæ*, *foliis quasi fari-*
na aspersis. C. B. P. 243.
- Auricula ursi Hollandica flore croceo*.
- Auricula ursi latifolia glabra flore atrorubente pleno o-*
dorato peregrina.
- Auricula ursi Hollandica flore odorato pleno croceo*.
 Eadem flore pleno stellato.
 Eadem flore pleno violaceo caule folioso.
- Auricula ursi latifolia glabra flore magno purpureo um-*
bellato maximo.
 Eadem flore rubro in medio luteo.
- Auricula ursi Hollandica latifolia glabra flore magno ni-*
gricante in medio albo cinere asperso.
- Auricula ursi Hollandica cinereo folio flore luteo*, &
 violaceo mixto variegata.
- Auricula ursi latifolia crenata flore ex albo*, & rubro
 mixto variegato, umbella maxima.
- Auricula ursi minor*, flore ex rubro, & albo varie-
 gato.
- Auricula ursi minor angustifolia flore persici colore*.
Auricula ursi minor angustifolia flore pallido.
 Eadem flore rubello in medio linea alba notato.
 Eadem flore candido.

Auricula ursi latifolia oblongo flore cinereo.

Auricula ursi minor flore sulphureo.

Eadem flore majore crispo.

Eadem flore pallescente crispo.

Aliæque Auricularum plurimæ varietates, quas longum foret hic omnes recensere.

Auricula Muris Camer. Loto affinis siliquis hirsutis circinatis. C. B. P. 333.

Auricula ursi maxima latioribus, & longioribus foliis flore luteo. Ales, Ballam.



Accharis Monspeliensium. *Lob. Adv.* *Conyza major vulgaris.* C. B. Pin. 265.
Conyza major. *Matth.* *Baccharis qui-*
busdam. I. B. tom. 2. l. 24. 1051.

Balsamum alpinum hirsutum vulgo.
Cistus Ledum alpinum hirsutum. C. B. Pin. 468. *Nerium alpinum quibus-*
dam aliis Ledum hirsutum. I. B. tom. 2. l. 13. 21.

Balsamum alpinum glabrum vulgo. *Cistus Ledum alpi-*
nun foliis ferrea rubigine nigricantibus. C. B. P. 468.
Nerium alpinum quibusdam, aliis Ledum glabrum.
I. B. tom. 2. l. 13. 21.

Balsamina rotundifolia repens, seu mas. C. B. P. 306.
cucumis puniceus. *Cord. Moris.* *Balsamina cucumeri-*
na. I. B. tom. 2. l. 16. 251. *vulgo momordica.*

Balsamina cucumerina punicea Ceylanica major. *Hort.*
Amstel. *Commel.* *Momordica zeylanica Volckameri.*
Cucumis zeylanicus. *Herm.* H. L. B. *Maragosa Lu-*
sitanica. *Pradi-Papel.* *Hort.* *Malab.* 8. 17. *momordi-*
ca zeylanica pampinea fronde fructu longiore. *Tour-*
nef. 86.

Balsamina foemina. C. B. P. 306. *flore incarnato Balsa-*
mina foemina persici folio, vel salicis folio. I. B.
tom. 2. l. 21. 909. *Balsamina, herba impatiens, seu*
noli me tangere, flore patulo eleganter dilute ruben-
te. *Moris.*

Eadem flore candido.

Eadem flore flammeo, vel puniceo.

Eadem flore violaceo.

Balsamina lutea, sive noli me tangere. C. B. Pin. 306.
Persicaria siliquosa. *Lob. Adv.* *noli me tangere.* I. B.
tom. 2. l. 21. 903. *Balsamina herba impatiens, seu no-*
li me tangere, flore patulo luteo. *Moris.*

Barba caprae floribus oblongis. C. B. P. 163. *Barba ca-*
præ. I. B. tom. 3 l. 30. 488.

Barba caprae floribus compactis. C. B. Pin. 163. *Ulmia-*
ria.

- ria. I. B. tom. 3. l. 30. 488. *Regina Prati*. *Dodon.*
Barba Jovis. *Cæsalp.* *Barbæ jovis prima species*. *Anguil.*
 C. B. P. 397. *Jovis barba*. *Lugd.* *Jovis barba pulchre*
lucens. I. B. tom. 1. l. III. 385.
Bellis sylvestris caule folioso major. C.B.P. 261. *Bellis*
major. I. B. tom. 3. l. 26. 114. caule glabro.
Bellis alpina major rigido folio, quæ primat in *Prodr.*
 C.B.P. 261. *Bellis alpina* major foliis angustis rigidis.
 I. B. tom. 3. l. 26. 115.
Bellis sylvestris media caule carens. C. B. Pin. 261.
Bellis media. *Matth.* *Bellis sylvatica*. I. B. tom. 3.
 l. 26. 114.
Bellis sylvestris minor. C.B.P. 261. *Bellis minor* sylve-
 stris spontanea. I. B. tom. 3. l. 26. 111.
Bellis hortensis flore pleno. C.B.P. 261. flore albo.
Bellis hortensis flore purpureo, & albo mixto inter Va-
 riet. C.B.P. 261.
Bellis hortensis minor flore coccineo.
Bellis cærulea caule nudo. C.B.P. 262. *aphyllanthes* 3.
Lugd.
Bellis cærulea caule folioso. C. B. P. 262. *bellis cæru-*
lea, *Globularia Monspeliensium*. *Lob. Adv.* *scabiosæ*
pumilum genus. *Clusii*.
Bellis cærulea montana frutescens. C.B.P. 262. *scabiosa*
repens montana. *Camer.*
Bellis ramosa umbellifera. *Cornuti* 194. *bellis major* ra-
 mosa umbellifera *Americana*. *Park. Theat.* 528. *Aster*
ramosus annuus canadensis. *Moris*.
Bellis leucanthemæ *Tanaceti* foliis inodoris flore majo-
 ri. *Moris*. *Tanacetum inodorum* flore majori. C. B.
 P. 132. *Tanacetum album* flore ampliore. I. B. tom.
 3. l. 29. 133. *descript.*
Berberis dumetorum. C. B. P. 454. *Oxyacantha Galeni*,
 non *Dioscoridis Cordo crispinus*. *Matth.* *Berberis*
vulgo, quæ & *Oxyacantha putata*. I. B. tom. 1.
 l. 6. 51.
Beta communis, *Sive viridis*. C. B. P. 118.

- Beta alba, vel pallefens, quæ cicla officinarum. C. B. Pin. 118.
- Beta rubra vulgaris. C. B. P. 118.
- Beta rubra radice rapæ. C. B. P. 118. Beta radice rubra crassa. I. B. tom. 2. 23. 901.
- Betonica purpurea. C. B. P. 235. Betonica vulgaris purpurea. I. B. tom. 3. 1. 38. 301.
- Betonica alba. C. B. P. 235. Betonica flore albo. I. B. tom. 3. 1. 28. 302. albo flore. Dod.
- Betonica maxima scrophulariæ folio flore e luteo palefcente. Schol. Bot. Betonica Virginiana elatior scrophulariæ folio flore ochroleuco. Pluk.
- Eadem flore purpureo.
- Betonica fœtida. Gesn. Stachys palustris fœtida. C. B. P. 36. Galeopsis angustifolia fœtida. I. B. tom. 3. app. 854.
- Betonicæ folio capitulo Alopecuri. Alopecuri genus, sive Alopecuros montana. Lugd. ex C. B. P. 235.
- Bistorta major radice magis intorta. C. B. P. 192.
- Bistorta alpina minor. C. B. P. 192. Bistorta alpina minima altera. Commel.
- Blattaria lutea folio longo laciniato. C. B. P. 240. Blattaria. Matth.
- Blattaria Lusitanica flore luteo magno.
- Blattaria purpurea. C. B. P. 241. Blattaria phœnica. T. M. Blattaria flore croceo Horti Messanensis. Blattaria Anglicana perennis flore obsolete phœnico. H. R. P.
- Blitum majus album. C. B. P. 118. Blitum pulchrum magnum album. I. B. tom. 2. 1. 23. 967. Blitum. Matth.
- Blitum album minus. C. B. Pin. 118. Blitum minus. Dod.
- Botrys chamædryoides. C. B. P. 138. Botrys verticillatum. I. B. tom. 3. 1. 28. 298. Chamædrys foliis laciniatis Botryos facie. H. L. B. Chamædrys laciniatis foliis. Lobel. Chamæpitys altera. Dod.

Botrys ambrofioides vulgaris . C. B. Pin. 139. *Botrys*.
Mattb. *Atriplex odorata* , sive *suave olens* . *Moris*.
bistor. Non videtur suavitas inesse. nam gravi est o-
dore.

Brassica capitata alba . C. B. Pin. 111. I. B. tom. 2. l. 21.
826. *Caputium* , *Brassicæ* 3. genus, cumanum. Plini.
Eric. Cord.

Brassica capitata rubra . C. B. P. 111. I. B. tom. 2. l. 21.
831. *Brassica convoluta* , & arcte occlusa rubro colo-
re. *Lob. Adv.*

Brassica gongylodes. C. B. Pin. 111. *Brassica caulem ra-*
pum gerens . *Dod.*

Brassica cauliflora . C. B. P. 111. *prolifera florida* . T. M.

Brassica alba , vel *viridis* . C. B. Pin. 111. *Brassica vul-*
garis . *Lob. Adv.*

Brassica rubra . C. B. Pin. 111. *Cumana* , sive *rubra* .
Dod. Gal.

Brassica sylvestris ramosa tota plene glabra . C. B. Pin.
112. *Turrita minor* . *Clusii*.

Brassica folio virid. albicant. crispo laciniato .
Eadem folio rubro .

Brassica sylvestris foliis integris, & hispidis . C. B. P.
112. *Turritis*. *Lob. Vaccaria* . T. M. *Turrita vulga-*
ris . *Clusii*.

Bryonia aspera , sive *alba baccis rubris* . C. B. P. 297.
Vitis alba , sive *Bryonia* . I. B. tom. 2. l. 15. 143. *Bryo-*
nia aspera incana alba baccis rubris . *Moris*. *Bryonia*
alba . *Dod.* *Vitis alba* . *Mattb.*

Bryonia levis , sive *nigra racemosa* . C. B. P. 297. *Vitis*
nigra quibusdam , sive *Tamnus Plinii folio cyclami-*
nis . I. B. tom. 2. l. 15. 143. *Vitis nigra* . *Mattb.* *Ta-*
mnum vulgo . *Cæsalp.* *Vitis sylvestris* , sive *sigillum*
Mariæ . *Dod.*

Bryonia zeylanica foliis profunde laciniatis . *Herm. H.*
L. B. *fructu rotundo parvo striato* . *Bryonia zeylanici-*
ca foliis in profundas lacinias divisis fructu minori .
Tourn. 102.

- Bryonia zeylanica aspera semine Anguriæ ; an Cucumis canadensis monospermous , fructu echinato . Herm. Parad. Batav. Icon.
- Brunella major folio non dissecto . C.B.P. 260. Prunella flore minore vulgaris . I. B. tom. 3. l. 30. 428. Brunella Dod. 136.
- Brunella folio laciniato . C. B. P. 261. Prunella laciniata flore magno purpureo . I. B. tom. 3. l. 20. 429 Brunella 2. flore purpureo . Clusii hist. 43. symphytum petræum . Lob.
- Eadem flore albo , an Prunella flore albo parvo folio laciniato . I. B. tom. 3. l. 30. 429.
- Brunella cerulea magno flore . C. B. P. 261. Prunella flore magno ; folio non laciniato . I. B. tom. 3. 429. Prunella 1. Clusii .
- Brunella Bugula Orientalis latissimo folio villoso . Tournef. Corall.
- Bruscus , sive Ruscus . Ger. Ruscus Matth. Trag. C. B. P 470. Ruscus Myrtifolius aculeatus . Tournef. 79. Ruscus . I. B. tom. 1. 579. Ruscum . Dod.
- Buglossum latifolium Borrago . C.B.P. 256. Borrago floribus cœruleis . I. B. tom. 3. l. 33. 574.
- Idem floribus albis . I. B. tom. 3.l. 33. 574. floribus candidis . C.B.P. Variet. 256.
- Buglossum latifolium semper virens . C.B.P. 256. Buglossum folio Borraginis Hispanicum . I.B. tom. 3 l. 33. 577.
- Buglossum angustifolium majus . C. B. P. 256. flore cœruleo ; Variet. 256. Buglossum vulgare majus . I.B.to.3. 133. 578. Buglossum vulgare . Matth.
- Buglossum vulgare asperitate , & proceritate discrepans . C.B.P. 256. Buglossum vulgare violaceo , & albo colore . Eyst.
- Buglossum angustifolium minus . C.B. P. 256. buglossum vulgare minus . I. B. tom 3.l. 33. 578. Anchusæ genus . Dod. Buglossa minor . Trag.
- Buglossum , Boragine silvestre annua di Candia . Zanoni p. 48. cap. 24. sed flore albo .

Buglossum . Boragine murale variegata , con fiore odorato di Candia . Zanoni p.46. cap.23. Buglossum creticum minimum odoratum flore vario eleganti . H. R. Paris. Tourn. 134.

Buglossum creticum majus flore cæruleo purpurante . H. R. Paris. Tourn. 134. Boragine silvestre di Candia di fior azurro . Zanoni p.51. cap.27.

Bulbus Eriophorus orientalis . C. B. P. 47. I. B. tom. 2. l. 19. 585. Hyacinthus Eriophorus Orientalis . Moris. Bulbus Eriophorus . Dod.

Bulbocastanum majus folio Apii . C. B. P. 162. Bulbocastanum . Moris. Umbel. 5. I.B. tom. 3. l.27. 31. Dod. 334.

Buphthalmum tanaceti minoris foliis . C.B.P. 134. Chamaemelum Chrysanthemum quorundam . I. B. tom. 3. l. 26. 220. Chrysanthemum Tanaceti minoris foliis . Moris. Buphthalmum vulgare Chrysanthemi congener. Clus. hist. 332.

Buphthalmum Tanaceti minoris foliis majus flore candido . Clar. Volkam. an Buphthalmum Tanaceti minoris folio flore albo . Tourn. 495.

Idem flore luteo .

Buphthalmum cotulæ folio . C. B. Pin. 134. Buphthalmum tenuifolium folio millefolii fere I. B. tom. 3. l.26. 124. Chrysanthemum cotulæ folio . Herm. H. L. B. Cotula flore luteo radiato . Tourn. 495.

Buphthalmum lanuginosum foliis millefolii . C.B.P.135. Chrysanthemum . Valentinum Clusii . Buphthalmum tenuifolium Narbonense . Lob. obs. Cotula flore luteo nudo . Tour.499. Chrysanthemum Valentinum . Clus. I. B. tom. 3. 125.

Bupleurum folio rigido . C.B.P.278. Bupleurum perenne latifolium . Moris. Umb. 26. Auricula leporis altera , sive rigidior . I. B. tom. 3. l.27. 200. Bupleurum alterum latifolium . Dod. 633.

Bupleurum angustissimo folio . C. B. P. 278. Bupleurum minimum . Colum. par.1. 247. auricula leporis minima . I. B. tom. 3. part.2. 201.

- Bursa Pastoris major folio non sinuato in Prodr. descrip.*
C.B.P. 108. Bursa pastoris major capsula cordata foliis
non sinuatis. Moris.
- Bursa pastoris major folio sinuato. C. B. P. 108. Bursa pa-*
storia. I. B. tom. 2. l. 22. 936. Bursa pastoris foliis laci-
natis. Moris. Bursa pastoris. Matth.
- Bursa pastoris media. C.B. P. 108. Bursa pastoria minor.*
T. M. minima. Gerard. Bursa pastoris minor capsula
brevi cordata foliis sinuatis. Moris.
- Bursa pastoris minor foliis incisis. C. B. P. 108. Bursa pa-*
storis parva folio glabro, spisso. I. B. tom. 2. l. 22. 137.
Bursa pastoris minor foliis alatis costæ mediæ e regione
adhærentibus, uno impare extreum claudente. Mo-
ris. hist.
- Bursa pastoris major loculo oblongo. C. B. P. 108. in Pro-*
dr. Draba minima muralis. Dioscor. Columnæ. Bursa pa-
storis major.
- Bursa pastoris minor loculo oblongo. C. B. P. 108. Bursa*
pastoria minima oblongis siliquis verna loculo oblongo.
I. B. tom. 2. l. 22. 937. Bursa pastoris minor loculo ob-
longo. Moris.
- Buxus foliis rotundioribus. C. B. P. 471. Buxus humilis.*
Dod.
- Buxus arborescens. C. B. P. 471. Buxus. I. B. tom. 1. l. 42.*
471. Buxus. Matth.
- Buxus foliis aureis, & variegatis. H.R. Paris. Buxus au-*
ratus. Park.
- Buxus flore coluteæ. Chamæbuxus flore coluteæ. C. B.*
P. 471. Astragalus humilis buxifolius. Herm. H. L. B.
Chamæbuxus, sive Chamæbixos. I. B. tom. 1. l. 5. 24.



Acalia foliis crassis hirsutis. C. B. Pin. 198.

Cacalia foliis cutaneis acutioribus, & glabris. C. B. P. 198. Cacalia quibusdam. I. B. tom. 3. l. 32. 569. Cacalia 2. glabro folio. *Clus.*

Cacris semine fungoso sulcato aspero minori. *Tournef. Corall.*

Calamintha vulgaris, vel officinarum Germaniae. G. B. P. 228. calamintha flore magno vulgaris. I. B. tom. 3. l. 28. 228. calamintha 1. *Matth.*

Calamintha magno flore. C. B. Pin. 229. calamintha montana flore magno ex calyce longo. I. B. tom. 3. l. 28. 229. calamintha montana præstantior. *Lob. Adv.*

Calamintha montana præalta, pulegii odore, dentatis foliis, floribus dilute ceruleis, ex longo, ramoso, & brachiato pediculo. *Bocc. mus. p. 2.45.* calamintha præalta pulegii odore, *ejusdem Tab. 40.* calamintha præalta pulegii odore altera *Icon. ex Sabaudia.* *ejusdem tab. 38. ex Tournef. 194.*

Calamintha arvensis verticillata. C. B. P. 229. **Mentha arvensis verticillata hirsuta**. I. B. tom. 3. l. 28. 217. **calamintha aquatica**. *Matth.*

Calendula vulgaris flore citrino simplici. *Herm. H L. B.* **caltha vulgaris**. C. B. P. 275. **caltha flore simplici**. I. B. tom. 3. l. 26. 101. **caltha**. *Matth.*

Calendula polyanthos maxima. *Herm. H. L. B.* **caltha polyanthos maxima**. C. B. P. 275.

Calendula flore luteo, vel aureo pleno. H. L. B. **caltha polyanthos major**. C. B. Pin. 275. **caltha flore pleno**. I. B. tom. 3. l. 26. 101.

Calendula prolifera majoribus floribus. H. L. B. **caltha prolifera majoribus floribus**. C. B. Pin. 276. **caltha prolifera**. I. B. tom. 3. l. 26. 102.

Calendula minor arvensis. H L.B. *caltha arvensis.* C. B. Pin. 276.

Campanula maxima foliis latissimis. C. B. P. 94. flore ceruleo. *Campanula pulchra* a Tosano Carolo missa. I. B. tom. 2. l. 20. 207. *Trachelium majus Belgarum.* *Lob. & Clusi.*

Campanula hortensis Rapunculi radice. C. B. Pin. 94. *cervicaria* 4. *Dod.* *campanula hortensis Rapunculi radice repente.* *Moris.* *campanula repens*, flore minore ceruleo. I. B. tom. 2. l. 20. 706.

Campanula hortensis flore, & folio oblongo. C. B. P. 94. flore ceruleo. medium *Matth.* *Viola Mariana.* *Gesn.* *Viola Mariana.* *Dod.* quibusdam medium. I. B. tom. 2. l. 20. 804.

Eadem flore subalbido. C. B. P. variet. 94. *Moris. hist.* 2. *descript.* 4^ 5.

Campanula vulgatior foliis urticæ major, & asperior. C. B. P 94. *Trachelium majus.* *Dod.* Et *cervicaria major.* Ejusdem *campanula vulgatior* foliis urticæ, vel major, & asperior. I. B. tom. 2. l. 20. 805. flore ceruleo. C. B. P. Variet. 94.

Campanula urticæ foliis oblongis minus asperis. C. B. P. 94. *cervicaria major altera.* *Dod.*

Campanula media foliis inferius candida lanugine vestitis. C. B. P. 94. *cervicaria media Thalii.*

Campanula foliis Echii floribus villosis. C. B. P. 94. quæ 3. *in Prodr.*

Campanula foliis Anchusæ floribus oblongis. C. B. P. 94. *Trachelium montanum.* *Lugd.*

Campanula pratensis flore conglomerato. C. B. Pin. 94. *Trachelium minus.* *Dod. Gal.* *Trachelium minus multis.* I. B. tom. 2. l. 20. 800.

Cannabis sativa. C. B. Pin. 320. *cannabis mas.* I. B. tom. 3. l. 30. 447.

Cannabis erratica. C. B. P. 320. *cannabis fœmina.* I. B. tom. 3. l. 30. 448. *cannabis sterilis.* *Dod.* flore purpureo.

Eadem flore luteo pallescente.

Cannabina aquatica folio tripartito diviso. C.B.Pin. 321.

Hepatorium aquatile. Dod.

Cannabina aquatica folio non diviso. C.B.P. 321. *Eupatorium cannabinum chrysanthemum*. T.M.

Capiscum Clusii in mon. *Piper indicum vulgatissimum*.

C. B.P. 102. *Solanum capsicum dictum vulgatissimum*.

Herm. H.L.B. *Piper indicum*. Matth.

Capiscum solanum capsicum dictum propendentibus siliquis recurvis. *Herm.* H.L.B. *Piper indicum propendentibus siliquis oblongis recurvis*. C. B. P. 102. *Piper indicum*, sive *calecuticum*, sive *capiscum oblongius*. I.B. tom. 2. l. 22. 934.

Idem siliqua flava. C.B.P. Variet. 102. *flavis oblongis siliquis*. *Piper indicum aureum latum*. Eyf.

Capiscum brevioribus siliquis. Lob. *Piper indicum siliquis surrectis cerasi forma*. C. B. P. 103. *rubris solanum capsicum siliquis erectis cerasi effigie*. Lob. bort. Catb. *siliquastrum rotundum angustifolium*. T. M. *capsicum siliquis surrectis cerasi forma*. Tourn. 153. *Piper siliqua parva Brasilianum*. I.B.to. 2. 944.

Cardamine altera. Lobel. Lugd. *Nasturtium pratense magno flore*. C. B.P. 104. *Nasturtium pratense magno flore simplici*. Moris. *Iberis Fuchsii*, sive *Nasturtium pratense*. I. B. tom. 2. l. 21. 889. *Flos culi*. Brunf. Dod.

Cardamine altera flore pleno. Clus. hist. *Nasturtium pratense flore pleno*. C. B. P. 104. *Iberis Fuchsii*, sive *Nasturtium pratense flore pleno*. I. B. tom. 2. l. 21. 889.

Cardamine. Gerardi. **Cardamine** 2. T. M. *Nasturtium pratense folio rotundiore flore majore*. C. B. Pin. 104.

Cardamine quarta Dalechampi. Lugd. *Nasturtium aquaticum minus*. C. B. P. 104. *Sisymbrium cardamine hirsutum minus flore purpureo*. I. B. tom. 2. l. 21. 888.

- Cardamine trifolia*. *Lob.* *Nasturtium alpinum trifolium*. C.B.P. 104. *Nasturtium alpinum trifoliatum*. *Moris.* *Iberidi Fuchsii affinis trifolia cardamine*. I.B. tom. 2. l. 21. 800.
- Cardiaca Matth.* *Marrubium cardiaca dictum forte primum*. *Theopb.* C.B.P. 230. *cardiaca*. I.B. tom. 3. l. 28. 320.
- Cardiaca Africana perennis*, foliis sideritidis, floribus longissimis phæniceis villosis. *Herm.* H.L.B. *Leonurus perennis Africanus vulgo*. *Leonurus capitis bonæ spei*. *Breyn. cent.* 1. *Sideritis cannabina Æthiopica frutescens phænicio flore maximo villoso*. *Breyn. Prodr.* 47.
- Cardiaca Americana annua* Necetæ folio, floribus brevibus phæniceis villosis. *Leonurus annuus Americanus vulgo*.
- Carduus pratensis latifolius*. C.B.Pin. 376. *Acanthus sylvestris*. *Lugd.* *Carduus pratensis Tragi*. I.B. tom. 3. l. 25. 42.
- Carduus pratensis* foliis tenuibus laciniatis. C.B.P. 376. *Erisithales Plinii*. *Anguil. Lugd.*
- Carduus pratensis Asphodeli* radice foliis profunde & tenuiter laciniatis. C.B.P. 577. *Acanthus sylvestris alter Dalechampii*. *Lugd.* *Jacea aculeata*, seu *tuberrosa*, vel 47. T.M.
- Carduus in Avena proveniens*. C.B.P. 377. *carduus arvensis*. T.M.
- Carduus mollis* foliis *Helenii*. C.B.Pin. 377. *carduus mollis*. *Camer.*
- Carduus mollis latifolius lappæ capitulis*, qui in *Prodr.* C.B.P. 377.
- Carduus mollis lapathi* foliis. C.B.Pin. 377. *carduus mollis*, vel *mollior* 2. *clus.*
- Carduus mollis laciniato folio*. C.B.Pin. 377. *carduus mollis* 1. *Clus.* *mollis tenuifolius*. *Camer.*
- Carduus albis maculis notatus vulgaris*. C.B.Pin. 381. *carduus lacteus*. *Matth.* *carduus Marianus*, sive *laeteis*

- Æcis maculis notatus. I. B. tom. 3. l. 5. 52.
Carduus albis maculis notatus creticus semine albo.
Carduus albis maculis notatus exoticus. C. B. Pin. 381.
carduus lacteus peregrinus. Camer. I. B. tom. 3. l. 25. 53.
Carduus lacteus, seu **Galactites**. I. B. tom. 3. 54.
Tourn. 441.
Carduus sphærocephalus latifolius vulgaris. C. B. Pin. 381. **carduus globosus**. Ger. flore albo.
Carduus sphærocephalus cæruleus. C. B. Pin.
Carduus capite rotundo tomentoso. C. B. P. 382. **carduus Erioccephalus**. Dod. 723. **carduus capite tomentoso**. I. B. tom. 2. 57.
Carduus Lusitanicus capitulo tomentoso flore luteo.
Carduus Lusitanicus luteus foliis coronopi glabris,
& rigidis. *Tournef.* 442.
Carduus humilis aculeatus **Ptarmicæ** foliis **Austriacæ**.
Triumph. obs. 96. **Carduus stellatus** foliis integris flore purpureo. H. R. *Paris.* **carduus stellatus** leucoii lutei foliis. A. R. *Paris.* 69. **carduus Leucoii** foliis.
Moris. Bles. ex Tournef. 440. **Triumfettus**, esse leucoii foliis carduum Morisono non satis arridet; an carduncellus purpureus pulchellus, aculeis ad alas, seu angulos deorsum (nostra sursum) spectantibus **Ptarmicæ** **Austriacæ** foliis lævibus. *hort. Cath.* 36.
Carduus minor humilis lanceolato, atro angustissimo folio, purpureus. *hort. Cath.* 36.
Carduus minimus **Alpini** exot. p. 255. **carduus parvus**. I. B. tom. 3. 93. **cnicus** **exiguus** capite cancellato semine tomentoso. *Tourn.* 451. qui **Alpini** nomenclaturam respuit; an **cardunculus** **nanus** capitulo squamato, argentea macula notato foliis spinosis reticulatis obducto. *H.Cath.* 37.
Carduus palustris, altissimus lanceolato folio, ramosus, caule folioso, spinosissimus capitibus compactis. *hort. Cath.* 36. an **carduus lanceolatus** exoticus altissimus. *Tourn.* 440.

- Carduus gygas pyramidalis** Acanthi foliis tomentosis
pycnopolysphærocephalus flore albo . H. Cath. 37.
- Carduus leucographis**, purpureus , capitibus acutissi-
mis , ac ferocissimis spinis eminentibus subcircum-
datis . H. Cath. Supp. 3. ubi; sylbum majus annu-
um . Park.
- Carduus lanceolatus latifolius**. C. B. Pin. 385. carduus
lanceolatus . T. M. flore purpureo .
- Idem flore albo . Cat. H. R. Paris. 38.
- Carduus acaulis Septentrionalium** , & chamæleon albus
cordi ; carlina acaulos minore purpureo flore . C.
B. Pin. 380. carduus humilis , minore flore carlinæ
foliis . Herm. H. L. B. chamæleon exiguus . Trag.
I.B.tom. 3. l. 27. 62.
- Carduus**, sive chamæleon albus . Matth. carlina acau-
los magno flore . C. B. P. 38. carlina caulifera , vel
acaulos . I. B. tom. 3. l. 25. 64. carduus panis , seu
Pacis . Enric. cord. carlina vulgo Cæsalp. carlina of-
ficinarum .
- Carduus spinosissimus sphærocephalus rigidis aculeis ar-
matus** . C. B. Pin. 385.
- Carduus fullonum sativus** . Trag. Dipsacus sativus : C.
B. Pin. 385. I. B. tom. 3.l.25. 73.
- Carduus fullonum folio laciniato** . Dipsacus folio laci-
niato . C. B. P. 385. I. B. tom. 3. l. 25. 74.
- Carduus Fullonum erraticus Tragi** Dipsacus sylvestris,
aut Virga pastoris major . C. B. Pin. 385. Dipsacus
sylvestris , sive Labrum Veneris . I. B. tom. 3. l.
25. 74.
- Cardui Fullonii tertium genus Tragi** . Dipsacus syl-
vestris capitulo minore , vel Virga Pastoris minor .
C. B. Pin. 385. Virga Pastoris vulgaris . I. B. tom.
3. l. 25. 75.
- Carduus stellatus foliis papaveris erratici** . C. B. Pin.
387. carduus stellatus , sive calcitrappa . Lob. & I.B.
tom. 3. l. 25. 89. Spinastella . T. M. Icon. 702. Hip-
pophæstum . Col. Phyt. 107.

- Carduus stellatus** luteus foliis cyani . C. B. P. 387. spina solstitialis . *Dod.*
- Carduus benedictus** . I. B. tom. 3. l. 25. 45. cnicus sylvestris hirsutior , sive carduus benedictus . C. B. P. 378.
- Carduus non aculeatus** . *Matth.* cinara hortensis foliis non aculeatis . C. B. Pin. 383. carduus , sive scolymus sativus non spinosus . I. B. tom. 3. l. 25. 48.
- Carduus altilis** . *Lugd.* cinara hortensis aculeata . C. B. P. 383. carduus , sive scolymus sativus spinosus . I. B. tom. 3. l. 25. 44.
- Carduus , sive cinara hortensis non spinosa fructu nigro.**
- Carduus chrysanthemos** . *Dod.* Scolymus chrysanthemus . C. B. P. 384. Eryngium luteum facie cardui . *Herm.* H. L. B. spina lutea . I. B. tom. 3. l. 25. 84.
- Carduus spinosissimus latifolius sphærocephalus vulgaris.** C. B. P. 385. carduus Asininus . *Gesn.*
- * **Carduus sylvaticus altissimus polycephalus capitulis compactis caule rotundo acutissimis spinis armato .** H. M.
- Caryophyllata vulgaris** . C. B. Pin. 321. caryophyllata vulgaris flore parvo luteo . I. B. tom. 2. l. 17. 398. Herba benedicta . *Brunf.* 4.
- Caryophyllata alpina lutea** . C. B. P. 322. caryophyllata montana flore magno luteo . I. B. tom. 2. l. 17. 398. Caryophyllata alpina lutea major . *Moris.* hist. montana . *Matth.* major rotundifolia . *Lob.*
- Caryophyllata aquatica nutante flore** . C. B. Pin. 321. caryophyllata montana . I. Clusii. caryophyllata aquatica flore rubro striato . I. B. tom. 2. l. 17. 398.
- Caryophyllus maximus ruber.** C. B. P. 207. cariophyllus maximus plenus flore rubro . *Eyst.*
- Caryophyllus maximus , & plenissimus colore mixto carneo , quibusdam corniculis lacteis .** *Bry.* C. B. P. 207.
- Caryophyllus maximus variegatus** . C. B. Pin. 207. Beta-

Catalogus

40

nica coronaria flore pleno maxima punctis rubris variegata. I.B. tom. 3.l. 29. 327.

Caryophyllus maximus, & plenissimus colore vario in diversis foliis, scarlatino dillutius rubente albo. Bry. C.B.P. 207.

Caryophyllus maximus, & plenissimus colore rubro saturatiore staminulis tribus niveis in medio. Bry. C. B. P. 207.

Caryophyllus multiplex flore albo, etiam rubro & carneo. Eyst. & Svvert. C.B.P. 207.

Caryophyllus pleno flore coloris albi, mista, & sparsa rubedine. Bry. C. B. P. 207.

Caryophyllus albus lineis rubris subtilissime distinctus. Svvert. C. B. P. 207.

Caryophyllus flore majore partim carneus partim albus, rubris striis, ac punctulis variegatus. Eyst. C. B. P. 207.

Caryophyllus maximus, & plenissimus flore roseo.

Caryophyllus maximus, & plenissimus albo flore punctis sanguineis asperso.

Caryophyllus maximus, & plenissimus flore albicante rubescente.

Caryophyllus maximus, & plenissimus flore atro-rubente.

Caryophyllus maximus, & plenissimus flore incarnato.

Caryophyllus maximus, & plenissimus flore Persici colore.

Caryophyllus maximus, & plenissimus flore albo, & purpureo variegato.

Caryophyllus cinensis latifolius flore elegantissimo, variegato Volckameri.

Caryophyllorum plures species variis coloribus distinctæ, & simplices, & multiplices.

Caryophyllus sylvestris alter flore laciniato odoratissimo. C. B. P. 210.

Caryophyllus flore tenuissime dissecto. C.B. P. 209.

Ca-

Caryophyllum sylvestris flore laciniato pallide rubente cum staminulis corniculatis odoratis: an **Betonica coronaria** minus ramosa flore tenuiter fimbriato albo, corniculis duobus emergentibus. Ioa. B. tom. 3. lib. 29. 332. **caryophyllum pulmarius**, floribus odoratis staminulis corniculatis. *Moris. bistor.* 2. 562.

Caryophyllum sylvestris tertius flore laciniato staminulis corniculatis odoratis. C. B. P. 210.

Caryophyllum vulgaris sylvestris angustifolius. C. B. P. 208. unguibus purpureis insignis. **Betonica coronaria**, sive **caryophyllea**, corolla purpurea insignis. I.B. tom. 3. l. 29. 329.

Caryophyllum alpinus linifolius radice amplissima, sa-
xifraga 3. *Catal. Pat. Tur.*

Caryophyllum barbatus hortensis flore multiplici. C. B. P. 208. **Betonica coronaria latifolia petræa** pleno flore rubro, vel ad purpureum accedente. I.B. tom. 3. l. 29. 333.

Caryophyllum barbatus hortensis simplex vulgaris lati-
folius flore albo. C. B. P. 208.

Idem flore purpureo. C. B. P. Variet. 208. **Armeria**
flore rubro. *Svvert.*

Caryophyllum sylvestris prolifer. C. B. P. 209. **caryo-**
phyllus barbatus annuus latifolius multis capsulis si-
mul junctis striatus. *Moris. Betonica coronaria squa-*
mosa sylvestris. I. B. tom. 3. 335. Armeria prolifera.
Lob. Icon. 449.

Caryophyllum barbatus hortensis angustifolius. C. B. P.
209. **Betonica coronaria latifolia**, angustiore calyculo
foliis fastigiatis cincto suaverubente flore. *Lob. 4.*
Armerius simplex flos Pannonicus. clusi. I.B. tom.
3. 333. **Armeria altera** suaverubente flore, & angu-
stiore calyculo foliolis fastigiatis cincto. *Lob. Icon.*
448. *ex Tourn. 331.*

Caryophyllum arvensis hirsutus flore majore. C. B. P.
210. **Holostium caryophyllæum. F.M.**

- Caryophyllum holostius tomentosus angustifolius*. C.
B. Pin. 210. *in Prodr.*
- Caryophyllum arvensis umbellatus folio glabro*. C. B.
P. 209. *Holostæum caryophyllatum arvense*. T.M.
- Caryophyllum arvensis glaber flore majore*. C.B. Pin.
210. *Gramen Leuchanthemum*. *Dodón.* *Lychnis ar-*
vensis glabra flore majore. *Moris.* *Gramen Fuch-*
sii, sive Leucanthemon. I. B. tom. 3. l. 29. 361.
- Caryophyllum arvensis glaber flore minore*. C. B. Pin.
210. *Lychnis arvensis glabro flore minore*. *Moris.*
Gramini Fuchsii Leucanthemo affinis & similis her-
ba. I. B. tom. 3. l. 29. 361. *Gramen Leucanthemum*
alterum. *Ger.*
- Caryophylus montanus major flore globoso*. C. B. P.
111. *Gramen Polyanthemum majus*. *Dodón.* *scabio-*
sa montana globoso flore gramineis foliis latioribus.
Herm. H.L.B. *caryophylleus flos aphyllocaulos, vel*
junceus major. I. B. tom. 3. l. 29. 336.
- Caryophyllum flore purpureo axistus plumbeis*. *Sherard.*
- Carthamus, sive cnicus*. I. B. tom. 3. l. 25. 79. *cnicus*
sativus, sive carthamum officinarum. C. B. P. 378.
- Carthamus officinarum flore croceo*. *Tourn.* 457.
- cnicus vulgaris*. *Clus. hist. c. III.*
- Carthamus, sive cnicus flore cœruleo*. I. B. tom. 3. l.
25. 80. *cnicus cœruleus asperior*. C.B.P. 378.
- Carthamus, sive cnicus cœruleus humilis montis Lu-*
pi. H.L.B. *Eryngium montanum minimum capitu-*
lo magno. C. B. P. 386. *carduncellus montis Lupi*
Lobelii Icon. 20. I.B. tom. 3. 92.
- Carthamus flore veluti umbellato*. *T. Coroll.*
- Idem: incano folio an cnicus cœruleus asper imis fo-*
liis canescens carduncelli montis Lupi H. Cath.
Supp. 20.
- Castanea folio multifido*. C.B. P. 419. *castanea equina*
folio multifido. I. B. tom. 1. l. 7. 128. *Hippocasta-*
nnum vulgare. *Tournef.* 612. *castanea equina*. *Dod.*
814.

- C**arvi officinarum. carum, sive carvi. *Moris. Umbel.*
 24. cuminum pratense, carvi officinarum. C. B. P.
 158. caros. I. B. tom. 3. l. 27. 69.
- C**aucalis maxima sphondylii semine aculeato. C. B. P.
 152. Tordilium maximum sphondylii semine aculeato. *Moris. Umbel.* 40. caucalis major semine minus pulchro hirsuto. I. B. tom. 3. l. 27. 85. an seseli creticum majus. C. B. P. 161. ex Herm. H. L. B. an caucalis major. *Clusi.* I. B. tom. 3. l. 27. 85. ex Herm. H. L. B.
- C**aucalis arvensis echinata latifolia. C. B. P. 152. *Moris. Umbel.* 33. Lappula canaria latifolia, sive I. B. tom. 3. l. 27. 80. Echinophora major platiphyllos purpurea. *Colum.*
- C**aucalis lato Apii folio. C. B. Pin. 152. caucalydes. Matth. I. B. tom. 3. lib. 27. 82. Daucoides majus. *Cordi.*
- C**aucalis arvensis echinata parvo flore, & fructu. C. B. Pin. 152. Echinophora 3. leptophyllum purpurea. *Colum.*
- C**aucalis arvensis echinata magno flore. C. B. Pin. 152. Daucus echinocarpos minor Thalii.
- C**aucalis Daucoides altissima pastinacæ sylvestris folio flore albo: an caucalis major Daucoides Tingitana: *Moris. Umbel.* 65.
- C**entaurium majus folio in lacinias plures diviso. C. B. Pin. 117. centaurium majus juglandis folio. I. B. tom. 3. l. 25. 38. centaurium magnum. Matth.
- C**entaurium alpinum luteum. C. B. Pin. 117. quod in Prodr. centauroides glabrum flore flavescente. I. B. tom. 3. lib. 25. 40. centaurium majus luteum cornuti.
- C**entaurium minus. C. B. P. 278. centaurium minus flore purpureo. I. B. tom. 3. l. 29. 353. centaurium minus rubrum. *Moris.* flore e puniceo colore in purpura rubente. C. B. P. Variet. 228.
- * **C**entaurium creticum jaceæ nigrae folio capitulo magno flore luteo. H. M.

Centaurium luteum perfoliatum. C.B.P. 278. *perfoliatum centaureum luteum*. I.B. tom. 3. l. 29. 355.
Perfoliata Achillæa. *Gesn.* H. *centaurium minus luteo flore perfoliatum*. T.M.

Centaurium Orientale erectum Glasti folio flore luteo.
T. Coroll.

Cepæa. C.B.P. 288. I.B. tom. 3. l. 35. 679. *pedum cœpæa dictum*. *Herm.* H.L.B. *cepæa*. *Matth.*

Cercus americanus serpens major articulatus, flore maximo noctu sese aperiente, & suavissimum odorem spirante. *Hort. Med. Joan. Georg. Volch.*

Eadem minor. *Ibid.*

Cereus Americanus triangulari latissimo folio. *Volcbam.*

Cereus erectus major spinis longissimis, & robustissimis. *Volcbam.* an *Euphorbium*. *Cast. Icon.*

Cerinthe, sive *Cynoglossum montanum majus*. C.B.P. 258. *cerinthe quorundam major*, *versicolore flore*.
 I.B. tom. 3. l. 33. 602. *flore purpureo*.

Eadem *flore luteo*. C.B.P. Variet. 254.

Cherophyllum Sativum. C.B.P. 152. *cerefolium sativum*. *Moris. Umbel.* 46. *chærephyllon*. I.B. tom. 3. l. 25. 75.

Chamæcistus vulgaris flore luteo. C.B.P. 465. *Panax chironium quorundam Anguil.* *Helianthemum Cordi consolida aurea chirurgis ejusdem*. *Helianthemum vulgare flore luteo*. I.B. 2. 15.

Chamæcistus vulgaris flore albo majore. C.B.P. 466. *Helianthemum foliis majoribus flore albo*. I.B. tom. 2. l. 13. 16. *cistus humilis*, sive *chamæcistus vulgaris flore albo majore*. *ex Herm. H.L.B.*

Chamæcistus serpillifolia floribus carneis. C.B.P. 466.
Chamæcistus 7. Clus.

Chamæcistus ericæ folio luteus. C.B.P. 366. *cistus humilis*, sive *chamæcistus erice folio luteus*. *Helianthemum tenuifolium glabrum luteo flore*. I.B. tom. 3. l. 13. 18. *coris simillimus frutex in maritimis Cesalp.* *Erica chisanthemos*. *Lugd.*

Chamæcistus foliis minoribus & incanis. C.B.P. 466. **He-**
lianthes, sive flos solis. *Lob. Adv.* chironiae aliud ge-
 nus. Cæsalp. **Cistus** humilis clusio, sive **Helianthe-**
mum omnino candidans flore nunc albo, nunc pal-
 lido. I.B. tom. 2.l. 13. 16.

Chamæcistus repens serpillifolia lutea C.B.P. 466. ci-
 stus humilis serpillifolia. T.M.

Chamædrys major repens. C.B.P. 24. **chamedrys** vulgo
 vera existimata. I.B. tom. 3.l. 28. 288. **Trissago** seu cha-
 medrys. *Matth. Lugd.*

Chamedrys sicula repens pulchra foliis argenteis laci-
 niatis flore albo ex Horto catholico : an chamedrys
 supina foliis pulchre laciniatis chamedryos Botrioi-
 dis facie inodora. H. Cat. 47.

Chamædrys alpina cisti flore. C.B.P. 248. **chamædrys**
 montana frutescens durior. *Adv. Lob.* Herba cervi qui-
 busdam. *Gesn.* H. Argentina mombelliaca. T. M.
 cariophyllata alpina chamedrios folio. *Moris.* **chamæ-**
 drys alpina flore fragariæ albo. I.B. tom. 3. 290. **Teu-**
 crium alpinum cisti flore. *Ger.*

Chamædrys alpina saxatilis. C.B.P. 248. **Veronica** pe-
 træa sempervirens. *Ponæ in Baldo* f. 179. **Veronica**
 petrea semper virens. Ponæ ad chamædrym vulgarem
 falsam accedens. I.B. tom. 3. 289.

Chamædrys alpina minima hirsuta. C.B.P. 288. 4. in
Prod. an **Teucrion** minimum *Clusii*.

Chamædrys spuria major altera, sive frutescens. C.B.
 P. 288. **Veronica** major frutescens altera. *Moris.*
chamædrys falsa maxima: an **Teucrion** 1. sive majus
Pannonicum Clusio. I.B. tom. 3. 268. **Teucrion** 4. *Clusii*
hist. 349.

Chamædrys spuria major angustifolia C.B.P. 249. **Ver-**
 onica supina faciæ **Teucrion** pratinis. *Lob. Icon.* 473. **cha-**
 mædrys spuria angustifolia. I. B. tom. 3. 285. **Teu-**
 crion. 1. *Matth. Hierobotane fæmina Dod. Gal. Lugd.*
 auricula muris v. Cæsalp.

Chamædrys spuria minor angustifolia. C.B.P. 249. v. in
Pro.

- Prodr.* *Veronica minor*, angustifolia ramosior & procumbens. *Moris.* *chamædrys spuria minor angustifolia*. I. B. tom. 3. 287.
- Chamælæa tricoccos.* C. B. P. 462. I. B. tom. 1. l. 5. 584.
chamælæa. *Dod. hist.* 363. *Thymelæa foliis magnis*
 & tenuibus *Mesuæ*. *chamælæa Matth.* *Mezereon Arabum.* *Lob. Adv.*
- Chamæmelum vulgare*, sive *Leuchanthemum*. *Diosc. C.*
 B. P. 135. *chamæmelum vulgare amarum*. I. B. tom. 3.
 l. 26. 116.
- Chamæmelum nobile*, sive *Leuchanthemum odoratius*.
 C. B. P. 135. *chamæmelum odoratissimum repens flore simplici.* I. B. tom. 3. l. 26. 118.
- Chamæmelum Æthiopicum lanuginosum* *Breyn. cent.* 1.
 188. *chamæmelum curassavicum Æthiopicum lanatum inodorum dictum.*
- Chamæmelum fetidum*. C. B. P. 135. *chamæmelum fætidum*, sive *cotula fetida*. I. B. tom. 3. l. 26. 120. *cotula fetida.* *Dodon. Gal.*
- Chamæpitys lutea vulgaris*, sive *folio trifido* C. B. P.
 249. *chamæpitys vulgaris odorata flore luteo*. I. B.
 tom. 3. l. 28. 295. *Iva artetica officinarum.*
- Chamepeucæ.* *Prosp. Alpin. Exoticæ.*
- Chelidonium majus vulgare.* C. B. P. 144. *chelidonia*. I.
 B. tom. 3. l. 30. 482.
- Chelidonium majus foliis quernis* C. B. P. 144. *chelidonium*
majus laciniato flore, & *foliis quernis*. *Moris.*
ex Herm. H. L. B.
- Chelidonia rotundifolia major* C. B. P. 309. *in Prodr.*
- Chelidonia rotundifolia minor* C. B. P. 309. *chelidonium*
minus. *Matth.* *scrofularia minor*, sive *chelidonium*
minus vulgo dictum. I. B. tom. 3. l. 20. 468. *Ranunculus*
præcox rotundifolius granulata radice. *Moris.*
Ranunculus vernus rotundifolius minor. *Tourn.* 586.
- Eadem *rotundifolia minor* *folio maculato*. C. B. P. Va-
 riet. 309. *Ranunculus vernus rotundifolius minor*
maculatus. *Tourn.* 586.

- Chondrilla juncea viscosa arvensis**, quæ prima *Diosc.*
 C.B.P. 130. *chondrilla viminea*. I.B. tom. 2. l. 27. 1021.
chondrilla juncea. T.M.
- Chondrilla viminea viscosa monspeliace**, quæ 1. in *Prodr.*
 C.B.P. 130.
- Chondrilla bulbosa**, sive *chondrilla* 2. *Diosc.* C.B.P. 130.
chondrilla marina T.M. *Dens Leonis tuberosa radice*. *Tournef.* 468. *cichorium bulbosum*. I.B. tom. 2. 1038. *chondrilla pusilla marina lutea bulbosa* : an *Dioscorum radice rotunda orbiculata strongille*, & an *Theopb.*
- Chondrilla verrucaria foliis intubaceis viridibus**. C.B.P. 130. *cichorium verrucarium*. *Matth. ex Herm.* *chondrilla verrucaria foliis cichorei viridibus* C.B.P. *Calendula Hieracii flore chondrillæ folio verrucaria*. *Herm.* H.L.B. *cichorium verrucarium*. *Moris. cichorium verrucosum*, sive *zazintha*, *Hieraciis annumerandum*. I.B. tom. 2. l. 24. 1013.
- Chondrilla cærulea altera cichorii sylvestris foliis**. C.B.P. 130. *chondrilla cærulea Belgarum*. *Adv. Lob.* *chondrille vel chondrilla cærulea*. I.B. tom. 2. 24. 1019.
- Chondrilla foliis laciniatis serratis purpurascente flore**. C.B.P. 130. *Centaureum capitatum ciliare annum* foliis laciniatis serratis. *Moris. Cyanus pulchro semine*. *centaurii majoris*. I.B. tom. 3. l. 25. 24. *crupina Belgarum vulgo ex Herm. H.L.B. chondrilla Hispanica Narbonensis*. T.M.
- Chondrilla purpurascens fetida**. C.B.P. 130. in *Prodr.*
chondrilla rubra fetida. *Eyst.*
- Chondrilla vulgatissima lactuculæ foliis ad petiolum caninis dentibus donatis perfoliate supernis** H. *Cath.* in *Suppl.* an *lactuca leporina Anguil.* p. 18.
- Chondrilla palustris**, *longifolia*, *sinuata leviter spinosa incana* H. *Cath. suppl.* 18.
- Chrysanthemum foliis Matricariæ**. C.B.P. 134. *flore simplici chrysanthemum majus folio valde laciniato*, *flore croceo*. I.B. tom. 3. l. 26. 112.

Idem

Idem flore partim candido, partim luteo. C. B. P. 134. flore simplici. chrysanthemum creticum I.B. tom. 3. l. 26. 112.

Idem flore albo pleno.

Idem flore luteo pleno.

Chrysanthemum alpinum foliis abrotani multifidis. C. B. P. 134. Ageratum ferulaceum. Lugd. Jacobæa foliis ferulaceis flore minore. Tournef. chrysanthemum alpinum 2. Clusi H. 334. Chrysanthemum alpinum Et-scherianum Jacobææ affine I.B. tom. 2. 1058.

Chrysanthemum canadense latifolium altissimum foliis rugosis. Moris. Præf. Bot. 250. chrysanthemum canadense latifolium elatius Bocc. Icon. & descrip. 52. an Helenium canadense altissimum, Vosacan dictum. Cat. H. Reg. Parif. 85.

Chrysanthemum Americanum laciniato folio majus. Moris. Præl. Bot. 251. Doronicum Americanum laciniato folio. C. B. P. app. 516. sic ex Herm. H. L. B. sed Morisonus secus sentire videtur: nam in H. Bles. 67. scripsit Doronicum Americanum laciniato folio. C. B. P. app. Aconitum helianthemum canadense cornuti. si idem esset Bacchini Doronicum in ejus catalogo, profecto pro Synonimo apposuissest suo Americano chrysanthemo in prælud. deescript.

Chrysanthemum majus alterum sulphureo magno flore. H. R. Parif. Tourn. 492.

Chrysanthemum Americanum cordis indi folio. chrysanthemum Virginianum foliis multifidis cicutæ non nihil similibus. H. L. B. chrysanthemum cannabinum Americanum frutescens Virginianum sambuci laciniatæ foliis & facie. Brey. Prod. 2. chrysanthemum chinense foliis plurifariam divisum Halicacabi peregrini æmulis. Pluck. tab. 22. cuambu sive caryophyl-lata Pison. Par. Bat. p. 123. chrysanthemum aquaticum foliis multifidis cicutæ non nihil similibus Virginianum Herm. H. L. B.

Chrysanthemum canadense bidens alato caule Moris. H. Bles.

Blef. & Prael. 253. an *Helenium canadense elatius*,
alato caule *cat.* H. *Paris.* 85. ex *Herm.* H.L.B.

Chrysanthemum Corassavicum alato caule floribus au-
rantiis. *Chrysanthemum cannabinum Americanum* a-
latum flore aphyllō globoso aurantii, foliis Baccha-
ridis. *Brey. Pr.* 2. *chrysanthemum Americanum* *bidens*
alatum flore parvo aurantiaco. *Pluck. tab.* 48. *chry-
santhemum Americanum* caule alato flore aphyllō
globoso aurantio, foliis Baccharidis. *Comel.* H. M.
Amstel. p. 5. cap. 3. *chrysanthemum conyzoides cura-
savicum abrotani semine flore aurantio.* *Gl. Volka.*
Flor. Norib.

Cicer sativum: C. B. Pin. 343. *cicer arietinum*. I. B.
tom. 2. l. 17. 292. floribns, & seminibus candidis,
C. B. P. var. 347.
Idem floribus, & seminibus ex purpura rubescensibus.
C. B. P. var. 347.

Cichorium spinosum. C. B. Pin. 126. *cichoria spinosa*
imperati 764. *cicoria spinosa* di *Candia Ponæ Ital.* in
Bald. 86. *cichorium spinosum creticum*. C. B. Prodr.
62. *cichorium spinosum*. I. B. tom. 2. 1013.

Cichorium semine adunco. Moris. H. Blef. 361. *Hiera-
cium capitulum inclinans* semine adunco. C. B. P.
128. *Hieracium floret inclinans*. I. B. tom. 2. l. 24.
1042. *calendula procumbens*, *Hieracii flore capi-
tulum inclinans* semine adunco. Herm. H.L.B.

Cichorium falcatum. Moris. H. Blef. 361. *Hieracium si-
liqua falcata*. C. B. Pin. 128. *Hieracium stellatum*
I. B. tom. 2. l. 24. 1014. *calendula Hieracii flore se-
mine falcato*. Herm. H.L.B.

Cichorium sylvestre, sive officinarum. C. B. P. 124.
cichorium sylvestre. I. B. tom. 1. l. 24. 1007.

Idem floribus candidis. C. B. P. variet. 125.

Cichorio affinis, *Lampsana domestica*. Moris. H. Blef.
359. *Soncho affinis*, *Lampsana domestica* L. C. B.
Pin. 124. *Lampsana*. Dodon. I. B. tom. 2. lib. 24.
1028.

- Cichorium peregrinum*, aut *Januense*, altius radicatum, laciniato, lanceolato folio. *H. Cath.* 50.
- Cichorium sativum*. *C. B. Pin.* 125. *I. B. tom. 2. lib. 24. 1011. cæruleum*. *Lob.*
- Cichorium pratense luteum*, hirsutie asperum, vel *Hieracium hirsutum* foliis caulem ambientibus. *C. B. Pin.* 126. *Hieracium hirsutum* foliis caulem ambientibus. *Herm.* *H. L. B.* *cichorium luteum hirsutum*. *I. B. tom. 2. l. 24. 1025.*
- Cichorium pratense luteum* *lævius*. *C. B. P.* 126. *Hieracium luteum glabrum*, seu minus *hirsutum*. *I. B. tom. 2. l. 24. 1029.* *Hieracium luteum lævius hirsutum*. *Herm.* *H. L. B.* *Hedypnois*. *Dod.* *Gal.* *Dentis leonis* *tertia species*. *Dod. fol.* & *T.M.*
- Cicuta minor* *Petroselino* *similis*. *C. B. Pin.* 160. *Moris. Umbel.* 18. *cicutaria Apii* *folio*. *I. B. tom. 3. l. 27. 179.*
- Cicutaria latifolia fætida*. *C. B. Pin.* 161. *Seseli Pelo-ponense*. *Matth.* sive *cicutaria quorundam*. *I. B. to-3. lib. 37. 184.* *cicuta latifolia fætidissima*. *Moris. Umbel.* 18.
- Cicutaria palustris tenuifolia*. *C. B. P.* 161. *Moris. Um-bel.* 18. *Phellandrium*, sive *cicutaria aquatica quo-rundam*. *I. B. tom. 3. l. 27. 183.*
- Circæa major*. *Herm.* *H. L. B.* *Solanifolia circæa dicta*. *C. B. P.* 168. *Ocimastrum verrucarium*. *I. B. tom. 2. l. 23. 977.* *circæa Lutetiana*. *Lob.*
- Circæa alpina minor*. *Herm.* *H. L. B.* *Solani folia cir-cæa alpina*. *C. B. Pin.* 168. *circæa minima*. *co-lum.*
- Circium maximum Asphodeli radice*. *C. B. Pin.* 168. *circium maximum* foliis carnosis, bulbosa radice, forte *Lutetianum*. *I. B. tom. 3. l. 25. 44.* hoc vero folio viridi, & folio incano, sic & folio integro, & folio laciniato separatim invenitur patente va-rietate.
- Circium singularibus capitulis parvis*. *C. B. Pin.* 377. *cir-*

circium foliis non laciniatis, virore Brasicæ & macrocaulon. I. B. tra. 3. l. 25. 45.

Cistus ledon foliis laurinis. C. B. P. 462. Ladanum alterum. Cæsalp. cistus ledon latiore folio. I. B. tom. 2. 8. Ledon. 1. latifolium. *Clusi hist.* 77.

Cistus mas, folio rotundo hirsutissimo. C. B. P. 464. cistus mas Matth. cistus mas 4. *Clus. hist.* flore roseo.

Cistus femina folio salviæ. C. B. Pin. 464. femina Matth. cistus femina monspeliana flore albo. I. B. tom. 2. l. 13. 4.

Cistus cretica frutescens supina foliis chamaedryos sinuatis crispis flore roseo: an cistus mas foliis chamaedrys. C. B. Pin. 464. quæ cistus mas. foliis crispis, & quodammodo sinuosis. I. B. tom. 2. l. 13. 3.

Citrullus folio colocynthidis secto semine nigro quibusdam Anguria. I. B. tom. 3. l. 16. 235. Anguria citrulli dicta. C. B. P. 312.

Eadem semine rubro.

Clematitis cærulea erecta. C. B. P. 300. clematis Pannonica flore cæruleo surrecta. I. B. tom. 2. l. 15. 129. clematis cærulea Pannonica 2. *Clusi.*

Clematitis cærulea flore pleno. C. B. Pin. 301. clematis purpurea flore pleno scandens. I. B. tom. 2. l. 15. 129.

Clematitis cærulea, vel purpurea repens. C. B. P. 300. clematis, sive flammula flore cæruleo scandens. I. B. tom. 2. l. 15. 128.

Clematitis trifolia flore roseo clavato. C. B. P. 301.

Granadilla Monardi. Flos Passionalis, sive Granadille ex India du Bry. cucumis flos passionis dictus, triphyllos flore roseo clavato. H. L. B. clematis passionalis triphyllos flore roseo. Moris. clematis passiflora flore roseo triphylla. Munting. Murucuja 3. Pison. Hisp. 247. Maracot Indicum. Aldini Hort. Farn. 50.

Clematis pentaphylla flore roseo clavato. Moris. clematis passiflora pentaphylla flore ceruleo punctato. Munting. cucumis flos passionis dictus, pentaphyllus flore clavato. Herm. H. L. B. Murucuja 2. Pison.

Eadem curassavica hederæ hirsuto folio flore albo. Flos passionis albus reticulatus. Flos Passionis curassavicus hederæ hirsuto folio flore albo. Prod. Parad. Bat. Flos Passionis althææ folio lanuginoso longiore, fetidus flore decapetalo, & filamentis niveis fructu vesicario. ex Pauli Herm. Parad. Bat. p. 173.

Clematitis, seu flammula recta. C. B. P. 300. clematis, sive flammula surrecta a ba. I. B. tom. 2. l. 15. 127. Flammula Jovis surrecta. Ger.

Clematitis peregrina foliis Pyri incisis. C. B. P. 300. clematis altera Bætica. Clusi. clematis Bætica. Clusi.

Clematitis, sive flaminula repens. C. B. P. 300. clematis altera urens. Lob. Adv. Viticella. Cæsalp. Clematis, sive flammula scandens tenuifolia alba. I. B. tom 2. 227.

Clematis tetraphyllos Americana. Moris. H. Bles. 255. clematide tetraphilla Americana. Zanoni hist p. 74. c. 41. tab. 28. clematis tetraphyllos Americana digitalis flore. H. R. Paris. clematis Americana siliquosa tetraphillos. A. R. Paris. 71. Bignonia Americana capreolis donata siliqua breviori. Tourn. 164. clematis Americana siliquosa tetraphyllos. Dod. mem. Bre. Prodr. 30.

Clematitis Geranifolia. C. B. P. 39. Prod. 135. clematis cerulea serrato folio. I. B. tom. 2. 129. clematide cruciata Alpina. Pon. Bald. Ital. 175.

Clematitis sylvestris latifolia. C. B. P. 300. Vitis sylvestris. Trag. Atragene Theophr. Anzil. clematis latifolia dentata. I. B. tom. 2. 125. Vitalba. Dod. 404. ex Tourn. 293. clematis latifolia, sive Atragene quibusdam. I. B. tom. 2. l. 15. 125. ex Herm. H. L. B.

Cle-

Clematis indica Contareni. *Vesling. cat.* Jasminum Indicum. *Ferr. Flor.* Gelseminum hederaceum indicum cornuti 102. *Bignonia Americana* Fraxini folio flore amplio phænicio. *Tournef.* 164.

Clematis daphnoides major. C.B.P. 302. *Pervinca major*. *Adv. Lob.* altera major Celsalp. *clematis daphnoides major* flore cæruleo. I. B. tom. 2. lib. 15. 132.

Clematis daphnoides minor. C.B.P. 131. *clematis daphnoides minor* flore cæruleo. I. B. tom. 2. l. 15. 130. *Vinca pervinca*. *Eruensf.* cui & chamædaphne altera. *Diosc.*

Eadem flore albo. I. B. tom. 2. l. 15. 132.

Eadem flore purpurascente pleno.

Eadem folio, & flore variegatis. *Herm. H.L.B.*

Clinopodium arvense Ocymi facie. C.B.P. 225. Acanthos multis. I. B. tom. 3. l. 28. 259. *clinopodium alternum*. *Mattb.*

Clinopodium origano simile. C.B.P. 224. c. *clinopodium* 1. *vulgare*. *Mattb.*

Clinopodium montanum. C.B. Pin. 225. *clinopodium Austriacum*. *Clus. bist.* 353. Acini pulchra species. I. B. tom. 3. *Parn.* 2. 260.

Clinopodium alpinum roseum satureiæ foliis. *Bocc.* tab. 95. descrip. 135.

Clinopodium creticum latifolium hirsutum flore ampio. *Sherard.* an descriptum.

Clinopodium canadense fistulosum. *Moris. H. Bles.* 382. *Origanum fistulosum canadense* Cornuti 14. *Leonurus canadensis origani* folio. *Tournef.* 187.

Clinopodium creticum spicatum odore Pulegii. *Sherard.*

Cochlearia folio subrotundo. C.B.P. 110. *cochlearia*. I.B.tom. 2. l. 22. 942. *cochlearia major* Batavica subrotundo folio. *Moris. cochlearia*. *Dod.* 594.

Colchicum commune. C.B.P. 69. *Moris. colchicum*. I. B. tom. 2. l. 19. 648.

Catalogus

54

- Colchicum luteum majus.* C.B.P. 69. *colchicum flore luteo quorundam.* I.B.tom.2. l.19.661. *colchico-Narcissus autumnalis luteus major.* *Moris.* *Narcisso-cholchicum vulgo.* H.L.B.
- Colchicum flore pleno purpureo.*
- Colchicum flore carneo.*
- Colchicum flore purpurascente pleno punctato.*
- Colutea vesicaria.* C.B.P. 396. I.B.tom. 1. l.1. 380. *se-na Mauritanorum.* Ruel.
- Colutea siliquosa*, sive *scorpioides major.* C.B.P. 397. *colutea scorpioides.* I. B. tom.1. lib.11. 381. *colutea scorpioides elatior*, & *major frutescens.* *Moris.* *Emerus.* *Cæsalp.* 117. *ex Tournef.* 650.
- Colutea caule Genistæ fungoso.* I.B. tom.1. 383. *co-ronilla caule genistæ fungoso.* *Tournef.* 650.
- Colutea scorpioides odorata.* *Pr. Alp. exot.* 17. *scorpioi-des odorata cretica.* *Moris.* *coronilla argentea cre-tica.* *Tournef.* 650.
- Coluteæ parva species*, *Polygala Valentina.* Clusi. I.B.tom.1.383. *Polygala altera.* C.B.Pin. 344. *coro-nilla*, sive *colutea minima.* Lob. *Icon.* 87.
- Colutea Æthiopica flore purpureo.* *Brey. cent.* I. p.79. cap.29.
- Colocasia.* I.B.tom.2. l. 19. 790. *Arum maximum Ægyptiacum*, quod vulgo *colocasia.* C.B.P. 195. *cul-cas*, sive *colocassia.* *Alp. depl. Ægyp.* p. 101. cap. 33. *Vesling. obs.* p.37.
- Coma aurea Africana chritthmi chrisanthemi facie.* Volch.
- Conyza mas Theophrasti*, *major.* *Diosc.* C.B.Pin.265. *conyza major Monspeliensis odorata.* I. B. tom. 2. l. 24. 1053. *conyza major vera.* Lob. *Adv.* *Virga au-reæ major foliis glutinosis*, & graveolentibus. *Tourt-nef.* 484.
- Conyza fœmina Theophrasti minor.* *Diosc.* C.B.P. 265. *conyza minor vera.* I. B.tom.2. l. 24. 1054. *conyza minor altera.* Dod. *Virga aurea minor foliis glu-*

- tinosis, & graveolentibus. *Tournef.* 484.
Conyza major vulgaris. C. B. Pin. 265. *conyza major.*
Matth. *Baccharis quibusdam.* I. B. tom. 2. l. 24. 1051.
Baccharis. *Matth.*
Conyza cerulea acris. C. B. P. 265. *Senecio*, sive *E-*
rigeron ceruleus, aliis *conyza cærulea*. I. B. tom.
2. l. 24. 1043. *Amellus montanus.* *Colum.* *Dentela-*
ria. *Gesn.* H.
Conyza media, *Asteris* flore luteo, vel tertia. *Diosc.*
C. B. P. 265. *conyza media.* *Matth.* flore magno lu-
teo humidis locis proveniens. I. B. tom. 2. l. 24. 1050.
Conyza major flore globoso. C. B. P. 266. *conyza mi-*
nor. *Matth.*
Conyza minor *Osyridis* folio, aurantii odore. *Bocc.*
conyza minor indica.
Conyza palustris *serratifolia.* C. B. P. 266. *Virga aurea*
angustifolia serrata, sive *Solidago Saracenica* I. B. to.
2. l. 24. 1063. *consolida palustris.* T.M.
Conyza Orientalis *fruticosa* folio moll. *Tournef.* Ce-
rall.
Consolida major *Tragi* *Symphytum consolida major*
C. B. P. 259. *Symphytum magnum.* I. B. tom. 3. l. 33.
593. *fœmina* flore albo.
Eadem flore pallide luteo.
Eadem mas flore purpureo, vel purpurocæruleo C. B. P.
Variet. 259.
Consolida tuberosa vel nodosa. *Camer.* *Symphytum ma-*
jus *tuberosa* radice. C. B. P. 259. *Symphytum tubero-*
sum I. B. 3. l. 33. 594.
Consolida media *pratensis* cærulea. C. B. P. 260. *consoli-*
da *media* quibusdam *Bugula* I. B. tom. 3. l. 30. 340. *Pru-*
nella cærulea *Tragi*. *Symphytum medium* Lon.
Eadem flore albo. C. B. P. variet. 1260.
Eadem flore purpureo. C. B. P. variet. 260.
Consolida media cærulea alpina. C. B. P. 260. in *Prodr.*
Consolida Regalis hortensis flore majore, & simpli-
ci. C. B. P. 142. *Delphinium* sive *Consolida regalis* ere-
ctior

- Etior purpureo, sive violaceo flore majore.* I. B. tom. 3. l. 26. 211. *Calcatrippa vulgo.*
- Eadem flore simplici rubro.* C.B.P. variet. 142.
- Consolida regalis erectior flore purpureo, sive violaceo pleno* I.B. tom. 3. l. 26. 211.
- Consolida Regalis flore pleno purpureo.* Eyf. C. B.P. 142. sive rubro.
- Consolida Regalis rosea flore pleno variegata serotina* Cat. H. Reg. Paris. 56. sive variegata cæruleo & albo colore mixto.
- Consolida Regalis arvensis.* C.B.P. 142. *consolida Regalis flore minore* I.B. tom. 3. l. 26. 210. *flos Regius* 2. vel sylvestris. Dod.
- Consolida Regalis latifolia parvo flore.* C. B. P. 142. *Delphinium Dioscoridis Imper.* C. B. in *Prodr.*
- Convolvulus major albus.* C.B.P. 194. *convolvulus major* I. B. tom. 2. l. 15. 154. *Smilax levissima* Matth. *levis major.* Dod.
- Convolvulus minor arvensis.* C.B.P. 294. *Helxine cissampelos.* Matth. *Helxine cissampelos multis, sive convolvulus minor.* I. B. tom. 2. l. 15. 157.
- Convolvulus minor semine triangulo.* C.B.P. 295. *convolvulus niger.* Dod. *Volubilis nigra.* T.M.
- Convolvulus minor Africanus flore minimo albo.* Volckam.
- Convolvulus cæruleus hederaceo angulofo folio.* C. B.P. 295. *Nil Arabum seu convolvulus cæruleus* I.B. tom. 2. l. 15. 164. *Nil Arabum.* Gesn.
- Idem flore variegato semine albo.*
- Convolvulus Africanus angulofo folio, quamoclit flore.* *convolvulus coccineus folio angulofo* Plumier. Raij. tom. 3. p. 380. 76.
- Convolvulus argenteus spicæfolius* Bocc. apud quem scribitur *convolvulus rectus, villosus argenteus angustissimo folio.* Mus. p. 138. Tab. 96.
- Convolvulus argenteus umbellatus erectus.* Tournef. 84. *Cneoron album folio oleæ argenteo molli.* C. B.P.

B.Pin.463. Cneorom album Dalechampii, aliis Dorycnium. I. B. tom. 1. 597. Dorycnium Plateau, Clusii. app. 254. Dorycnium Imperat. I. B. tom. lib. 5. 598.

Convolvulus linariæ folio. C.B.P. 295. cantabrica quorundam. Clusii. convolvulus minimus spicæfolius. Lob. Adv. volvulus terrestris. I. B. tom. 2. lib. 15. 160.

Convolvulus lusitanicus flore cyaneo, Brossæo convolvulus cæruleus folio oblongo. C.B.P. 95. I.B.tom.2. 166. campanula exotica. Aldini hort. Farn. 89. has nomenclaturas habet. Cl. Tournef. 83. quarum unicum Aldini sequimur. Bauchini Fratres non tam clare, quam opus est, illos triplices florum colores, quibus insignita est Aldini planta, expressere, sed judicent Botanici.

Convolvulus Orientalis flore ampio subcarneo.

Convolvulus Arisari folio.

Coriandrum majus. C.B. Pin. 158. coriandrum. I.B. tom. 3.l.27. 89. coriandum sativum majus. Moris. Umbel. 48.

Coronopus hortensis. C.B.P. 190. coronopus sive cornu cervinum vulgo, spica plantaginis I.B. tom.3. l. 31. 509. cornu cervinum. Lob.

Coronopus sylvestris hirsutior. C.B.P. 190. sylvestris Cœsalp.

Coronopus maritima major. C.B.P. 190. Plantago angustifolia. Dod. coronopus maritima nostras. I.B.tom. 1.l.31. 511.

Cortusa Matth. C.B.P. 243. inter saniculas reposuit cortusa I.B.tom.3.l.30. 399. Primula veris montana laciniata. Herm. H. L.B. Sanicula montana laciniata latifolia. Moris. Auricula Ursi laciniata seu cortusa. Matth. Tournef. 121.

Cotyledon major. C.B.P. 285. cotyledon vera radice tuberosa I.B.tom.3. l.35. 683. Umbilicus Veneris vulgo, & Matth.

Cotyledon stellata. C.B.P. 285. *semperfivum tertium.*

Colum.

Cotyledon media foliis oblongis serratis. C.B.P. 285.
sedum serratum I.B. tom. 3. l. 35. 689. *sanicula Aizoides*,
foliis oblongis ferratis. *Herm.* H.L.B. *Aizoum*
serratum. *cordi.* *lingua Anserina* herbariorum.

Cotynus. *Matth.* C.B.P. 415. *coccigria*, sive *cotinus*
putata. I.B. tom. 1. l. 4. 494.

Crithmum sive *feniculum maritimum* majus odore A-
 pii. C.B.P. 288. *Moris.* *Umbel.* 20. *crithmum* sive *fe-*
nicum marinum *grandius*, cui succus luteus. I.B.
 tom. 3. l. 27. 199.

Crithmum, sive *feniculum maritimum* minus. C.B.
 Pin. 288. *Feniculum maritimum* *Donati.* 46. *Herba*
sancti Petri. *Anguil.* *crithmum* multis, sive *fenicu-*
lum marinum. I.B. tom. 3. l. 27. 174.

Crithmum sive *feniculum* *siculum* *marinum* minus *an-*
gustifolium ex *Horto Cathol.*

Crithmum maritimum *spinosum.* C.B.P. 288. *Moris.*
Umbel. 20. *Pastinaca marina* quibusdam *secacus* & *cri-*
thmum spinosum I.B. tom. 3. l. 27. 176.

Crocus sativus. C.B.P. 65. *crocus autumnalis sativus*
floridus, & sine flore. *Moris.* *crocus.* I.B. tom. 2. l. 19.
 637. *crocum.* *Matth.*

Crocus Vernus latifolius aureus. C.B.P.

Crocus vernus latifolius aureus minor.

Crocus vernus flore purp. variegato.

Crocus vernus flore albo variegato.

Crocus vernus flore cœruleo lineis violaceis varie-
gato.

Crocus vernus flore externe pallido, intus cœruleo striato.

Crocus vernus flore albo.

Crocus vernus latifolius flore albo purpureo minor.

Cruciata hirsuta. C.B.P. 335. *cruciata.* *Dod.*

Cruciata glabra. C.B.P. 335. in *Prodr.* *Rubra quadri-*
folia glabra angustifolia I.B. tom. 3. 717.

Cucumis sativus vulgaris. C.B.Pin. 319. *Cucumis vul-*

garis viridis. I. B. tom. 2. lib. 245. *citreolus vulgo*
Cæsalp.

Cucumis sativus major. C.B.P. 310. *Cucumis Turci-*
cus. Fuch. T.M.

Cucumis Sylvestris, Asininus dictus. C.B.P. 314. Morif.
& I.B. tom. 2. l. 16. 248.

Cucumis Ægyptius reticulatus, sive Luffa Arabum Vesh.
in Alp. 48. Morif. H. Pepo indicus reticulatus seminibus
albis major. Herm. H. L. B. Wæthakolu Zeylanen-
sium.

Cucurbita capitata. C.B.P. 313. *cucurbita stellata,* sive
sessilis. Camer.

Cucurbitæ variæ species, fructus forma, magnitudine,
& colore pro vario naturæ lusu inter se differen-
tes.

Cuminum sylvestre capitulis globosis. C.B.P. 146. cumi-
num sylvestre primum valde odoratum globosum
I.B. tom. 3. l. 23. *Pastinaca tenuifolia cretica capitulis*
globosis. Morif. Umbel. 31. 32. *Cuminoides vulgare.* To-
urnef. 300.

Cuscuta major. C.B.P. 219. *cassuta* sive *cuscuta.* I.B.
tom. 3. l. 38. 266. *cuscuta.* Matth.

Cyanus floridus odoratus Turcicus, sive Orientalis ma-
jor. Park. Theat. 482. *Ambrette vulgo, flore pur-*
pur.

Idem flore albo. Cat. H.R. Paris. 62.

Idem flore luteo. H.L.B.

Idem flore incarnato. H.L.B.

Cyanus orientalis alter, seu constantinopolitanus flo-
re fistuloso candicante. Cat. H.R. Paris. 63.

Idem fistuloso purpureo flore. Cat. H.R. Paris. 63.

Idem fistuloso luteo flore. Dod. 75.

Has cyanorum odorat. species sub nomine cyani
peregrini Amberboi, sive Amberboi dicti in hortis
vocantur. Ideo Ambrosinus hoc nomine generice
scripsit cyanum peregrinum Amberboi dictum pag.
187.

Cyanus montanus latifolius, vel *Verbasculum cyanoides*. C.B.P. 273. *cyanus alpinus radice perpetua*. I.B. tom. 3. l. 25. 23.

Cyanus segetum. C.B.P. 273. flore cæruleo, & *cyanus hortensis* flore simplici ejusdem 273. *Bapticecula*. *Trag.* & *Vulgo*.

Cymbalaria. C.B.P. 306. *cymbalaria* flosculis purpurascens. I.B. tom. 3. l. 35. 685. *Linaria* folio glabro subrotundo *Hederæ* folio clematitis. *Moris*. *Linaria hederacea* folio glabro, seu *cymbalaria vulgaris*. *Tournef.* 169.

Cyclamen orbiculato folio inferne purpurascente. C.B.P. 308. *cyclaminus* folio rotundiore vulgatior. I.B. tom. 3. l. 32. 551.

Cyclamen hyeme, & vere florens, folio anguloſo flore albo.

Cynoglossum majus vulgare. C.B.P. 257. *cynoglossum vulgare*. I.B. tom. 3. l. 33. 598. flore rubente *cynoglossum vulgare*. *Matth.*

Cynoglossum majus latifolium frigidarum Regionum Cl. *Volck.* *cynoglossum montanum maximum*. Park *cynoglossa montana maxima frigidarum Regionum*. *colum.*

Cynoglossum minus. C.B.P. 257. & *cynoglossum medium* ejusdem. *cynoglossum minus*. I.B. tom. 3. l. 33. 600. *Lappula rusticorum*. *Lugd.*

Cyperus longus inodorus Germanicus. C.B.P. 14. *cyperus longus inodorus sylvaticus* Lobelio. I.B. tom. 3. l. 18. 503.

Cyperus rotundus esculentus angustifolio. C.B. Pin. sive *Trasi*. *Matth.* vel *Dulcichinum*. *Gesn.* *Dod.*

Cyperus rotundus esculentus latifolio. C.B. Pin. sive *caceras in Goa*. *Trag.*

Cytisus argenteus linifolius insularum Stæchadum. *Tournef.* 548. *cytisus insularum Stæchadum* foliis oblongis angustis, subtus argenteis. *Schol. Bot.*

Cytisus glaber viridis, C.B.P. *cytisus secundus*. *Tab.* Cy-

Cytisus glabris foliis subrotundis, pediculis brevissimis. C. B. Pin. seu Cytisus quintus rotundifolius. Tab.

Cytisus minoribus foliis ramiculis tenellis villosis. C. B. P. seu cytisus primus. Clus.

Cytisus supinus foliis inferne, & siliquis molli hirsutie pubescentibus, seu Cytisi septimi species altera. Clus.

Cytisus glaber nigricans. C. B. Pin. seu Cytisus quartus. Clus.



Aucus alpinus multifido longoque folio , sive montanus umbella candida . C. B. Pin. 150. Myrrhis annua semine striato villoso incano . Moris. Umbell. 44. & 67. Daucus creticus semine hirsuto . I. B. tom. 3. l. 27. 57.

Daucus creticus nodosus umbella lutea . C. B. Pin. 150. Daucus tertius creticus Belli . Ponæ Ital.

Daucus montanus Apii folio major . C. B. P. 150. saxifragia Venetorum . Lob. Libanotis nigra . Moris. Umbel. 42. Libanotis altera quorundam , aliis dicta cervaria nigra . I. B. tom. 3. l. 27. 165. Libanotis nigra . Dod. Sefeli Pannonicum 2. Clus. Daucus 2. Matth.

Dens canis latiore , rotundioreque folio . C. B. P. 87. Pseudohermodactylus Matthiol. Satyrium Erythronium . Gesn. Mithridatium Cratevæ , Plinii . Ang. Cæsal. Satyriun quorundam Erythronium bifolium flore unico radiato purpureo . I. B. tom. 2. l. 19. 680. flore ex purpura rubente , vel purpurascente .

Dens canis angustiore longioreque folio . C. B. P. 87. flore albo . Moris. & I. B. tom. 2. l. 19. 680. Dentali 2. Clusi. Dens caninus flore albo , Erythronium flore albo , angustioribus foliis . Lob. Icon.

Dens leonis latiore folio . C. B. P. 126. Hedypnois , sive Dens leonis Fuchsii . I. B. tom. 2. lib. 24. 1035. Dens leonis . Dod. 63.

Dens leonis Asphodeli bulbulis . C. B. P. 126. Cichorium Constantinopolitanum . Matth. Chondrila altera Dioscoridis Monspeliensium . Dens leonis Asphodeli , vel leucanthæ bulbulis . Lob. Icon. 232.

Dens leonis angustifolio . C. B. P. 126. Aphaca angustioris folii . Cæsalp. 508.

Dens leonis minor foliis radiatis . 3. in Prodr. 62. C. B. P. 126. an Trinciatella . Camer.

Dens

- Dens leonis *Asphodeli* . *bulbulis* . *foliis* . *Cetrach Cu-*
pani .
- Dens leonis major *alpinus* . *crassulus* , *tenerimus* , *fo-*
liis . *presse terram amplectentibus ephemero flore* .
H. Cath.
- Dens leonis minor *crispus canescens* *Tragopogonoides*
Cupani .
- Dentaria *Eptaphyllos* . C. B. Pin. 322. *Viola dentaria*
altera . *Dod.* 162. *Coralloides altera* , *sive septifolia*.
I. B. tom. 2. l. 21. 899.
- Dentaria *pentaphyllos* . C. B. P. 322. *coralloides pri-*
ma quinquefolia . I. B. tom. 2. l. 21. 900. *Dentaria*
minor . *Matth.* *Viola dentaria prima* . *Dod.* 162.
- Dentaria *heptaphyllos baccifera* . C. B. P. 322. *Coral-*
loides minor bulbifera . I. B. tom. 2. 922. *Denta-*
ria 4. *baccifera* . *Clus. hist.* cxxi.
- Dictamnus *creticus* . C. B. Pin. 222. *Dictamus cretica*,
seu vera . I. B. tom. 3. l. 28. 253. *Origanum creticum*
latifolium tomentosum , *seu Dictamnus creticus* .
Tourn. 190. *Dictamnum verum* . *Dod.* 281. *Dicta-*
mnum . *Matth.*
- Dictamnus *cretica montis Sipyli* . Scherardi. *Origanum*
montis Sipyli . H. L. B.
- Dictamnus 2. *Theophrasti* , *Pseudodictamnus Cidonię*.
Ponæ . *Pseudodictamnus acetabulis Moluccæ* . C. B.
P. 222. *Dictamnus spurius inodorus acetabulis Mo-*
luccæ majoribus . *Herm.* H. L. B. *Dittamo falso di*
Cerigo , *overo dittamo 2. di Theophrasto* . *Ponæ Bald.*
Ital. 25.
- Dictamnus *spurius inodorus acetabulis Moluccæ mino-*
ribus . *Herm.* H. L. B. *pseudodictamnus verticillatus*
inodorus . C. B. P. 222. *Dictamnum adulterinum* , *qui-*
busdam verticillatum , *vel potius Gnaphalium Vete-*
rum . I. B. tom. 3. l. 28. 255. *Pseudodictamnum* . *Matth.*
& Dod. 281.
- Dictamnus ; *seu Pseudodictamnus Hispanicus scrophu-*
lariæ folio . *Tourn.* 188. *Galeopsis* . *Anguil.* 278. *Ga-*
leo.

- leopsis Anguillare*, sive *Pseudodictamnum nigrum*
siculum. *Bocc. Mus. part. 2.* 151.
- Dictamnus*, sive *Pseudodictaminus Hispanicus* foliis
crispis, & rugosis. *Tournef.* 188. *Marrubium Dicta-*
mni spurii foliis, & facie. *Par. Bat.* *Pseudodicta-*
mnum nigro, rotundo, crispo folio. *Bocc. Mus. part.*
2. 152. tab. 129.
- Dictamnus albus vulgo*, sive *Fraxinella*. C. B. P. 222.
Fraxinella officinalis dictamnus. I.B. tom. 3. l. 30. 494.
floribus purpureis.
- Eadem floribus albis. *Fraxinella niveo flore*. *Clusi.*
hist. rar. Plant. lib. 1. 100.
- Digitalis purpurea* folio aspero. C.B.P. 243. *Digitalis*
purpurea. I.B. tom. 2. l. 20. 812. *Verbascum digitale* Co-
stæo.
- Digitalis alba* folio aspero. C.B.P. 244. I.B. tom. 2. l. 20.
812. descript. *Virga Regia* major flore pallido. *Cæ-*
salp.
- Digitalis lutea* magno flore. C.B.P. 244. *digitalis lu-*
tea flore majore folio latiore. I.B. tom. 2. l. 20. 813. Di-
gitalis lutea flore ampio. *Ponæ.*
- Digitalis major* lutea vel pallida parvo flore. C.B.P.
244. *Digitalis* flore minore subluteo angustifolia. I.
B. tom. 2. l. 20. 814. *Digitalis lutea* minore flore. *Moris.*
Virga Regia, *Alisma*, & *Damasonium*. *Diosc.* &
Fistula Pastoris Avicennæ. *Cæsalp.*
- Digitalis angustifolia* flore ferrugineo. C.B.P. 244. Di-
gitalis ferruginea folio angustiori. I.B. tom. 2. l. 20. 813.
Digitalis ferruginea. *Lob. Icon.* 573.
- Dorycnio* congener planta. *Clusi.* *Lotus pentaphillos*
incanus. C.B.P. 332.
- Doronicum* radice scorpii brachiata. C.B.P. 184. *Aco-*
nitum pardalianches Plinii. *Matth.*
- Doronicum* plantaginis folio. C.B.P. 184. *Doronicum*
folio fere plantaginis oblongo. I.B. tom. 3. l. 25. 18.
Doronicum angustifolium. *Clusi.*
- Doronicum* plantaginis folio alterum. C.B.P. 185. ca-
len-

Iendula Alpina : *Gerar.* *Damasonium*, sive *Alisma* :
Lugd.

Doronicum maximum foliis caulem amplexantibus. C.
B.P. 185. *Doronicum maximum* foliis *Hyoscyami* Pe-
ruviani modo caulem amplectentibus. I.B. tom. 3. l. 25:
18. *Doronicum Austriacum*. VII. *Clusii*.

Doronicum latifolium flore magno. C.B.P. 185. Doro-
nicum 4. *stiriacum*. *Clusii*. *Doronicum* folio lato,
flore magno. I.B. tom. 3. l. 25. 14.

Draba umbellata, vel *Draba major* capitulis donata. C.
B. P. 109. *Draba* flore albo. I. B. tom. 2. l. 22.
939. *Draba siliquosa repens* major foliis magis in-
canis, spanospermous vulgaris. *Moris*. *Arabis*, sive *Dra-
ba*. *Matth.*

Draba alba siliquosa. C. B. Pin. 109: *Draba* 2. *Clusii*.

Draba alba siliquosa repens. C. B. P. 109. *Draba al-
tera*. *Lob. Icon.*

Draba siliquosa repens purpurea *Cretica* : an *Draba*
alpina siliquosa minor hirsuta purpureo flore aspero
serrato folio subrotundo. H. *Cath.* ubi, & *Draba*
siliquosa floribus violaceis: H. *Paris*. H. *Bles*. *Moris*.
& *Leucoium maritimum latifolium* flore ceruleo
purpurante. I.B. judicent Botanici.

Draba alba sicula procumbens minor folio aspero, ma-
gno flore umbellato. *Cupani* : an *Draba siliquosa*
hispida foliis crassis circa radicem, bellidis flore ex
purpuroalbo, multoties tamen est flore omnino al-
bo, ut contingit cultura. H. *Cath.*

Draba Arabum flore luteo : an *Draba lutea* siliquis
strictissimis. C.B.P. 110. forte *Eruca maxima* cana-
densis. *Cornuti*.

Dracunculus hortensis. C. B. Pin. 98. *Dracunculus*.
Matth. *Draco herba*. *Ruel.* *Dod.* *Gal.* & *Lob.* *Dra-
cunculus hortensis*, sive *Tarchon*. I. B. tom. 3. l.
26. 148.

Dracunculus pratensis ferrato folio : C. B. Pin. 98.
Ptarmica : *Matth.* *Tanacetum album*, seu *acutum*:

Tragi. Ptarmica vulgaris folio longo serrato flore albo. I. B. tom. 3. l. 26. 147.

Dracunculus Bistortæ folio. C. B. Pin. 194. Dracunculus major. Matth. Dracontium majus Thal. Serpentaria major. Lugd. hanc nunquam vidit Bauhinus: an Bistortæ species.



Bulus folio laciniato, sive Sambucus humilis. C.B.P.456. Ebulus laciniata. Ponæ. Ital. Ebulus, sive sambucus heracea. I.B.tom.1.l.5.549.

Echium majus folio subrotundo, flore campanulato, & variegato ex H. Carb.

Echium amplissimo folio Lusitanicum. Tourn.135. flore albicante cæruleo: an Echium latissimo folio Lycopsis dictum flore dilute purpurascente. H.L.B. an Lycopsis. C.B.P.255.

Echium majus, & asperius flore albo. C.B.P.254. Echium albo flore majus. I.B.tom.3.l.33.588.

Echium vulgare. C.B.P.244. I. B. tom.3.l.33.586. Echium. Matth. flore cæruleo.

Echium minus; sive cynoglossum minus. Matth.

Echinophora Cretica Peucedani folio Sherard.

Elatine folio subrotundo. C.B.P. 252. Elatine mas folio subrotundo. I.B.tom.3. l.29.372. Linaria hirsuta folio subrotundo flore ex herbido flavescente. Moris. H.L.B. Veronica fœmina. Matth. Linaria segetum nummulariæ folio villoso. Tournef. 169. Veronica fœmina Fuchsii, sive Elatine: Dod. 42. nostra tamen est flore purpurante, non flavescente.

Elatine folio acuminato in basi auriculato flore luteo. C.B.P.253.

Elatine fœmina folio anguloſo. I.B.tom.

3.l.29.372. Linaria hirsuto folio acuminato in basi auriculato. Moris. H.L.B. Linaria segetum nummulariæ folio aurito, & villoſo flore luteo. Tournef. 169. Linaria hederulæ folio. colum.

Ephemerum Africanum annum flore bipetalo. Herm. H.L.B.

Epimedium. Anguil. & Lunaria quorundam. C.B.P.323.

Epimedium quorundam. I.B.tom.2.l.17.391. Epime-

dium. Dod. 599. Epimedium apud Matth. Baub. p. 700.

Equisetum palustre linariæ scopariæ folio 1. in Prodr.

C.B.P. 15.

Equisetum palustre longioribus setis. C.B.P. 15. E-
quisetum majus aquaticum. I.B. tom. 3. l. 36. 729.

Equisetum fetidum sub aqua repens. C.B.P. 16. I.B. tom.
3. l. 36. 731.

Erica maxima alba. C.B.P. 485. Erica foliis corios, flo-
re albo. I.B. tom. 1. l. 10. 355. Erica prima. Clus.

Erica alpestris palustris rosmarini incano folio flore
purpureo. H.M. Erica Rosmarini foliis flore amplo.
Vesling. Cat. Pat. an Erica 3. Dod.

Erica myricæ folio hirsuta. C.B.P. 485. Erica Myri-
cæ folio tomentosis, & incanis foliis. I. B. tom. 1.
l. 10. 355. selago Plinii quibusdam.

Erica humilis cortice cinereo arbuti flore. C.B.P. 486.

Erica sexta. Clusii Erica ramulis ternis floribus satu-
ratiорibus purpureis. I.B. tom. 1. l. 10. 356.

Eryngium vulgare. C. B. P. 386. I. B. tom. 3. lib. 25.
86. Eryngium montanum, sive campestre. Matth.

Eryngium montanum amethystinum. C. B. Pin. 386. E-
ryngium caule, & flore ceruleo. Anguil. Eryngium
ceruleum. I.B. tom. 3. l. 25. 86.

Eryngium maritimum. I. B. tom. 3. l. 25. 86. Matth.
Glyzyrrhiza spinosa Lacunæ.

Eryngium planum latifolium Creticum flore ceruleo,
& albo mixto variegato. Sberardi nostri seculi Bo-
tanorum facile Principis.

Eryngium arvense foliis ferræ similibus. C. B.P. 386.

Crithmum 4. Matth. Ammi perenne. Moris. Um-
bel. 22. Chrithmum 4. Matth. umbelliferum. I. B.
10. 3. l. 27. 195. planta potius marina, quam arvense.

Eryngium Oriental: capite stellato. Tourn. Corall.

Erysimum vulgare. C. B. P. 100. Irio. Matth. Erys-
mum Tragi flosculis luteis juxta muros proveniens.
I. B. tom. 2. l. 21. 863.

Erysimum alterum siliquis erucæ: C. B. P. 101. Eysि-
mum 2. T.M.

Erysimum polyceratum, vel *corniculatum* : C.B.P. 101. *Erysimum alterum* : Matth. siliquis parvis qui- busdam *Dentaria*. I.B. tom. 2. l. 21. 864. *Irio alte- rum* : Matth.

Erysimum creticum siliquis strictissimis : Sberard.

Eruca sylvestris minor luteo parvoque flore. C.B.P. 98.

Eruca sylvestris. *Fuchsii* : *Eruca sylvestris*, seu pa- lustris minor procumbens, & repens, luteo parvoque flore. Moris. H.L.B.

Eruca maritima Italica siliqua hastæ cuspidi simili : C. B. Pin. 99. *Kakile Serapionis*. *Anguil.* *Raphanistrum dispermum maritimum Italicum* siliqua hastæ cuspi- di simili : H. L. B. *Crambe maritima* foliis *Erucæ* fructu hastiformi. *Tournef.* 212. latioribus, & angu- stioribus duas fecit species.

Eruca latifolia alba sativa *Dioscoridis*. C.B.P. 98. *E- ruca major* sativa annua flore albo striato. I. B. tom. 2. 859. *Eruca sativa* : Dod. 708.

Eruca latifolia semine nigro. *Eruca gentilis*, sive *Ery- simum Portæ* : an *Eruca Romana*, seu *gentilis* sili- qua angusta folio lato. I.B.tom.2. l.21. 860. *Gentilis Eruca*, vel *Hispanica*, & *major Portæ*.

Eruca sylvestris major lutea caule aspero . C. B. P. 98. *Eruca tenuifolia perennis* flore luteo . I.B. tom. 2. l. 21. 862. *Eruca sylvestris major vulgatior* fetens. Mo- ris. H.L.B. *Eruca sylvestris* : Dod. 708. & *sylvestris Matth.*

Eruca sylvestris minor bursæ pastoris foliæ . C.B.P. in *Prodr.* 2. 39. *Eruca minimo* flore *Monspeliensis*. I. B. tom.2. 862. *Eruca sicula* bursæ pastoris folio . *Bocc. ter plant.* 18. ex *Tourn.* 227.

Eruca monspeliaca siliqua quadrangula echinata . C.B.P. 99. 7. in *Prodr.* 40. *Raphanistrum dispermum mons- peliensium* siliqua quadrangula echinata . H.L.B. Si- napi echinatum . I.B. tom.2. l.21. 858. *Erucago sege- tum* . *Tournef.* 232.

Eruca palustris, & *Nasturtii* folio, siliqua oblonga . C.

Catalogus

70

B. P. 98. *Eruca quibusdam sylvestris repens flosculo luteo*. I.B. tom. 2. l. 21. 866. *Eruca palustris minor*. T. M. *Sisymbrium palustre repens Nasturtii folio*. *Tournef. & Herm. H.L.B.* qui ad supra dictam Bauhinii classem *Erucam palustrem minorem* referunt, quam sub classe *Erucæ sylvestris minoris luteo parvoque flore ipse C. B.P.* in nomenclaturis reposuit in *Pinace*.

Euonymus vulgaris granis rubentibus. C. B. Pin. 428.

Euonymus multis aliis Tetragonia. I. B. tom. 1. l. 8. 202. *Euonymus*. Dod. 783.

Eupatorium cannabinum. C. B. P. 320. *Eupatorium adulterinum*. I.B. tom. 2.l.14. 1065. *Herba, seu Kunigundis*. *Trag. vulgare Eupatorium*. Dod. 28.

Euphrasia officinarum. C.B. Pin. 233. *Euphrasia*. I.B. tom. 3. l. 20. 432.

Euphrasia pratensis lutea. C.B.P. 234. *Coris monspesulana lutea*. I. B. tom. 3. l. 30. 427. *cristæ alterius generis altera*. *Cesalp*.

Euphrasia pratensis rubra. C. B. P. 234. *Euphrasia altera*. *Dod. Euphrasia parva purpurea*. I. B. tom. 3. l. 30. 427.

Euphrasia pratensis rubra latifolia. C. B. P. 234. *Euphrasia 3. non scripta, sive media*. *Columx*.



Aba sylvestris fructu rotundo atro. C. B. P. 338. Vicia Narbonensis maxima fructu rotundo atro foliis ferratis: *Moris*. H.L.B. Faba sylvestris. *Marrh*: Pisa nigra: *Camer*. Vicia supina latissimo folio ferrato. *Tournef*. 397: Aracus fabaceus. I. B. tom. 2. 287. Tournefortius classem separat ab illa folio non ferrato, quam Aracum fabaceum, & Fabam Kairinam, cui semina minora I. B. fecit.

Ferrum equinum siliqua singulari. C. B. P. 349. Ferrum equinum vulgare. *Colum*. p. i. 300. Ferrum equinum. *Marrh*. *Icon*. *Lob*. 82. solea equina. I. B. tom. 2. l. 17. 347.

Ferrum equinum Germanicum siliquis in summitate. C. B. P. 349. Ferrum equinum capitatum, sive comosum. *colum*. p. i. 301. Ornithopodio affinis, vel potius soleæ, vel ferro equino herba. I. B. tom. 2. lib. 12. 348. Sferra cavallo silvestris Germanicum. *Camer*.

Fagus. C. B. Pin. 419. Fagus Latinorum Oxya Græcorum. I. B. tom. 1. l. 3. 217.

Ferula fœmina Plinii. C. B. Pin. 148. Ferula major, seu fœmina. *Moris*. *Umbel*. 35: Ferula folio fœniculi semine latiore, & rotundiore. I. B. tom. 3. l. 27. 43. Ferula. *Dod*. 321.

Ferulæ species Cretic. *Sherard*.

Ficus indica folio spinoso fructu majore. C. B. P. 458. Opuntia vulgo herbariorum. I. B. tom. 1. l. 9. 154.

Ficus communis. C. B. P. 457. Ficus. I. B. tom. 1. lib. 1. 125. cuius species variæ.

Ficus indica folio spinosissimo. Opuntia major validissimis spinis munita. *Tournef*. 239. Ficus indica seu Opuntia major folio spinis longissimis, & validissimis armato. *Breyn*. *Prodr*. 2. 35.

- Ficus indica spinosa sylvestris.* C.B.P. 458.
Filipendula vulgaris, an Molon Plinii. C.B.P. 163. *Fili-*
pendula. I.B.tom. 3. l. 27. 189. *saxifragia rubra.* Ger.
Filipendula tenuifolia. T.M. *Oenanthe Apii folio.*
 C.B.P. 162. *Oenanthe 2.* *Mattb.* *Oenanthe Apii fo-*
lio caule firmiori. *Morif.* *Umbell.* 16. *Oenanthe si-*
ve Filipendula monspessulana folio Apii. I. B. tom.
 3. l. 27. 190.
Filipendula aquatica, vel *palustris.* T. M. *Oenanthe*
aquatica. C. B. P. 162. *Oenanthe,* sive *Filipendu-*
la aquatica. I. B. tom. 3. l. 27. 191. *radice bulbulis*
donata.
Filipendula alpina. *Lugd.* *Pedicularis alpina flore lu-*
teo radice nigra. I. B. tom. 3. 439. *Pedicularis al-*
pina lutea. C. B. P. 163. *Pedicularis vel Fistularia*
alpina lutea quorundam. I. B. loco citato.
Filix ramosa major pinnulis obtusis non dentatis. C.
 B. P. 357. *Filix fœmina* *Mattb.* *Filix major,* &
prior Trago, sive *ramosa repens.* I.B. tom. 3. l. 37.
 735.
Filix ramosa non dentata florida. C.B. P. 375. *Os-*
munda. *Lob.* *Filix floribus insignis.* I. B. tom. 3. l.
 37. 736.
Filix ramosa minor pinnulis dentatis. C. B. P. 358.
Filix ramosa minor I. B. tom. 3. lib. 37. 741. *Filix*
querna seu Dryopteris. Ger.
Filix non ramosa petiolis tenuissimis, & *tenuissime*
dentatis. C. B. P. 358.
Filix non ramosa dentata. C. B. P. 358. *Filix vulgo*
mas dicta, sive *non ramosa.* I. B. tom. 3. l. 37. 737.
Filix mas. *Mattb.*
Filix querna. C. B. P. 358. *Dryopteris mas.* *Mattb.*
Fistularia, sive *Pedicularis alpina filicis folio major.*
 C. B. Pin. 163. *pedicularis major Dalechampii.*
 Ioa. B. tom. 3. 438. *Pedicularis major alpina.* *Lugd.*
 1138.
Fistularia. *Dod.* 556. *Pedicularis pratensis purpurea.*
 C.B.

C. B. P. 163. Pedicularis quibusdam crista Galli, flore rubro. I. B. tom. 3. 437. Ruta pedicularis. T. M. Fistularia sive Pedicularis pratensis lutea, vel crista Galli. C. B. P. 163. crista Galli fœmina. I. B. tom. 3. 436. crista Galli. Dod. 556.

Flos Africanus major multiplex. Dod. Gal. Flos Africanus major aureus multiplex. T. M. Tanacetum, sive flos Africanus major flore pleno. C. B. P. 152. Tagetes indicus flore maximo multiplicato. I. B. tom. 3. l. 26. 100. Caryophyllus indicus major. Matth. Cempoalxochitl, seu Giuhnaxochitl, Teneycepohuol, caryophyllus Mexicanus. I. Hernand. 154.

Flos Africanus major simplici flore. Lob. Icon. Tanacetum Africanum majus simplici flore. C. B. Pin. 133. Tagetes indicus maximus rectus flore simplici ex luteo pallido. I. B. tom. 3. l. 26. 100. Cempoalxochitl Caryophylli Mexicanani planta. Hernand. 154.

Flos Mexicanus flore fistuloſo simplici sive Tanacetum. C. B. P. 133. Caryophyllus Mexicanus fistuloſo flore. Column. Tagetes indicus flore fistuloſo simplici. H. L. B.

Flos Africanus, sive Tanacetum Africanum minimum sericea hirsutie obſitum. C. B. P. 133. Tagetes indicus minimus flore sericea hirsutie obſito. H. L. B. Tlapalcoxatl coaxochitl Caryophillus Mexicanus. Hernand. 156.

Fœniculum vulgare Germanicum. C. B. P. 147. Moris. Umbel. 3. Fœniculum vulgare minus acriori, & nigriori semine. I. B. tom. 3. l. 27. 2. Tournefortius I. B. nomenclaturam refert ad fœniculum vulgare italicum semine oblongo, gustu acuto C. Baub.

Fœniculum sylvestre. C. B. P. 147. erraticum. Matthiol.

Fœniculum marinum siculum altissimum angustifolium. ex H. Cath.

Fœnum Græcum sativum. C. B. P. 348. I. B. tom. 2.
l. 17. 363.

Fœnum Græcum sylvestre alterum Polyceration. C. B.
P. 348. securidacæ genus triphyllon . I. B. tom. 2.
373. Hedyarum minimum Dalechampii. *Lugd.* 446.

Ficoides Africana latifolia cristaloides. Ficoides pere-
grina procumbens maxima foliis latissimis una cum
caulibus crystallina aspergine ornatis Flor. Nerib. Cl.
Volbam.

Ficoides Africana frutescens Kali folio , flore ampio-
luteo albicante . an Ficus Aizoides Africana minor
erecta folio triangulo glauco flore luteo H. L. B.

Ficoides Africana folio triangulo crasso canescens flo-
re Persicino.

Ficoides Africana sedi minoris folio , in summitate
spinulis in stellam dispositis flore purpureo : an fi-
cus Aizoides Africana folio tereti procumbens flo-
re purpureo . H. L. B. sed apud Hermannum nihil
de spinulis .

Ficoides Africana foliis Sedi minoribus oblongis flore
amplissimo atropurpurascente in summitate aureis
micibus circinato .

Ficoides Africana sedi minoribus foliis compactis flore
parvo luteo pallescente .

Ficoides Aizoides Africana Kali folio flore eleganti coc-
cineo . H. L. B.

Flos Solis major. *Ger.* Helenium indicum maximum .
C. B. Pin. 276. Planta maxima Cortusi apud *Matrib.*
Chrysanthemum Indicum flore , & semine maximis
annum. H. L. B. Chrisanthemum Peruvianum. *Moris.*
H. Bles. 399. Herba maxima. I. B. tom. 3. l. 26. 106.
Chimelati Peruviana flos solis . *Hern.* 228. corona
solis . T. M. *Icon.* 763. seminibus nigris.

Idem semine cinereo . Helenium indicum ramosum
semine albo cinereo striato H. R. *Paris.* 84. *Tourn.*
489. cui Corona solis maxima semine albo cinereo
striato .

- Flos solis Farnesianus, sive Aster Peruanus tuberosus.
Colum. *Echphr.* p.2. II. *Helianthemum indicum* tube-
 rosum. C.B.P. 277. *Chrysanthemum indicum* radi-
 ce tuberosa H.L.B. *Helenium indicum* tuberosum
Cath. H.R. *Paris.* 85. *Battatas de Canada Park.* 1382.
 Flos solis pyramidalis tuberosa radice. *Rayphist.* 335.
Heliotropium indicum quorundam. *Ger.*
 Flos solis minor femina. *Ger.* *Helenium indicum* mi-
 nus. C.B.P. 277. *Chrysanthemum indicum* flore
 minore melino. H.L.B. *Herbæ maximæ species mi-*
nor florum, parvitate compensans. I.B. tom.3. l.26.
 107. *Corona Solis minor* fœmina. T.M. *Icon.* 764.
 Flos solis minor, perenne radice repente. an *Corona*
solis Trachelii folio radice repente. *Tournef.* 490.
Fragaria vulgaris. C.B.P. 326. *Fragaria ferens fraga*
rubra. I.B. tom.2. l.17. 394.
Fragaria fructu albo. C.B.P. 326. *fragaria ferens fra-*
ga alba. I.B. tom.2. l.17. 394.
Fragaria fructu parvi pruni magnitudine. C.B.P.
 327.
Fragaria fructu rotundo suavissimo flore dupli. *Cath.*
H.R. Paris. 72.
Fragaria flore viridi. *Tourn.* 296. *Fragaria arborea con*
fior herbaceo, *Zanon.* 99.
Fragaria sterilis. C.B.P. 327. *Fragaria non fragifera*
 vel non vesca. I.B. tom.2. l. 17. 395. *Fragaria steri-*
lis seu minime vesca hirsuta minime incana. *Moris.*
hist.
Fumaria officinarum, & Dioscoridis. C.B.P. 143. *Fuma-*
ria vulgaris. I.B. tom. 3. l.26. 201. *Fumaria.* *Mattb.*
Capnos. *Anguil.*
Fumaria minor tenuifolia. C.B.P. 143. *Capnos mi-*
 nor. *Lob. Adv.* *Fumaria minor, sive tenuifolia surre-*
cta. I.B. tom.3. l.26. 203.
Fumaria altera circa Monspelium foliis tenuissimis flo-
 ribus albis. C.B.P. 143. an *Capnos cretica* floribus
 candidis fusca macula notatis. *Clus. hist.*

Fumaria claviculis donata : C. B. P. 143. *Capnos altera*
Belgica albo flore. *Clus. bist.* *fumaria* *cum capreolis*
 I.B.tom.3.l.26.204.

Fumaria lutea : C.B.P.143. *Fumaria Corydalis quibus-*
dam Matth. *Fumaria lutea montana* : *Parkins.* *Fu-*
maria quæ Split dicitur. I.B.tom.3. l.26. 203.

Fumaria bulbosa radice cava major : C. B. P. 143. *Fu-*
maria tuberosa major radice cava : *Moris.* *Fumaria*
bulbosa, *radice cava flore purpurascente*. I.B. tom.
 3.l.26. 204.

Eadem flore albo. C.B.P. Variet. 143.



Alega vulgaris. C.B.P. 352. I.B. tom. 2.
l. 17. 342. *Ruta capraria.* Gesn. H.

Eadem floribus albis : floribus peni-
tus candicantibus. C.B.P. variet. 352.

Gallium luteum. C.B.P. 335. Gal-
lium verum. I.B. tom. 3. l. 36. 720.

Gallium rubrum. C.B.P. 335. Gallium
rubro flore ; clus. hist.

Gallium palustre album. C.B.P. 335. Gallium album.
I.B. tom. 3. l. 36. 721.

Gallium nigropurpureum montanum tenuifolium : Co-
lum. C.B.P. 335. Colum. P. 1. 298.

Gallium album pratense vulgare, an *Mollugo Montana*
angustifolia, vel *Gallium album latifolium*. C.B.P.
334. *Gallium album vulgare.* Tourn. 115. *Gallium*
album. I.B. tom. 3. 721. *Mollugo vulgatior herbario-*
rum, *Gallium album* quorundam. Lob. Icon. 802.

Gallium sive *Mollugo montana latifolia ramosa.* C.B.
B. 334. *Matrifylva* 2. *Trag. Rubia sylvatica* lævis. I.
B. tom. 3. 716. *Mollugo.* Dodon. 354.

Genista spinosa major longioribus aculeis. C.B.P. 394.
Genistellæ spinosæ affinis Nepa quibusdam : I.B. tom.
1. l. 11. 400.

Genista tinctoris Germanica. C.B.P. 395. *Tinctorius*
flos. I.B. tom. 1. l. 11. 391.

Genista humilis, seu *Chamægenista* foliis *genistæ vul-*
garis. C.B.P. 395. *Genistella pilosa.* I. B. tom. 1.
l. 11. 193.

Genista Iluensis. Lugd. *Spartium triphyllum.* C.B.P.
396. an *Spartium minimum montanum triphyllum.*
Column. *Genista radiata*, seu *stellaris.* Volck. Flor.
Norimber. *Chamæspartium montanum triphyllum :*
Park.

Genista, sive *Chamægenista*. *Africana frutescens* flore
cæruleo. *Spartium Africanum.* Rivini. *Genista spar-*
cium

- tium cæruleum Africanum foliis pinnatis : *Brey.*
Genistæ affinis arbor Africana Monospermos flo-
cæruleo foliis pinnatis. *H.L.B.*
- Genista Hispanica** floribus luteis amplis seminibus le-
ti similibus. *H. L. B.* **Spartium** arborescens semi-
bus lenti similibus. *C. B. Pin.* 396. **Genista junce-**
I.B. tom. I. l. 11. 305.
- Gentiana major** lutea. *C. B. P.* 187. **Gentiana vulgar-**
major Ellebori albæ foliis. *I.B. tom. 3. l. 31. 520.* **Ger-**
tiana Veterum. *Clus. bist.*
- Gentiana major** purpurea. *C. B. P.* 187. **Gentiana ma-**
jor flore purpureo. *Clusi.*
- Gentiana Asclepiadis** folio. *C. B. P.* 187. **Gentiana fo-**
lio Asclepiadis vulgo creditæ. *I.B. tom. 3. l. 31. 521.*
- Gentiana** 2. cæruleo flore. *Clus.*
- Gentianella alpina** angustifolia magno flore. *C. B. Pin.*
187. **Gentiana alpina** magno flore. *I.B. tom. 3. l. 31.*
523. **Gentianella campanulæ** flore purpureo. *Adr.*
Lob.
- Gentianella alpina** latifolia magnocflore, quæ in *Prodr.*
C. B. P. 187.
- Gentianella alpina** æstiva centaureæ minoris foliis
C. B. P. 188. **Gentiana minor.** *T. M.*
- Geranium** Africanum frutescens malvæ folio lacinia-
to odorato. *H. L. B.* **Geranium** malvæ folio odora-
tum flore purpurascente capitis bonæ spei. *Breyn.*
Frodr. 36.
- Geranium** Africanum coriandri folio floribus incar-
natis majus. *H. L. B.* **Geranium** Æthiopicum myr-
rhidis folio tertium flore magno striato. *Breyn.*
cent. I. 129.
- Geranium** Africanum tuberosa radice floribus ampli-
simis incarnatis folio Anemones.
- Geranium** Africanum Alchimillæ hirsuto folio, flo-
ribus albis. *H. L. B.*
- Geranium** Africanum Alchimillæ folio arborescens flo-
re coccineo eleganter splendentia. *Clar. Volcham.*

Geranium Africanum triste noctu olens Dauci folio:
an Geranium Africanum noctu olens radice tuberosa foliis pastinacæ incanis lanuginosis angustioribus. H.L.B. *Breyn. cent. I. 127.* *an potius Geranium Africanum noctu olens tuberosum, & nodosum aquilegiæ foliis.* H.L.B.

Geranium Africanum batrachoides flore atrorubente magno. Volek.

Geranium Africanum uvæ crispæ folio caulinis procumbentibus, floribus exiguis rubellis. H.L.B.

Geranium Americanum noctu olens radice tuberosa. H.L.B. *Geranium triste.* *Cornut. 109.*

Geranium batrachoides Gratia Dei Germanorum. *Lob. C.B.P. 318.* *Geranium batrachoides.* I.B. tom. 3. l. 30. 113. *grandius floribus cæruleis.*

Idem floribus rubris.

Geranium batrachoides odoratum. C.B.P. 318. *Geranium batrachoides longius radicatum odoratum.* I. B. tom. 3. l. 30. 477.

Geranium batrachoides folio Aconiti. C. B. Pin. 318.

Geranium batrachoides aliud folio Aconiti nitente. Clusii. I.B. tom. 3. l. 30. 476. *flore violaceo.*

Geranium Batrachoides siculum annum hirsutum flore violaceo. Bocc.

Geranium sanguineum maximo flore. C. B. Pin. 318.

Geranium hæmatodes. Dod. *Geranium sanguineum, sive hæmatodes crassa radice.* I. B. tom. 3. lib. 30. 478.

Geranium tuberosum majus. C. B. P. 318. *Geranium tuberosum.* I. B. tom. 3. l. 30. 474.

Geranium siculum malvæ folio laciniato nitidum flore purpureo, sive Geranium Apii folio. Bocc.

Geranium folio malvæ rotundo. C.B.Pin. 318. *Geranium folio rotundo multum ferrato, sive columbinum.* I. B. tom. 3. lib. 30. 473. *Columbinum.* T. M.

Geranium nodosum. C. B. P. 318. v. *Ger. nodosum Pla-*

- Plateau. Clus. hist. *Geranium magnum folio trifido*
I.B. tom. 3. 478.
- Geranium columbinum tenuus laciniatum*. C. B. Pin.
318. *Geranium Malacoides*, sive *columbinum tenuus laciniatum*. in Prodr. C. B. 138.
- Geranium columbinum majus flore minore cæruleo*.
Raij hist. 1059. Tourn. 268.
- Geranium althææ folio*. C. B. P. 318. *Geranium malvaceum*: I.B. tom. 3. l. 30. 472.
- Geranium Africanum procumbens betonicæ folio*, flo-
ribus eleganter rubellis : an *Geranium minimum*
procumbens foliis betonicæ. Moris. hist. *Geranium pusillum supinum maritimum betonicæ folio*. Raij
catal. 131. *Geranium pusillum supinum maritimum*
althææ, aut betonicæ folio nostras. Raij hist. 1056.
- Geranium cicutæ folio minus*, & *supinum*. C. B. P.
319. *Herba Ruperti*, & *Geranium quartum*. Brunsf.
Mirrhida Plinii, & *Rostrum Ciconiæ inodorum*
vulgatum. Lob. Icon.
- Geranium latifolium longissima acu*. C. B. P. 319. *Ge-*
ranium latifolium annum cæruleo flore acu lon-
gissima. Moris. *Geranium speciosum annum lon-*
gissimis rostris creticum. I.B. tom. 3. l. 30. 439. *Ge-*
ranium creticum annum hæmatodes. Lob.
- Geranium cicutæ folio acu longissima*. C. B. Pin. 319.
- Geranium Apulum coriandri folio alterum odorum*.
Column. p. 1. 135.
- Geranium Africanum betonicæ folio laciniato*, ma-
culato flore purpureo. H. L. B. flore incarnato.
- Geranium Cicutæ folio moscatum*. C. B. P. 319. Ge-
ranium moscatum. Eyst. & Moris. *Geranium mosca-*
tum folio ad Mirrhidem accidente majus. I.B. tom.
3. l. 30. 479. *Geranium supinum*. Dod. 63. *Acus mo-*
scata. Eric. Cord. *Geranium 3. Matth. muscatum*
Geranium, quod vocatur in hortis, folia cicutæ non
obtinet: sed clariss. Botanicis acquiesco.
- Geranium argenteum alpinum*. C. B. Pin. 318. Gera-
nium

- nium alpinum longius radicatum . Ponæ 362. Geranum argenteum montis Baldi . I.B.tom.3.474.
- Geranium** parvum foliis ranunculi C.B.P. 318. Geranium 8. vel Salmaticense rostratum . Clus.
- Geranium** Africanum flore criso odorarum . Volck.
- Gingidium** umbella longa . C. B. Pin. 151. Gingidium. Matth. I.B.tom.3. l.27. 79. Visnaga , seu Gingidium. Moris. Umbel. 6.
- Gingidium** folio feniculi . C.B.Pin. Gingidium Dioscoridis . Ravulf. Lugd. ap.
- Gladiolus** floribus uno versu dispositis major . C.B.P. 41. Gladiolus , sive Xyphion. I.B. tom. 2. l.19. 701. flore rubro .
- Glyzyrrhiza** capite echinato . C.B.P.352. Glyzyrrhiza Dioscoridis echinata non repens . I. B. tom. 2 . l. 17. 327. Onobrychis flore cæruleo siliculis hirsutis , seu asperis ad imum Platani pilulæ modo junctis Moris. Hist.
- Glyzyrrhiza** siliquosa vel Germanica . C. B. P. 352. Glyzyrrhiza radice repente vulgaris Germanica . I. B.to. 2. l.17. 328. dulcis radix . Trag. Glyzyrrhiza altera Matth.
- Glyzyrrhiza** sylvestris floribus luteo pallentibus . C. B. P. 352. Fænum Græcum sylvestre . Tragi . Polygalon . Cord. in Diosc.
- Gnaphalium** maritimum . C.B.P. 263. I.B.tom.3. l. 26. 157. Gnaphalium . Matth. Gnaphalium legitimum . Clusii .
- Gnaphalium** medium . C.B.P. 263. Gnaphalio vulgari similis . I.B.tom.3. l.26. 159. Filago 4. Dod. Gal. Filago minor Dod. lat.
- Gnaphalium** Africanum fætidum latifolium maximum flore argenteo . Volck. Flor. Norib. Conyza Africa na graveolens capitulis argenteis . Pluken. Phytopog. T. 244.
- Idem flore aureo ; an Elichrysum Africanum fætidissimum amplissimo folio Tournef. 454.

- Gnaphalium montanum* flore rotundiore. C.B.P. 263.
Pilosella minor quibusdam aliis *Gnaphalii* genus.
I.B.tom.3. l. 16. 162. *Lagopus* 2. *Trag.* *Auricula muris*
Lon. *Pilosella minor*. *Fuchs.* *Gnaphalium montanum*
umbellatum *Turr.H.Pat.*
- Gnaphalium vulgare* *május*. C.B.Pin. 263. *Gnaphalium*
Germanicum. I.B.tom.3.l. 26. 168. *Heliochrysos* syl-
vestre. *Trag.* *Gnaphalium vulgare*. *Mattb.* *Impia* *Pli-*
nii. *Anguil.* *Tomentum*. *Cord. hist.*
- Gnaphalium minus* repens. C. B. P. 263. *Gnaphalium*
minimum. I.B.tom.3. l. 26. *Filago minor*. *Ger.*
- Gnaphalium majus* angusto oblongo folio alterum. C.B.
P. 263. *Gnaphalium rectum*. I.B. tom. 3. l. 26. 160.
Pseudoleontopodium *Mattb.* *Lugd.* *Chrysocome Germanica* *Lob. obs.*
- Gnaphalium angusto oblongo* folio *május* C.B.P. 263.
Gnaphalium vulgare tenuifolium. I.B. tom. 3. l. 26.
159. *Filago Germanica* alia secundo folio *florida*
Adv. Lob. *Gnaphalium vulgare* *május*. *Tbal.*
- Gnaphalium alpinum* magno flore, folio oblongo. C.
B. P. 264. *Leontopodium verum*. *Mattb.* *Leontopodium*. *Dod.* an *Leontopodium* *Dioscoridis*.
- Gossipium frutescens* semine albo. C. B. P. 430. *Xy-*
lon, sive *Gossipium*. *Mattb.* *Gossipium* *Dod.* *Bom-*
bax officinarum.
- Gramen Alopecuroides Taurinensium* spica longissima.
Boccón. an *Gramen Alopecuroides maximum* spi-
ca longissima ex pluribus minoribus spicis conflata
cap. bonæ spei. *Pluk. almag.* ex *Hist. Ray* tom.3. 601.
an *Gramen panicum simplici* panicula longiore alo-
pecuroide cana. *H. Cath. suppl.*
- Gramen Sabaudicum* semine contorto a *Boccone* olim
missum.
- Gramen dactilon indicum* esculentum spica articulata
Ambros. *Ehytol.* 646. *Gramen dactilon maximum* A-
mericanum. *H. R. Paris.* 82. *Sesamum perenne* in-
dicum. *Zanon. hist.* 181. an *Gramen* spica articula-
ta

ta Virginianum : Parckins. ex Raja Histor. tom. 3.
605.

Gramen striatum Hispanicum. Vesling. Gramen striis
pictum. I. B. hist. Gramen striatum. Park. Lon.
Gramen paniculatum folio variegato. C. B. Pin. 3.
Gramen pictum. Cam.

Gramen Parnassi albo simplici flore. C. B. Pin. 309.

Gramen Parnassi. Dodon. & quibusdam Hepaticus
flos. I. B. tom. 3. 537. inter cisti humilis species
reposuit Hermannus Enneadynamis Polonorum. Ges-
ner. Hort.

Graminum paniculatorum, & spicatorum variæ, &
innumeræ species.

Gratiola centauroides. C. B. Pin. 279. Gratiola. I.
B. tom 3. lib. 30. 435. Digitalis minima Gratiola
dicta. Moris. Gratiola. Matth. Gratia Dei altera.
Cæsalp. Gratiola vulgo dicta, quæ a quibusdam ve-
rius Hyssopum vulgare censetur. Colum.

Gratiola minor. Gesn. Col. Hyssopoides Cam. Hyssopifolia.
C. B. Pin. 219. in Prodr. & Matth. de-
scripta Lysimachiæ spicatæ purpureæ affinis Hyssopifolia.
Herm. H. L. B. Hyssopifolia aquatica. I.
B. tom. 3. l. 38. 792.

Grossularia simplici acino, vel spinosa sylvestris. C.
B. Pin. 455. Uva crispa, sive grossularia. I. B. tom.
1. lib. 6. 49. uva spina. Matth. uva crispa. Dod.
Trag. Rocella Cordani de subtil. Ceanothus spina.
Teoph. Gesn. H.

Grossularia spinosa sativa. C. B. P. 455. uva crispa
fructu cerasi magnitudine. Gesn. H.

Grossularia multiplici acino, sive non spinosa hor-
tensis rubra, sive Ribes officinarum. C. B. Pin.
455. Ribesum fructu rubro. Dod. Ribes Arabum.
Lob.

Grossularia hortensis fructu margaritis simili. C. B. P.
455. Ribes fructu albo. Eyst. Ribes vulgaris fructu
albo. clus. hist.

Guajacum Patavinum vulgo Fallopio Gesn. H. Lotus
Africana latifolia. C. B. P. 447. Guajacum. Cord.
Guajacana. I. B. tom. I. l. 2. 238.
Guajava clusiiflora Appen. Guajabo pomifera, Indica
C. B. Pin.



Alimus latifolius, sive fruticosus : C.B.
P. 120. Halimus. Clusi. I.B. tom. 1. l. 8.
227. Atriplex latifolia, seu Halimus
fruticosus latifolius. Moris. Portulaca
Marina. Dod.

Halimus seu Portulaca marina. C.B.
P. 120. Halimus vulgaris. Matth. Atri-
plex maritima angustissimo folio. Moris. hist.

Hedera quinquefolia Canadensis. Corn. 100. Vitis quin-
quefolia canadensis scandens. Tourn. 613. Vitis he-
deracea indica. Bod. ad Theopb. 364. Hedera indica,
Vitis Virginiana quinquefolia. Vesling. catal.

Hedera trifolia Canadensis. Corn. 96. Toxicodendron
triphylon glabrum. Tourn. 611. Apocynum trifolium
indicum vulgo Epimedium. Bod. a Stapel. ad Theopb.
264. virgulis erectis; an Hederæ trifoliæ canaden-
si affinis planta indica, Arbor venenata quorundam.
Cat. H.R. Paris. ex H.L.B. Vitis sylvestris trifolia A-
mericana. Hoff. flor. Altford. Vitis indica trifolia.
Vesling. H.Pat.

Hedera terrestris vulgaris. C. B. P. 306. chamecissus,
sive hedera terrestris. I. B. tom. 3. app. 853. Chamæ-
cissos. Trag. Chamæclema cord. hist.

Helenium vulgare. C.B.P.276. Helenium, sive Enula
campana. I.B.tom. 3. l.26. 208. helenium. Bru. &
Matth. Panax chironium. Theophr. Anguil. cord.

Helichrysum foliis Abrotani. C.B.P.264. Heliochry-
son quorundam folio abrotani I.B.tom. 3. l. 26. 150.

Helichrysum. Matth. creticum in epist. ejusdem.

Helichrysum seu stæchas citrina latifolia. C. B. Pin.
264. Stæchas citrina Germanica latiore folio. I. B.
tom. 3. l.26. 153. Amanthus luteus primus. T.M.

Heliochrysum Africanum frutescens foliis Agerati ca-
nescens umbella amplissima corymbifera. Scher. Bo-
tanicorum decus: an elichrysum maximum incanum

foliis longis acutis floribus in summis caulis, & ramulis plurimis parvis velut in umbellam diffusis.

Raij tom. 3. p. 170.

Heliotropium majus *Dioscoridis*. C.B.P. 252. *heliotropium majus* flore albo. I.B.tom. 3. l. 33. 604. *herba cancri major*. *Lon.*

Heliotropium minus supinum. C. B. P. 253. *heliotropium minus primum*. T.M. *Verrucaria altera minor*. *Lugd.*

Heliotropium tricoccum. C B.P. 253. I.B.tom. 3. l. 33. 406. *heliotropium minus*. *Matth.* *heliotropium parvum* *Dioscoridis*. *Lob.*

Heliotropium Americanum cæruleum foliis Hormini. *Dod. mem.* 83. *Heliotropium Americanum cæruleum latifolium*. H.L.B.

* *Heliotropium Africanum frutescens Anthirrhini minoribus* foliis flore albo. H. M.

Helleborine latifolia montana. C. B. P. 187. *Damasonium Calliphillum*. *Cord. hist.* *sigillum salomonis*. *Cæsalp.* *Epipactis latifolia*. *Eyst.* *helleborine Dodonei*. I.B.tom. 3. 516. *Helleborine*. *Dod.* 384.

Helleborine flore albo, vel *Damasonium montanum latifolium*. C. B. P. 187. *Alisma quorundam*. *Cord. hist.* *Epipactis angustis* foliis *Eyst.* *Damasonium alpinum*, sive *Helleborine* floribus albis. I. B. tom. 3. 616. *helleborine albo flore*. T.M. *Icon.* 724.

Helleborine flore rotundo, sive *Calceolus*. C. B. P. 187. *Damasonii species quibusdam*, sive *calceolus divæ mariæ*. I.B.tom. 4. l. 31. 518. *Calceolus mariæ*. *Adv. Lob.* *Pseudodamasonium*. *Clus. Pan.*

Helleborus niger fetidus. C.B.P. 175. *Helleborus niger sylvestris adulterinus*; etiam *hyeme virens*. I. B. tom. 3.app. 780. *Enneaphyllum Plinii*. *Cæsalp.* *Pedicularia fetida* 3. *Trag.* *Helleboraster*. *Adv. Lob.* *helleborus maximus* *Lob.* *Veratrum nigrum*. 3. *Dod.*

Helleborus niger hortensis flore viridi. C. B. P. 185. *Helleborus niger vulgaris flore viridi*, vel *herbacea*

radice diuturna. I. B. tom. 3. l. 32. 636. helleborus niger alter. Matth.

Helleborus niger flore roseo. C.B.P. 186. Helleborus niger flore albo, interdum etiam valde rubente. I. B. tom. 3. lib. 37. 634. Helleborum nigrum. Matth. Planta Leonis. Dod. Gal. Veratrum nigrum legitimum. Clusii.

Helleborus niger Saniculæ folio major. C. B. P. 186. Astrantia major. Morif. Sanicula femina adulterina. Trag. Astrantia nigra. Gesn. Veratrum nigrum Dioscoridis. Dod. Astrantia major corona floris purpureascente. Tournef. 314.

Helleborus albus flore subviridi. C.B.P. 186. I.B.tom. 3.l.34. 633. Veratrum album. Dod. Gal.

Helleborus albus flore atrotubente. C.B.P. 186. Hellebori albi alterum genus. Cæsal. Helleborus albus flore nigro. I. B. tom. 3. l. 34. 634.

Hemionitis multifida. C.B.Pin. 354. Hemionitis altera Dalechampii filici floridæ similis. I. B. tom. 3. 737. Hemionitis altera Dalecampii. Lugd. 1218. lingua cervina foliis costæ innocentibus. Tourn. 545.

Hesperis hortensis. C. B. P. 202. Hesperis flore albo. I. B. tom. 2. l. 21. 877. Viola matronalis vulgo. H. L.B. Viola matronalis. Gesn. Dod. Leucojum Diosc. album purpureum. Fuchs. Icon.

Hyacinthus Orientalis maximus. C. B. Pin. 44. cuius species variæ. Hyacinthus Orientalis major. Dod. 216.

Hyacinthus Orientalis flore duplo. C. B. Pin. 46. cuius species variæ.

Hyacinthus Orientalis albūs. C. B. P. 44. cuius variæ species. Hyacinthus albus simplex.

Hyacinthus comosus major purpureus. C. B. Pin. 42. Hyacinthus maximus botryoides coma cærulea. I. B. tom. 2. l. 14. 574. muscari arvense. latifolium purpureascens. Tournef. 347. Hyacinthus comosus spurius tertius. Dod. 218.

- Hyacinthus racemosus cæruleus major*. C. B. P. 42.
Hyacinthus racemosus major latifolius speciosior arbuteo flore cæruleo. Moris. *Hyacinthus botryoides cæruleus amænus*. Lob. Icon. 108.
- Hyacinthus racemosus cæruleus minor juncifolius*. C. B. P. 43. *Hyacinthus vernus botryoides minor cæruleus angustioribus foliis odoratus*. I. B. tom. 2. 571. *Hyacinthus racemosus*. Dod. 217. *Muscari arvense juncifolium cæruleum minus*. Tournef. 348.
- Hyacinthus racemosus moscatus*. C. B. P. 43. *Hyacinthus odoratissimus dictus Tibcadi, & Muscari*. I. B. tom. 2. lib. 19. 578. *Hyacinthus racemosus, seu botryoides major, seu Muscari majus obsoleto albo flore Moris. Muscari obsoletiore flore*. Clus. bist. 178. *Bulbus vomitorius*. Matth.
- Hyacinthus racemosus moscatus luteus*. C. B. Pin. 43. *Hyacinthus odoratissimus*. Tibcadi luteus. I. B. tom. 2. lib. 19. 579. *Muscari flore flavo*. Clusii hist. 179.
- Hyacinthus stellatus cæruleus staminulis ex viridi luteis*. C. B. P. 46. *Hyacinthus stellatus Italicus*. Eyft. *Hyacinthus stellatus minimus*. C. B. P. 47. *Hyacinthus stellaris vernus parvulus*. Lob. & Eyft.
- Hyacinthus indicus tuberosus flore narcissi*. C. B. P. 47. *Hyacinthus stellatus Peruvianus*. Clusii bist. *Hyacinthus indicus tuberosa radice Robini*. *Hyacinthus major indicus tuberosa radice*. Svvert.
- Hieracium majus folio sonchi, vel Hieracium sonchites*. C. B. P. 126. *hieracium majus*. Matth. *Tara-xacon majus*. Lon. *sonchus repens, multis hieracium majus*. I. B. tom. 2. l. 24. 1017. *Sonchus asper arborescens palustris Hieracii facie*. H. L. B.
- Hieracium majus erectum latifolium*. C. B. Pin. 127. *Sonchus 3. Clusii caule aspero*.
- Hieracium dentis Leonis folio, flore suaverubente*. C. B. P. 127. *hieracium Apulum suaverubente flore. Colum.*

Hieracium dentis Leonis folio hirsutie aspernm minus laciniatum . C. B. P. 127. hieracium alterum saxatile montanum . *Colum.*

Hieracium chondrillæ folio glabro radice succisa majus . C.B.Pin. 127. Hieracium minus . *Trag.* hieracium minus præmorsa radice . *Adv.* *Lob.* hoc Tournefortius 470. Hieracium coronopi folio esse statuit .

Hieracium siliqua falcata . C. B. Pin. 128. hieracium falcatum . *Ger.* hieracium Monspeliensium , & Narbonensium . T. M. Calendula hieracii flore semine falcato . H.L.B. Hieracium falcatum . *Moris.* Hieracium stellatum . I. B. tom. 2. l. 24. 1014.

Hieracium echioides capitulis Cardui benedicti . C.B. P. 128. Buglossum Echioides luteum hieracio cognatum . *Lob.* *Icon.* hieracium capitulis cardui benedicti maximum , Buglossum echioides quibusdam . I. B. tom. 2. l. 24. 1029.

Hieracium alpinum latifolium hirsutie incanum flore magno . C.B.P. 128. hieracium primum latifolium . *clus.* hieracium phlomides . T.M.

Hieracium alpinum latifolium villosum magno flore : C.B.P. 128. Hieracium 5. villosum . *Clus.* hieracium latifolium montanum . T. M. hieracium alpinum hirsuto folio quodammodo incano : *Clusii.* I.B.tom. 2. l. 24. 1027.

Hieracium hortense floribus atropurpurascensibus, quod 19. in *Prodr.* C. B. Pin. 128. Pilosella major quibusdam .

Hieracium montanum angustifolium nonnihil incanum . C. B.P. 129. hieracium montanum angustifolium 2. T. M.

Hieracium montanum latifolium glabrum majus : C. B. P. 129. hieracium montanum majus latifolium . T.M. sub Chondrilla Hispanica . *Ger.* *Icon.*

Hieracium murorum folio pilosissimo : C.B.P.129. *Auricula* muris major , *Trag.* *Pulmonaria Gallica* , sco- pa

pa regia forte Plinii. *Gesn.* H. Pilosella major quibusdam aliis Pulmonaria flore luteo. I.B.to. 2. l.24 1033.

Hieracium murorum laciniatum minus pilosum. C.B. p.129. Pulmonaria Gallica fœmina. T. M. Piloselle majoris, sive Pulmonariæ luteæ species magis laciniata. I.B.tom.2. l.24. 1034.

Hieracium fruticosum latifolium hirsutum. C.B.P.129. Erinus. *Matth.* Hieracium frutescens latifolium polyanthos. *Eyst.* hieracii Sabaudi varietas. id. Erinus quibusdam *Matth.* dicta. I.B.tom.2. l.24. 1000.

Hieracium Africanum frutescens Pulmonariæ Gallicæ folio. *Volch.*

Hieracium fruticosum angustifolium majus. C.B. Pin. 129. hieracium Sabaudicum. *Adv. Lob. Lugd.* hieracium primum. *Dod.* Hieracium rectum rigidum quibusdam Sabaudum. I.B. tom.2. l.24. 1030.

Hieracium fruticosum minimum, quod 24. in *Prodr. C. B. P.* 129.

Hieracium Tragopogonoides luteum ex H. Cath.

Hieracium siculum flore magno Scorzonerae ex H.Cath. an hieracium asperum flore magno C. B. Pin. 127. dentis Leonis, quod hieracium foliis, & floribus Dentis leonis bulbosi *Lob. Icon.* & *Vipereum*, vel Scorzonera Italica *Cast.* in synonymis *Bauh.* scripsit.

Hieracium foliis cichoreii sylvestris odore castoris. *Bot. Monsp. Magnol. Tournef.* 469. Hieracium amygdalas amaras olens, seu odore Apuli suaverubentis. H.R. Paris. hieracium parvo flore luteo, flore suaverubentis odore emulum. H.R. *Bles.*

Hyoscyamus vulgaris, vel niger. C.B.P. 169. I.B.tom. 3. l.34. 627. Apollinaris. *Cord. in Diosc.*

Hyoscyamus albus major, vel 3. *Dioscoridis*, & 4. Plinii. C.B.P.169. Hyoscyamus albus. *Matth.* & I.B.tom.3. l.34.627.

Hyoscyamus creticus luteus minor C.B.P. 169. Hyoscyamus

mus albns. creticus. *Clusi hist.* 34. *Hyoscyamus aureus*. *Alpin exot.* 99.

Hypericum vulgare. C.B.P. 279. *Hypericum vulgare*, sive *perforata caule rotundo foliis glabris*. I.B.tom. 3. l.29. 381. *Hypericum*. *Dod.* 76.

Hypericum supinum tomentosum majus, vel *Hispanicum*. C.B.P. 279. *Ruta sylvestris*. *Diosc.* *Placæ*.

Hypericum humistratum. *Lugd.* *Hypericum supinum tomentosum Hispanicum*: *Clus. hist.* 181.

Hypericum minus supinum, vel *supinum glabrum*: C.B.P. 279. *Hypéricum minimum supinum*. I.B.tom.3. l.29. 384. *hypericum supinum* 3. *minimum*. *Clus. hist.* 181.

Hypericum folio crispo.

Hyssopus officinarum cærulea, seu *spicata*: C.B.P. 217. *Hyssopus*. *Matth.* *hyssopus vulgaris spicatus angustifolius flore cæruleo*. I.B.tom.3. l. 28. 274. *his-*
sopus vulgaris. *Dod.* 287.

Hyssopus rubro flore. C.B.P. 217. *Hyssopus Arabum flore rubro*. *Lob. Icon.* 434. I.B.tom.3. l. 28. 274 *his-*
sopus vulgaris. *spicatus angustifolius flore rubro*.

Hyssopus vulgaris alba: C.B.Pin. 218. *hissopus albis flo-*
ribus utrinque digestis. *Lob. Icon.* 435.

Hyssopus angustifolia montana aspera. C.B.P. *Hyssopus montana*. *Matth.*

Holosteum hirsutum albicans majus. C.B.P. 190. *Holo-*
steum plantagini simile. I.B. tom. 3. l. 3. 508. *holo-*
steum salmanticum prius. *Clussi*.

Holosteum strictissimo folio majus. C.B.P. 190. *corono-*
pus, sive *Serpentina*. *Matth.* *Serpentina*. *Dod.*

Holosteum nigricans plantaginis folio serpens majus Africanum. Cl. *Volckam.*

Horminum sclarea dictum: C.B.P. 238. *Gallitricum sativum*. I.B.tom.3. l.28 309. & *Trag. sclarea*. T.M. *Icon.* 373. *Orvala*. *Dod.* 292.

Horminum majus amplio flore violaceo, lobis florum punctis aureis notatis. *Meris.* H. *Blef.* *Sclarea indica*

flore variegato. *Tourn.* 179. *Horminum indicum maximum* flore variegato. *H.R. Paris.* *Horminum indicum variegatum.*

Horminum sanguineum asphodeli radice. *Triumfet. obs.* 69. *Horminum sylvestre maculatum tuberosum.* *Fran. de Honophriis.* *Raij hist.* 546.

Horminum sylvestre majus foliis profundius incisis. *C. B.P.* 239. *Hormini sylvestris altera species vel dilutio flore.* *Clufii Pan.* & species 3. eidem hist.

Horminum sylvestræ foliis non serratis.

Horminum luteum glutinosum. *C.B.P.* 238. *Galeopsis lutea Dalechampii.* *Lugd.* *Galeopsis species lutea, viscidæ, odorata nemorensis.* *I.B. tom. 3. l. 28. 34.* *Orvala.* *Dod. colus jovis.* *Adv. Lob.* *melinum.* *Gæsalp.*

Horminum luteum glutinosum flore striato. *C.B. Pin.*

Horminum Verbenæ laciniis angustifolium *Triumf. obs.* 66. quod *Horminum minus folio sinuato flore minore dilute cæruleo.* *Moris.* & *Bles.* idem fecit. *Triumfetus* hoc suum *Horminum* ab *Hormino angustifolio laciniato* *C. Boub.* in *Prodr. descripto lib. 6. c. 22.* diversum esse testatur.

Horminum sylvestre cæruleum betonicæ folio leviter lacerato. *H. Catb.* *sclarea Tingitana betonicæ folio, flore cæruleo.* *Tournef.* 180.

Horminum hastatis amplioribus foliis seu Ari modo a-latis caulis, & pediculis araneosa lanugine villo-sis ex insula Gomera. *Pluk.* *Almag. Bot.* & *Phytog. T.* 301. fig. 2. *Sclarea folio triangulari, caule tomentoso.* *Tournef.* 180.

Horminum purpureum salviæ foliis, ac sativi facie vi-scum. *H. Catb.* *horminum salviæ folio flore pur-pureo.* *Tournef.* 180. *Horminum salviæ folio.* *Mor. H. Bles.* an sideritis salviæ folio Donati.

Horminum creticum salviæ folio incano spicato laven-dulæ flore purpureo. *Sherard.* *Botanici nostra æta-te eximii.*

Horminum Syriacum glutinosum Æthiopidis folio, flo-

flore niveo . Sclarea syriaca flore albo *Tournef.* 179.
Horminum Syriacum sclareæ dictæ congener flore
albo , an Bisfermas . *Catal. H.R. Paris.* an Hormi-
num syriacum . C.B.P.234.

Horminum Syriacum latifolium altissimum , & elegan-
tissimum spicatum flore purpurascente : an Sclarea
Lusitanica glutinosa amplissimo folio . *Tourn.* 179.

Horminum pratense niveum foliis incanis . C. B. P.
238.

Horminum Syriacum Verbenæ folis lavendulæ flore.
Volkam. an *Horminum spicatum lavendulæ flore*,
& odore . *Bocc. rar. plant.* 48.

Horminum Beticum annum latifolium bitumen redolens, flore purpurascente . Sclarea maxima Bætica
annua flore dilute cæruleo . *Tournef.* 179. *Horminum*
Bæticum maximum flore dilute cæruleo . *H.R. Par.*

Horminum Neapolitanum glutinosum ramosum , la-
tifolium flore candido .

Horminum Syriacum rugoso verrucosoque folio cornu
cervinum exprimente . *Par. Bat. Prodr.* *Horminum*
rugoso verrucosoque folio . *Par. Bat.* 186. *Pluck. Phy-*
tol. T. 419. fig. v.

Horminum rarum flore variegato : *Sherard.*

Horminum Creticum allato caule . *Sherard.*



Acea nigra pratensis latifolia . C. B.P. 271. *jacea nigra vulgaris capitata* , & *squamosa* . I. B. tom. 13. l. 25. 27. *Sca-biosa vulgaris pratensis* , vel 4. *Trag-centaurii pratensis species* Gesn. H. *jacea nigra* . T.M. *Icon.* 152. *Cyanus syl-vestris angustifolius* . Thal.

Jacea nigra squamoso capite major . C.B.P. 271. *jacea montana squamosa major semine nigro* . I.B.to. 3. l. 25. 29. *jacea Austriaca prima* . *clus.*

Jacea nigra squamoso capite minor . C. B P. 271. *jacea montana squamosa minor semine albicante* . I.B.tom. 3. l. 25. 29. *jacea squamoso capite 2. mon-tana* . *clus. hist. vi.*

Jacea angustifolia capite hirsuto . C.B.P. 271. *jacea mon-tana villoso capite humilior* , sive v. *clus. hist. vi.*

Jacea lutea capite spinoso . C. B. P. 272. *Centaurium collinum* , sive *jacea spinosa flore luteo* . I.B.tom. 3. l. 25. 34. *Spina solstitialis altera* . *Dod. carduus stellatus capitulis spinosis* . *Lob. Carduus luteus cen-taroidis segetum* . *Tournef. 441.*

Jacea laciniato sonchi folio , sive *jacea latifolia purpu-reo capitulo spinoso 4.* in *Prodr. C.B. Pin.* 272. *Car-duus maritimus canescens alato caule* . *Tournef. 441.* *jacea marina Bætica* . *Parkins. Th.* 473. *jacea laci-niata sonchi folio* . *H.L.B. app. 675.*

Jacea sicula lignosa {repens capitulo squamoso stæbe effigie ex H. cath.

Jacea spinosa cretica . *Zanon. hist. 105.* *jacea capite brevioribus aculeis spinoso* . *H. L. B.*

Jacea arborea argentea di Ragusa, parimente specie di Hiosiride *Zanon. hist. Bot.* 107. *jacea Epidaurica candidissima* , & *tomentosa* . *Tournef. 445.* *jacea Ra-gusina H. Patavini flore luteo*.

Jacea incana candidissima stæbe foliis, quæ in Prod. sub 7. de-

7. describitur, & in *Phytop.* & *Matth.* C.B.Pin. 272.
in *Prodr.* 128.

Jacea montana saxatilis argentea pennato auriculato,
acuto folio capitulis nigris dilute purpureis. H. Cath.
101.

Jacea oleæ foliis capitulis simplicibus. C.B.P. 272. Ptarmica altera. *Matth.* Ptarmica Austriaca. *Lob.* *Clus.* *Dod.* *Xeranthemum* flore simplici purpureo majore. H.L.B. *Xeranthemum* aliud, Ptarmica quorundam. I.B. tom.3. l.29. 25.

Eadem flore pleno dupli capitulo.

Jacea oleæ folio minore flore. C.B.P. 272. *Xeranthemum* flore simplici purpureo minore. H.L.B.

Jacea lutea capitulo villoso. *Tournef.*

Jacea Oleæ folio capite variegato *Sberard.*

Jacobæa vulgaris laciniata. C.B.Pin. 131. *jacobæa vulgaris*. I.B.tom.3. l.24. 1057. flos sancti jacobi Brunf. *jacobæa*. *Dod.* 642.

Jacobæa maritima. C. B. P. 131. *jacobæa marina* vel *chrisanthemum*, & *Artemisia marina* Neotericorum. *Adv.* *Lob.* & *Icon.* 227. *cineraria*. *Dod.* *jacobæa marina*, sive *cineraria*. I.B.tom.2. 1058.

jacobæa *Chrisanthemi* facie sicula. *Icon.* & *descrip. rar. plant.*

jacobæa *Ætnica* glauco folio cornu cervi divisura ex H. Cath. *jacobæa* *sicula* glauco folio *Turnef.* 486.

jacobæa *Ætnæa* glauco folio scisso ex H. Cath.

jacobæa *Ætnæa chenopodii* foliis latioribus ex Hor. Cath.

jacobæa *alpina* foliis rotundis ferratis. C.B.P. 131. in *Prodr.* 69. *jacobæa* latifolia altera *Clus.* *Pan.* *Conyzæ alpina*. I.B.tom.2. 105.

jacobæa *montana* lanuginosa angustifolia non laciniata. C. B. P. 131. *jacobæa* *Pannonica* 2. *Clus.* *Pan.* & *bist.* *jacobæa* *Pannonica* folio non laciniato. I.B.to. 2. 1058.

jacobæa *Africana frutescens*. flore ampio purpureo ele-

legantissimo senecionis folio. C. L. Volck. flor. No-
rib. 225.

Jacobæa sicula Bellidis minoris folio. Eocc.

*Jasminum vulgatius flore albo. C.B.P. 397. jasminum,
sive jelseminum flore albo. I.B. tom. 2. l. 15. 101. Gel-
seminum, vel jasminum. Matth. jasme, & sambach.
Gesn. H.*

*Jasminum humilius magno flore. C. B. P. 398. jasmi-
num Hispanicum flore majore externe rubente. I.
B. tom. 2. l. 15. 101. Gelseminum Catalonicum. Ca-
mer. sive hispanicum. Eyß.*

*Jasminum humilius luteum. C.B.P. 397. jasminum lu-
teum. I. B. tom. 2. lib. 15. 102. Gelseminum lu-
teum. Adv. Lob.*

*Jasminum cæruleum serapionis. C. B. Pin. 398. Jas-
minum cæruleum. T. M. an Ligustrum orientale.
Cesalp.*

*Jasminum luteum vulgo dictum bacciferum. C. B. P.
398. Polemonium Monspeliensium. Gesn. Ruta ca-
praria Gallorum Monspeliensis ejusdem Gesn. Tri-
folium fruticans. Dod. Trifolium fruticans, quibus-
dam Polemonium flore luteo. I. B. tom. 3. lib. 11.
575.*

*Jasminum flavum odoratum Cath. H. R. Paris. Moris. H.
Bles. 133. Gelseminum indicum flavum odoratissimum.
Ferr. Fl. cult. 159.*

*Jasminum Azoricum flore albo. Jasminum Azoricum
trifoliatum flore albo odoratissimo Commelinii H.
Amstel. ad fol. 159.*

*Jasminum, sive Sambach Arabum Alpin. I. B. tom.
2. lib. 15. 102. Syringa Arabica foliis mali auran-
tis. C. B. Pin. 398. Nalla-Mulla Hort. Malab.
tom. 6.*

*Idem folio acuminato, flore stellato majore albo o-
doratissimo, vulgo Muccarino.*

*Jasminum millefolii folio. C.B. P. 398. Gelseminum
alterum rubrum. Cesalp. Quamoclit Camer. Gel-
so.*

sominum indicum annum flore sanguineo. *Ponæ Ital.* Quamoclit, sive jasminum Americanum. *Clusi cur. post.* Convolvulus pennatus exoticus. *Columnæ.*

Iberis nasturtii folio. C. B. Pin. 97. Iberis, & Lepidium. *Matth. figur. majori.* Iberis Cardamantica. *Gerard.*

Iris hortensis latifolia. C. B. Pin. 31. Iris vulgaris violacea, sive purpurea hortensis. I. B. tom. 2. l. 19. 709. Iris nostra sativa. *Cord. bist.* Iris latifolia vulgaris cærulea. *Eyst.*

Iris hortensis alba Germanica. C. B. P. 31. Iris vulgaris candidis floribus. *Lob. Icon.* Iris flore albo. I. B. tom. 2. l. 19. 719.

Iris alba Florentina. C. B. Pin. 31. Iris flore albo. I. B. tom. 2. l. 19. 719. Iris sativa floribus nivei coloris. *Matth.*

Iris susiana flore maximo ex albo nigricante. C. B. Pin. 31. Iris latifolia major susiana, vel Chalcedonica, flore majore variegato 1. Clusio. I. B. tom. 2. l. 19. 721. Iris Pharaonis, vel nigra cretica quibusdam ejusdem. C. B. P. 31.

Iris palustris lutea. T. M. Acorum falsum. *Matthiol.* Acorus adulterinus. C. B. Pin. 34. Iris palustris lutea, sive Acorus adulterinus. I. B. tom. 2. lib. 19. 732.

Iris angustifolia prunum redolens minor. C. B. Pin. 33. Chamæiris angustifolia. *Lob. Icon.* Iris humilis, seu Chamæiris angustifolia graminea, H. L. B. Chamæiris. T. M. Iris graminea, cui quotannis pereunt folia. I. B. tom. 2. l. 19. 727. flore cæruleo.

Eadem floribus albis.

Iris, sive chamæiris verna latifolia flore luteo, pallenscente, an iris humilis flore pallido luteo. *Tournef.* 362. an Chamæiris flore pallido luteo, vel chamæiris minor ocroleuca. C. B. P. 34. Chamæiris latifolia minor ix. *Clusii bist.* 227.

- Iris agria fætida*, vel *Xyris*. *Moris.* *Gladiolus fæti-*
dus. C. B. Pin. 30. *Spatula fætida plerisque Xy-*
ris. I. B. tom. 2. lib. 19. 731. *Xyris.* *Mattb.* *spa-*
tula fætida. *Trag.* *Xyris*, sive *Iris sylvestris.* *Dio-*
scoridis.
- Iris bulbosa Persica.* Park. 172. *Iris Persica*, variega-
ta precox. *Ferr. Flor.*
- Iris bulbosa Anglicana major flore candido.* *Eyst.*
- Iris bulbosa Anglicana flore cæruleo.* *Eyst.*
- Iris bulbosa Hispanica variegata.*
- Iris bulbosa Hispanica alba.*
- Iris bulbosa Hispanica sulphurea.*
- Iris bulbosa Anglicana flore albo, cæruleis lineis va-*
riegato.
- Iris bulbosa Anglicana flore albo purpureis lineis va-*
riegato.
- Isatis sativa*, vel *latifolia*. C. B. Pin. 113. *Isatis*, sive
Glastum sativum. I. B. tom. 2. lib. 21. 909. *Gla-*
stum sativum. *Adv. Lob.* *Glastum vulgo Guadum.*
Cesalp.
- Juncus maximus*, sive *scirpus major*. C. B. P. 12. *junc-*
cus maximus holoschænos. I. B. tom. 2. lib. 18. 525.
holoschænos *Theophr.* *Lugd.* *Mariscus Plinii.*
- Juncus acutus maritimus capitulis rotundis.* C. B. Pin.
11. *holoschænos major.* *Lugd.*
- Juncus acutus panicula sparsa.* C. B. P. 11. *juncus so-*
liaceus. I. B. tom. 2. l. 18. 228. *juncus oxyfænos.*
Dod. *Lugd.*
- Juncus acuminne reflexo major.* C. B. Pin. 12. *Juncus*
melancratus, & *juncus Oxyfænos fœmina.* *Lugd.*
- Juniperus vulgaris fruticosa.* C. B. Pin. 488. *Juniperus*
vulgaris baccis parvis purpureis. I. B. tom. 2. lib. 9.
253. *Juniperus humilis.* *Gesn.*
- Juniperus vulgaris arbor.* C. B. P. 488. *Juniperus vul-*
garis celsior, & *arborescens.* *Clus.*



Ali majus cochleato semine. C. B. P. 285. Cali vulgare. I. B. tom. 3. l. 35. 705. Kali Matth. Anthillis altera salsa. Camer. Salsolæ genus in hortis Isgarum vulgo. Cæsalp.

Kali minus album semine splendente C. B. Pin. 289. Cali minus, sive sedum minus arborescens vermiculatum. I. B. tom. 3. l. 35. 705. & H. L. B.

Kali fruticosum minus flore minore. Moris. hist. sedum minus fruticosum. C. B. P. 284. sedum minimum arborescens vermiculatum flore luteo. I. B. to. 3. l. 35. 695.

Kali minus alterum. C. B. Pin. 289. Kali parvum foliis oblongis. Cam. forte edule, quod in acetariis receptum Roscanum vulgo dictum.

Kali geniculatum majus. C. B. Pin. 289. Cali geniculatum, sive salicornia: I. B. tom. 3. l. 35. 704. Salicornia. Dod. & Lugd. Kali geniculatum vermiculatum, sive Salicornia Donati.

Ketmia Africana altissima Chamædrys longioribus foliis, flore luteo calice utriculato.



Lactuca sativa . C. B. Pin. 122. *Lactuca sativa vulgaris non capitata* . I.B. tom. 2. lib. 24. 997. ejusdem species variæ . *Lactuca sylvestris costa spinosa* . C. B. Pin. 123. *Lactuca sylvestris*, sive *Endivia multis dicta*; folio laciniato dorso spinoso . I.B. tom. 2.l.24. 1003.

Lactuca maculosa . C. B. P. 123. *Lactuca rubra Cæsalp.* *sanguinea vulgo dicta*.

Lamium purpureum fætidum folio subrotundo, sive *Galeopsis* *Dioscoridis* . C. B. P. 230. *Galeopsis*, sive *urtica iners flore purpurascente majore folio non maculato* . I. B. tom. 3. l. 28. 321. *urtica non mordax* . *Lob.*

Lamium purpureum, vel *album non fætens folio oblongo* . C. B. P. 231. *Galeopsis*, sive *urtica iners foliis albis* . I.B. tom. 3. l. 28. 324. *Galeopsis flore vermicillato* . *Thal. urtica iners*, sive *Lamium* . 1. *Dod.*

Lamium folio oblongo luteum . C. B. P. 231. *Galeopsis flore croceo*, vel *urtica 6. Trag. Leucas montana Cæsalp.* *Galeopsis*, sive *urtica iners flore luteo* . I. B. tom. 3. l. 28. 325.

Lamium maculatum . C. B. P. 231. forte idem cum *lamio alba linea notatum* ejusdem *Galeopsis* folio maculato . I. B. tom. 3. l. 28. 324.

Lamium alba linea notatum : C. B. P. 231. *Milzadella vulgo*, *Leucas forte Diose. Cæsalp.* forte sub classe maculati lamii referendum.

Lamium foliis caulem ambientibus majus. C. B. Pin. 231. *Galeopsis*, sive *urtica iners minor folio caulem ambiente*. I.B. tom. 3. 863: an *Lamium Pannonicum* . 3. *clus.* *Alsine hederula altera* . *Ger.*

Lamium foliis caulem ambientibus minus . C. B. Pin. 231. *Ballote crispa minor* . *Lugd.*

Lamium maximum sylvaticum fætidum . C. B. P. 231. *Ga-*

Galeopsis, sive Urtica iners magna fætidissima. I.
B. tom. 3. app. 853. Galeopsis legitima, vel vera Dio-
scoridis. Clus. hist.

Lamium montanum melissæ folio. C.B.P. 231. melis-
sophyllum. Fuchs. melissa prima. Trag.

Lamium peregrinum, sive scutellaria in Prodr. descri-
pta. C.B.P. 231. Scutellaria Cortuso Cassida. colum-
an Scordotis 2. Plinii. Ponæ. Lamium Astragaloi-
des. Corn. 129. Scutellaria Teucrii facie. I.B. tom.
3. 291.

Lamium peregrinum, sive Scutellaria Teucrii folio
nitido: Scutellaria Teucrii facie flore albo. I.B. tom.
3. 291. descript. Cassida flore ex albo pallente. Co-
lum. deser. par. I. 190. cassida flore exalbido. Tourn-
ef. 182.

Lamium fruticosum perenne creticum Zanon. hist. Bot.
112. perperam Galeopsis maranthæ cretica dictum.
Galeopsis hispanica frutescens Teucrii folio. Tourn.
186. Teucrium Regium latifolium flore albo. H.R.
Paris.

Lapathum hortense folio oblongo, sive secundum Dio-
scoridis. C.B.P. 114. Lapathum sativum Lapas. I. B.
tom. 2. l. 23. 985. Rumex hortensis, vel 2. Trag. Ru-
mex sativus. Cord. in Diosc.

Lapathum hortense seu spinacia semine spinoso. C.B.
P. 114. spinachia fœmina. I.B. tom. 2. l. 23. 963. spi-
naceum olus Gesn. spinacia. Matth.

Lapathum hortense, seu spinacia semine non spinoso.
C.B. Pin. 114. Spinachia semine non pungente, folio
majore, & rotundiore. I.B. tom. 2. l. 23. 964.

Lapathum folio acuto plano. C. B. P. 115. Lapathum
acutum. Moris. lapathum acutum, sive oxylapathum.
I. B. tom. 2. l. 23. 983. oxylapathum. Diosc. & Plin. Fas-
ch. Dod. Ruminis primum genus. Tur.

Lapatum folio acuto crispo. C. B. P. 115. Lapathum a-
cutum crispum. I.B. tom. 2. l. 29. 988. an idem ejus-
dem C. Eaub. cum Lapatho aquatico 116. quod I.

- B. p. 987. proposuit hydrolapatum. Matth. Ger.
Lapathum folio acuto rubente. C.B. P. 115. lapathum
 sanguineum, sive sanguis Draconis herba. I.B.tom.
 2. l.23. 988. Lapathum sanguineum. *Lob. Adv.* La-
 pathum rubens. *Dod.*
- Lapathum folio acuto flore aureo.** C.B.P. 116. lapa-
 thi sylvestris 4. genus Dalech. *Lugd.* 603. Lapathum
 anthoxanthum. I.B.tom.2. 987.
- Lapatum minimum.** C. B. Pin. 115. Lapathum acu-
 tum minimum. *Lob. Icon.* 557. Lapathum minimum.
 T. M. lapathum acutum minimum. I. B. tom. 2.
 985.
- Lapathum unctuosum.** C. B. P. 115. Lapathum folio
 triangulo Bonus Henricus. I. B. tom. 1.l. 23. 965.
 Blitum perenne spinachiæ facie Moris. tota bona spi-
 nachiæ facie. *Adv. Lob.*
- Lapathum rotundum.** Ang. Hippolapathum rotundifo-
 lium montanum. C.B.P. 115. Lapathum rotundifo-
 lium. *Clus.*
- Lapathum latifolium.** Camer. Hippolapathum latifo-
 lium. C.B.P. 115. Rhabarbarum monachorum. *Trag.*
 hippolapathum sativum latifolium. *Adv. Lob.* Lapa-
 thum majus, sive Rhabarbarum monachorum. I. B.
 tom.3. l.23. 985.
- Lapathum aquaticum folio cubitali.** C.B.P. 116. La-
 pathum maximum aquaticum, seu Hydrolapathum.
 I. B. tom. 2. lib.23. 986. Britanica antiquorum vera
 Muntingh. tract. de vera herba Britannica. Rumex
 palustris. *Trag.* Hydrolapathum magnum, sive aqua-
 ticum. *Adv. Lob.*
- Lapathum Africanum spinosum latifol.**
- Lapathum angustifol.** foliis latescente flore luteo.
- Lappa major Arcium Diosc.** C. B. P. 198. Personata,
 sive lappa major: an Bardana. I.B.tom. 3. l.32. 570.
 personata major Matth. Bardana, sive lappa major.
Dod. descript.
- Lappa minor Xanthium.** *Diosc.* C.B.P. 198. Xanthium,
 sive

sive strumaria. *adv. Lob.* Xanthium, sive lappa minor. I.B.tom.2.l.33.572.

Lappa Lusitanica minor spinosa. Xanthium Lusitanicum spinosum *Par. Bat. Prodr. in app. Parad. Batav.* 246. Xanthium spinosum Lusitanicum. *Volk. Flor. Norib.* Lappa minor polyacantha, seu Xanthium Lusitanicum validissimis aculeis munitum. *Pluk.*

Laserpitium Gallicum. C.B.P. 156. Laserpitium foliis angustioribus dilute virentibus *Moris. Umbel.* 28. Laserpitium e regione Massiliæ allatum. I.B.tom.3.l.27. 137. & *Adv. Lob.* 313. an laserpitium Alpini exot. 212. de quo nihil apud *Moris. & Tournef.*

Lathyris major. C.B.P. 293. Lathyris Matth. cataputia vulgaris Tartagi Hispanorum. *Eyst. Lathyris Fuch. Dod.*

Lathyrus sativus flore fructuque albo. C.B.Pin. 343. Lathyrus angulofo semine. I.B.tom.2.l. 17. 307. Lathyrus sativus minor semine angulofo. *Moris. Phafolus minor, aliquibus Eruum angulosum. Cord. in Dio/c. Cicercula. Ang.*

Lathyrus sativus flore purpureo. C.B.Pin. 344. Ara-cus, sive cicera *Dod.*

Lathyrus sylvestris major. C.B.P. 344. Pisum Græcorum sylvestre. *Trag. Cicercula. Tourn. lathyrus sylvestris. Dod.*

Lathyrus latifolius. C.B.P. 344. lathyrus major latifolia flore majore purpureo speciosior. I.B.tom.3.l. 17. 303. Clymenum. Matth. Eruum sativum. *Cord. cicercula sylvestris. T.M.*

Lathyrus distoplatiphyllus hirsutus mollis magno, & peramæno flore odoro H. *Cath.*

Lathyrus Vicioides foris vexillo phænico foliis labialibus subalbescentibus, siliquis orobi. *Moris. bist.*

Lavandula latifolia. C.B.P. 216. Pseudonardus, quæ vulgo spica. I.B.tom.2.l.28.280. Nardus Italica. Matth. Casia alba Theophr. Dalechampii in Plinium.

Lavandula angustifolia. C.B.P. 216. Pseudonardus, quæ

- lavendula vulgo. I.B.tom.2.l.28.287. lavandula . *Ang.*
Pseudonardus Matth. femina . Fuchs. in Icon. flore
violaceo .
- Laureola semper virens flore viridi quibusdam Laureo-
 lamas . C.B.P. 462. Laureola semper virens flore lu-
 teo . I.B. tom. 1. l. 5. 564. Thymelea foliis viridibus
 mesue Daphnoides . *Dod. Gal.*
- Laureola folio deciduo flore purpureo officinis laureo-
 la femina . C.B.P. 462. Laureola folio deciduo , sive
 Mezereum Germanicum . I. B. tom. 1. 566. Chamæ-
 lea , sive Mezereon . *Trag. Chamælea Germanica .*
Dod. Piper montanum . Anguil.
- Laurus latifolia *λαυρόντες*, *Diosc.* C.B.P. 460. Laurus
 regia amplissima Plinii, Laurus latiore folio . *Matth.*
- Laurus vulgaris . C.B.P. 460. Laurus . I.B. to. 1. l. 22.
 405. Laurus tenuifolia *Matth.* Lauri altera species .
Dod.
- Laurus sylvestris corni fœminæ foliis subhirsutis . C.
 B.P. 461. Laurus Tinus , sive sylvestris . I. B. tom. 1.
 l.4. 419. Laurus sylvestris, sive Tinus . *Gesn. H.* Lau-
 rus Tinus cærulea bacca . *Adv. Lob.*
- Laurus Alexandrina fructu pediculo insidente . C.B.P.
 304. Bonifacia sive Bislingua . I. B. tom. 1. l. 5. 557.
 Uvularia Brunf. Bonifacia , & bislingua *Anguil.*
- Laurus Alexandrina ramosa fructu e summitate cau-
 lium prodeunte . *cat. H. R. Paris.* Ruscus angusti-
 folius fructu summis ramulis innascente . *Tourn.79.*
in app. H.L.B. Herm. ubi Icon. p. 681.
- Lens vulgaris semine fusco , above , & nigricante .
- Lepidium latifolium . C. B. P. 97. Lepidium Pauli . I.
 B. tom. 2. lib. 22. 941. Lepidium latifolium fer-
 ratum . *Moris. Piperitis , Brunf.* Raphanus syl-
 vestris officinarum . *Lob.* Lepidium , sive Piperitis.
Trag. Matth. Raphanus rusticanus vulgo .
- Lepidium glastifolium . C.B.P. 97. Lepidium glastifo-
 lium perenne : *Moris.* Lepidium non repens . I. B.
 tom.2. l.22. 941. Lepidium annum. *Lob. Lugd. sed*
Her.

- Hermannus perenne glastifolium scribit.
- Leucojum bulbosum vulgare.** C.B.P. 55. narcissus martius. Brunf. narcissus 7. Matth. Viola alba bulbosa. Fuchs. Lugd. Leucojum bulbosum hexaphyllum cum unico flore, rarius bino. I.B.to.2. l.19.590. Leucojum bulbosum præcox majus sex petalis æqualibus albis. Moris. & H.L.B.
- Leucojum bulbosum trifolium minus.** C.B.P.46. Narcissus alter. Matth. Leuconorcissolirion bifolium. Camer. in Matth.
- Leucojum incanum majus.** C.B.P. 200. Viola candida. Trag. Leucojum flore albo simplici. Eyst. Leucojum hyemale, & diu durans, album. I. B. tom. 2. l. 21. 874.
- Leucojum purpureum vel rubrum.** C. B. P. 200. Viola purpurea. Trag. Lob. Viola matronalis floribus rubentibus, aut ad purpuram inclinantibus. Cæsalp. Leucojum hyemale, & diu durans flore purpureo. I.B.tom.2. l. 21. 874.
- Leucojum incanum majus, multiplex.** C.B.P.200. Leucojum duplis floribus. Adv.Lob. Leucojum, sive Viola purpurea flore pleno. Lob.Icon.
- Idem flore rubro pleno. Eyst.
- Idem flore violaceo pleno.
- Idem flore albo pleno.
- Leucojum incanum majus variegatum simplici flore.** C.B.P. 200. Moris.bist. 240.
- Leucojum Alyssoides clypeatum majus.** C. B. P. 201. Leucojum asperum siliquis asperis clypeiformibus. Moris. Alysson siliqua lata aspera, quibusdam Lunaria flore luteo. I. B. tom. 2. l.22. 934. Lunaria aspera. Gesn. Alysson. Diosc. Dod.
- Leucojum incanum siliquis rotundis.** C.B.P.201. Eruga peregrina. clusi. Leucojum marinum Patavinum Lob. Leucojum incanum siliquis tumidis subrotundis. Moris.
- Leucojum luteum sylvestre hieracifolium quod 2.** in Fredr.

Prodr. C.B.P. 201. Leucoii lutei sylvestris species Thal.
Leucojuin sylvestre inodorum flore parvo pallidiore
Eyst.

Leucojum luteum montanum serrato folio. *C.B.P. 201.*

Leucojum luteum montanum. *Ponæ. Ital.*

Leucojum luteum utriculato semine. *Alpin. exot. 117.*

Flor. Norib. 250.

Leucojum album odoratissimum folio viridi 4. loco in
Prod. descriptum. *C. B. P. 202.* Leucojum flore albo
odoratissimo folio lucido virente. *Moris.* an Keiri sim-
plex flore albo *Park.* Leucojum Hyemale diu durans,
flore albo, folio viridi, & lucido glabro. *I.B. tom. 2.*
l. 21. 875.

Leucojum album odoratissimum folio viridi flore ple-
no. *C.B.P. Prodr.*

Leucojum ex purpureo colore & aureo varium *Catal.*
H.R. Paris. 114.

Leucojum flore pleno luteo. *I.B. tom. 2. l. 21. 873.* Leu-
cojum pleno flore minus. *C.B.P. 202.*

Leucojum sylvestre luteum angustifolium. *C.B.P. 202.*

Leucojum luteum sylvestre *Clas.* *I. B. tom. 2. l. 21.*
73. Viola lutea. Trag.

Levisticum vulgo Ligusticum. *Moris.* Ligusticum vul-
gare: an Libanotis fertilis Theoph. *C.B.P. 157.* Ligu-
sticum vulgare foliis Apii. *I.B. tom. 3. l. 27. 122.*

Libanotis ferulæ folio semine angulofo. *C.B.P. 158.* Li-
banotis Cachryphoros quibusdam floribus luteis. *I.*
B. tom. 3. l. 26. 40. Cachrys, seu libanotis Cachrypho-
ros semine fungoso levi. *Moris. Umbel. 1.*

Libanotis ferulæ folio, & semine. *C.B.P. 158.* Panax
Asclepium ferulæ facie. *Adv. Lob.* Libanotis qui-
busdam flore luteo semine ferulæ. *I.B. tom. 2. l. 27.*
41. Ferula libanotidis odorem, & succum fundens,
seu panax Asclepium. *Moris. Umbel. 35.*

Libanotis ferulæ folio semine foliaceo. *C.B.P. 158.* Li-
banotis nigra. *Cæsalp.* Libanotis 2. *Dod.*

Libanotis alpestris minor Peucedani brevioribus folijs
aut

aut seselli Massiliensis folio, semine compresso,
Hort. Maur. an Cachrys semine fungoso sulcato, plano minore. *Moris. Umbel.* 62.

Libanotis, sive *Panax Asclepium* semine folioso. C. B.P. 158. *Panax Asclepium Apulum*. Column. *Tapsia tenujore folio Apula*. *Tournef.* 322.

Lichen petræus latifolius, sive *hæpatica fontana*. C. B.P. 362. *Lichen Matth.* *Lichen*, sive *hæpatica fontana*. I.B.tom.3.l.47. 758.

Lychnis hirsuta flore coccineo major. C. B. Pin. 203. *Flos Constantinopolitanus miniatus*. I. B. tom. 3. l.29. 344. *Lychnis Chalcedonica* flore miniato, seu aurantiaco simplici. *Moris.* *Lychnis Chalcedonica*, sive *Constantinopolitana miniata*. *Adv. Lob.*

Eadem flore pleno. *Lychnis chalcedonica* flore pleno miniato, seu aurantiaco *Moris.*

Lychnis coronaria sativa multiplex. C.B.P. 204. *Lychnis altera rubra*. *Lob. Icon.* *Lychnis coronaria* flore rubro pleno. *Eyst.* *Lychnis coronaria* sativa flore coccineo pleno. *Moris.*

Lychnis sylvestris alba simplex. C.B.P. 204. *Rosæ Marianæ similis* 3. *Trag.* *Ocymastrum*, seu *Ocymoides*. *Matth.* *Ocymoides majus*; *Cæsalp.* *Lugd.* *Basilicum sylvestre*. *Cast. app.*

Lychnis sylvestris, sive *aquatica purpurea simplex*. C. B.P. 204. *Ocymoides purpureum*. *Gesn.* H. *Ocymastrum rubrum*. T.M. *Melandryum Plinii genuinum Clusi hist.* *Ocymoides purpureum multis*. I.B.tom.3. l.29. 343. *Lychnis sylvestris minus hirsuta* flore rubello simplici. *Moris.*

Lychnis purpurea multiplex. C.B.P.204. *Lychnis sylvestris* flore rubello eleganter multiplici. *Moris.*

Lychnis segetum major. C. B. P. 204. *Pseudomelan-*
thium. *Matth.* *Nigellastrum Dod.* *Lolium quibus-*
dam flore parvæ rosæ. *Cord. in Diosc.* *Lychnis hirsuta segetum major*. *Moris.* *Pseudomelanthium*. I.B.
 tom.3.l.29. 341. *Nigellastrum vulgo.*

Lychnis sylvestris perennis, quæ Been album vulgo.
Morif. *Lichnis sylvestris*, quæ Behen album vulgo.
 C.B.P. 205. *Been album officinarum*. I.B. tom. 3. l. 29. 357. *Papaver spumeum*. *Adv. Lob.* *Polygonatum*,
 & *rosa marina*. v. *Trag.*

Lychnis segetum rubra foliis perfoliatae. C.B.P. 204.
Vaccaria. *Dod.* *Glastum*. *Anguil.* *Isatis sylvestris*,
vaccaria dicta. *Adv. Lob.* *Vaccaria*. I.B. tom. 3. l. 29.
 357.

Lychnis sylvestris pluribus foliis simul junctis. C.B.P.
 205. *Lychnis sylvestris* i. *Clus. Hisp. 8. Clusi hist.*
Lychnis maritima repens. C.B.P. 205. *Lychnis marina* *Anglica*. *Adv. Lob. Lugd.* *Lob. icon. 337.* *Lychnis marina* *Anglicana*. I.B. tom. 3. 357.

Lychnis Anglica pumila flore variegato. *Sherard.* an
Lychnis hirsuta minor flore variegato. H.R. *Paris. 77.*
Lychnis hirsuta flore eleganter variegato. *Ray. Hist. 997.*

Lychnis noctiflora angustifolia odorata. *Tournef. 335.*
Lichnide viscosa peregrina noctiflora odorata. *Zanon. Hist. 127.*

Lychnis frutescens *Myrtifolia* Behen albo similis. C.B.P. 205. Behen albo officinarum similis planta semipervirens. I.B. tom. 3. 357. *Ocymastrum fruticosum*. *Camer. Hort. icon. 33.* *Saponaria frutescens* acutis foliis ex Sicilia. *Eocc. rar. plant. 58.* *saponaria altera* fruticosior ex Sicilia. *Cesalp. 256.* hæc a *Tournef. 435.* *Cup. H. Cath.* quam *Cesalpinus Saponariam* alteram ex Sicilia descripsit, sub classe saponariæ frutescentis oleæ folio C.B.P. reposuit.

Lychnis sylvestris nocturna pilosa floribus unius ordinis dilute purpureis. H. *Cath. 119.*

Lychnis Asiatica pumila flore purpureo calice ventricoso ex H. *Cl. Volcham.*

Lychnis arvensis pumila flore purpurascente: an *Lychnis alpina* pumila folio gramineo. C.B.P. 206.

Lychnis montana viscosa alba latifolia. C.B.P. 205.
 flo-

- floris cuculi sylvestris genus. *Trag.* Polemonium petraeum. *Gesn.* I. B. *Lychnis sylvestris*. T. M. *Lychnis viscosa* purpurea latifolia levis. C. B. P. 205. *Armerius flos* 3. *Dod.* *Muscipula*. *Camer.* *Viscaria sativa*. T. M. *Centaurium minus adulterinum*, quibusdam *Lychnidis viscidæ* genus. I. B. *Lychnis viscosa* flore muscofo. C. B. P. 206. *Muscipula*, sive *Viscaria altera* flore muscofo. *Adv. Lob.* *Sesamoides magnum* salmanticum. *Clus.* *Lychnis auriculæ ursi* facie in *Prodr.* C. B. P. 206. *Lychnis sylvestris latifolia*. *Clus.* H. 249. *Viscago auriculæ* facie cretica. I. B. tom. 3. 351. *Lychnis incana repens*. C. B. P. 206. *Ocymoides Lycnitis*. *Colum.* *Ocymnides Lycnitis* reptante radice I. B. tom. 3. l. 29. 353. *Lychnis incana*, & tomentosa caulinis procumbentibus foliis latioribus, & brevioribus. H. L. B. *Lychnis*, vel *Ocimoides repens montanum*, C. B. Pin. 206. *Ocimoides repens*. *Cam.* *Ocymoides repens polygoni folio*. *Adv. Lob.* *Lugd.* *Lychnis*, vel *Ocimoides montanum hirsutum procumbens*. *Moris.* *saponaria minor* quibusdam. I. B. tom. 3. l. 29. 344. *Ocimoides repens polygoni folio*. *Catal. Pat.* *Lychnis alpina pumila* folio gramineo, sive *muscus alpinus* *Lychnidis* flore. C. B. Pin. 206. *Ocimoides muscosa*. *Ponæ Ital.* 195. *Caryophyllus pumilus alpinus*, vel 7. *Clusii*. *Muscus alpinus* flore insigni dilute rubente. I. B. tom. 3. 768. *Lychnis* folio subrotundo calice striato, & rugoso. *Sher.* *Ligustrum Germanicum*. C. B. P. 475. *Ligustrum*. I. B. tom. 1. l. 5. 529. *Ligustrum vulgare*. *Trag.* *Phyllyrea*. *Dod.* *Ligustrum*. *Matth.* *Lilium album vulgare* flore erecto, & vulgare. C. B. P. 76. *Lilium album vulgare*. I. B. tom. 2. l. 19. 685. *Lilium album vulgare*, & *odoratum* flore erecto. *Moris.* *Lilium*, sive *Rosa junonis*. *Apulejo*. *Lilium album*. *Matth.*

- Lilium album floribus dependentibus, sive peregrinum. C. B. Pin. 76. Lilium album peregrinum floribus albis, & foliis angustioribus. Moris. Lilium album Constantinopolitanum Sultan Zambach dictum Clusi. I. B. tom. 2. l. 19. 697. Martagum album Lilium candidum Byzantium. Lob. Icon.
- Lilium purpuro-croceum majus. C. B. P. 76. Lilium rubens croceum majus. I. B. tom. 2. l. 19. 688. hemerocallis. I. Matth. Martagon radice alba. Ang.
- Lilium floribus reflexis montanum. C. B. P. 77. Martagon. Matth. Lolium sylvestre purpureo flore. Cesal. Lolium flore nutante ferrugineo majus. I. B. to. 2. l. 19. 692.
- Lilium sive corona Imperialis. C. B. P. 79. Corona imperialis. Tusai aliis. I. B. tom. 2. l. 19. 697. Tusai sive Lilium Persicum, & Hemerocallis Diosc. Clusi.
- Lilium Persicum. Dod. & Hyacinthus spurius 6. Lob. & Pennachio Persianorum. Lugd. Lilium Susianum. Clus. Lilium Persicum. C. B. Pin. 79. Lilium Persicum, sive Susianum. I. B. tom. 2. l. 19. 699.
- Lilium rubrum asphodeli radice. C. B. P. 80. Lilium radice asphodeli phæniceum, sive lilio asphodelus quibusdam. I. B. tom. 2. l. 19. 701. Hemerocallis. Diosc. Theoph. & Plinii. Liliago major asphodelo affinis. Cesalp.
- Lilium convallium album. C. B. P. 304. Lilium convallium vulgo. I. B. tom. 3. l. 31. 531. Lilium convallium Trag. Matth. Gesn. Dod.
- Lilium, vel Corona Imperialis per omnia major. H. R. P. Lilium, vel Corona Imperialis foliis variegatis M. H. Lilium, vel Corona Imperialis Sinensium, seu foliis variegatis. C. H. R. P.
- Lilium, vel Corona Imperialis, dupli corona. C. B. P. Lilium, vel Corona Imperialis, Multiflora latoque caule. C. B. P.
- Lilium, vel Corona Imperialis flore pleno. C. H. R. P. Lilium, vel Corona Imperialis flore luteo. C. B. P.

- Limenium maritimum majus. C.B.P. 192. Limonium majus multis, aliis Behen rubrum. I B. tom. 3. App. 876. Limonium Matth. Behen rubrum officinarum Guil. Valerianæ rûbræ similis. Dod.
- Limonium maritimum minus oleæ folio. C.B.P. 192. Limonium minus. I. B. tom. 3. app. 877. Limonium parvum Narbonense oleæ folio. Adv. Lob. Icon. T.M. Limonium parvum bellidis minoris folio. C.B.P. 192. Limonium pumilum. Clusi hist.
- Limonium peregrinum foliis asplenii. C.B.P. 192. Limonium peregrinum. Clus. Cichorium globulare Imperati. Limonium Syriacum. Eyst. Limonii elegans genus Rauwolf. Lugd.app. Limonium quibusdam rarum. I. B. tom. 3. app. 877.
- Limonium Siculum, Gallesferens lignosum Bocc.
- Linaria vulgaris lutea flore majore. C.B.P. 212. Linaria lutea vulgaris. I. B. l. 30. 456. linaria vulgaris. Trag. Camer. Osyris. Matth. Dod. Gal.
- Linaria scoparia. C.B.P. 212. Atriplici affinis linariæ foliis, Belvedere dicta H.L.B. Linaria. Belvedere dicta. I. B. tom. 3. l. 30. 462. herba studiosorum. T.M. Osyris Græcorum quibusdam.
- Linaria folioso capitulo luteo major. C.B.P. 213. Virga aurea foliis linariæ. Moris. H. Bles. Heliochryfos. Trag. sive linaria tertia. I.B. tom. 3. l. 26. 151.
- Linaria aurea. Trag. Chrysocome. Diosc. & Plinii. Guil. colum.
- Linaria flore pallido rictu aureo. C.B.P. 213. Linaria pannonica 1. Clusi Moris. hist. 55. Linaria flore pallido rictu aureo.
- Linaria minor cyparissi foliis flore cæruleo: an linaria alpina flore parvo purpureo spicato. Tithymal cyparissi densifolia H. Cath.
- Linaria foliis carnosis cinereis. C.B.P. 213. linaria hispanica 4. Clusi. Linaria parva hispanica altera. Park.
- Linaria tenuifol. minor Hispanica flore violaceo.
- Eadem floribus albis.

- Lingua cervina officinarum. C.B.P. 353. Phyllitis, sive lingua cervina vulgi. I.B. tom. 3. l. 37. 756. scolopendrium. Brunf. Phyllitis Matth. Hemionitis. Leon.
- Lingua Cervina multifido folio. C.B.P. 353. Phillitis polyschides: I.B. tom. 3. l. 37. 357. Phillytis foliis laciniatis. T.M.
- Lingua Cervina ramosa cretica angustissimo folio. H. L.B. Phyllitis ramosa Alpini in exot.
- Linum sativum. C.B.P. 214. Linum. I.B. tom. 3. l. 3. 450. Linum annum cæruleum sativum. Moris.
- Linum Americanum semine majore ex H. Cath. an Linum perenne majus cæruleum sativum. Moris.
- Linum maritimum luteum. C.B.P. 214. linum luteum Narbonense. I.B. tom. 3. l. 30. 454. linum sylvestre. Matth. Dod.
- Linum sylvestre minus. C. B. P. 214. chamælinum. Lob. Lugd. cæruleum. T.M.
- Linum pratense flosculis exiguis. C. B. P. 214. linum sylvestre pusillum candicantibus floribus. Camer.
- Lysimachia lutea major quæ Dioscoridis. C.B.Pin. 245.
- Lysimachia Lutea. I.B. tom. 2. l. 21. 93. Blattariæ affinis planta major flore luteo. Moris. Lysimachia. Matth. Lysimachia lutea. Trag.
- Lysimachia trifolia lutea spicata. C.B.P. 245. Lysimachia lutea altera. Column.
- Lysimachia bifolia flore globoso luteo. C.B.P. 245. Lysimachia lutea altera. Lob. Clusii. bist. Lysimachium aquatile. Dod.
- Lysimachia lutea corniculata. C.B.P. 245. append. describ. 520. Lysimachia lutea corniculata non papposa Virginiana major. Moris.
- Lysimachia lutea corniculata non papposa Virginiana minor. Moris.
- Lysimachia Siliquosa hirsuta magno flore. C.B.P. 245. Lysimachia siliquosa hirsuta majore flore purpureo. I. B. tom. 2. l. 21. 905. Lysimachia seu salicaria altera. Trag.

- Lysimachia siliquosa hirsuta parvo flore.* C. B. P. 245.
Lysimachia siliquosa hirsuta flore minore. I.B.tom. 2. l. 1. 906. *Lysimachia* 2. T.M.
- Lysimachia siliquosa glabra major.* C. B.P. 245. Sancti Antonii herba 3. *Gesn. ad Cord.* cui & filius ante Patrem. *pseudolysimachium purpureum.* *Dod.* *Lysimachia levis.* I.B.tom 2. l. 21. 907.
- Lysimachia siliquosa glabra minor.* C. B. P. 245. filius ante patrem minor *Gesn. Col.* *Lysimachia minor,* & 3. T.M.
- Lysimachia Chamænerion dicta latifolia.* C.B.P. 245. *Onagra.* *Lugd. Cæsalp.* *chamænerion, & epilabium.* *Gesn. ad Cord.* *Lysimachia speciosa quibusdam Onagrá.* dicta siliquosa I. B. tom. 2. l. 21. 906. flore purpureo, vel cæruleo, inter variet. C.B.P.
- Lysimachia Chamænerion dicta angustifolia.* C. B. P. 245. *Pseudolysimachium purpureum minus Dodonei.* *Chamænerion Gesn.* *Lysimachia speciosa siliquosa angustifolia.* I.B.tom. 2. l. 21. 907.
- Lysimachia spicata purpurea forte Plinii.* C.B.P. 246. solidaginis saracenicæ alia species. *Trag.* *lysimachia purpurea spicata.* *Ger.* *Lysimachia purpurea quibusdam spicata.* I.B.tom. 2. l. 21. 904. *Blattatia rubra spicata major glabra communis folio acuto.* Möris.
- Lysimachia cærulea galericulata,* vel *Gratiola cærulea* C.B.P. 246. *Syderitis cærulea.* *Tbal.* *Gratia Dei.* *Cæs.* *Tertianaria* T.M. herba judaica altera. *Dod.* *scutellaria aquatica vulgo Tertianaria dicta.* H.L.B. *Tertianaria aliis lysimachia galericulata.* I.B.tom. 3. l. 30.
- 435.
- Lonchitis aspera.* C. B. P. 359. *Lonchitis altera cum foliis denticulatis, sive lonchitis altera Matth.* I. B. tom. 3. l. 37. 745. *Lonchitis aspera.* *Matth. Lugd. Camer.*
- Lotus fructu cerasi.* C.B.P. 447. *Lotus arbor fructu cerasi.* I.B.tom. 1. l. 2. 229. *Bagolarus Tridentinis Guil.*
- Lupinus peregrinus pentaphyllos.* C.B.P. 348. *Lupinus*

- Arabicus, sive Pentaphyllum peregrinum. Pona.
Ital.
- Lupinus sativus flore albo. C.B.P. 347. lupinus Matth.
lupinus vulgaris, seu sativus albus. Moris. Lupinus
vulgaris semine, & flore albo sativus. I.B.tom.2.
l.17. 288.
- Lupinus flore cæruleo sylvestris. C. B. P.
- Lupulus mas. C.B.P. 298. I. B. tom. 2. l.15. 151. con-
volvulus perennis heteroclitus, floribus herbaceis,
capsulis foliaceis strobili instar. Moris.
- Lupulus fœmina. C.B.P. 298. I.B.tom.2. l.15. 152. lu-
pulus sylvestris minor, sine fructu. Moris.



Ajorana tenuifolia. C.B.Pin. 224. majorana tenuior, & lignosior. I.B. tom. 3. l.28. 241. majorana nobilis. Brunf. majorana sativa. Trag.

Majorana vulgaris. C.B.P. 224. fam. psuchus, sive Amaracus, latinis majorana. cord. in Diosc. & bist.

Majorana Cretica Origani folio Tournef. Coroll.

Malva foliis crispis. C.B.P. 314. malva crispa. I.B. tom. 2. l.23. 952. malva annua foliis crispis. Moris. malva sativa laciniosa. Cord. bist. malva crispa. Dod.

Malva sylvestris folio rotundo. C.B. Pin. 314. Malva vulgaris flore minore, folio rotundo. I.B. tom. 2. l.23. 949. Malva sylvestris perennis procumbens flore minore albo folio rotundo. Moris.

Malva sylvestris folio sinuato. C.B.P. 314. Malva vulgaris flore majore folio sinuato. I.B. to. 2. l. 23. 949.

Malva sylvestris procerior, seu elatior, rectave flore majore subrubente, aut purpureo venis saturate purpureis picto, folio sinuato. Moris. malva erratica 2. vel malva equina. Brunf. Malva flore rubente.

Cæsalp.

Malva folio vario. C.B.P. 315. Malva trimestris, vel pumila. Clus. bist. Malva trimestris flore cum unguibus purpureis. I.B. tom. 2. l.23. 950.

Malva rotundifolia glabra Hispanica flore ampio rubello Pluk.

Eadem flore candido.

Malva rosea folio subrotundo. C.B.Pin. 315. Malva rosea, sive hortensis. I.B. tom. 3. l.23. 951. Malva rosea, folio subrotundo flore simplici. Moris. Malva sativa antiquorum, quæ cultu arborescit Theophrasti major. Plinii hastula regia. Gesn. flore purpureo simplici.

Eadem flore albo simplici.

- Malva rosea* folio subrotundo flore pleno. C.B.P. 315.
flore purpureo.
- Eadem flore luteo pleno. Cath. H.R. *Paris.*
- Malva arborea Veneta* dicta parvo flore : C.B.P. 315. an
Malva arborea. I.B. tom. 2. 952. *Malva maritima ar-*
borea Veneta dicta parvo flore. *Moris.*
- Malva annua rotundifolia* floribus omnium minimis
albis pentapetalis verticillatim genicula ambientibus,
& seminibus arcte eidem verticillatim adhærenti-
bus. *Moris. Hist. Oxon.* p. 2. 521. *Malva annua floscu-*
lis albis verticillatim nascentibus. *Tourn.* 96.
- Malva Lusitanica* elegantissima Hoffmanni : an *Malva Lusitanica Ribesii* folio. *Tournef.* 96. auctoris Hof-
fmanni nomine missa .
- Malva Hispanica* foliis mollibus undulatis in margi-
ne , superius micis sulphureis ad solem splendenti-
bus donatis . *Moris. hist.* 2. 523. & in *Præludiis Bo-*
tan. 285.
- Malva Africana* frutescens mori pusillo folio , flore
minimo purpureo : an *Ketmia Americana* frutescens
mori folio flore purpureo . *Plum. & Tournef.* 101.
- Malus citria* , sive *malus medica* e Benaci lacu dicta ;
malum Citrium vulgare Ferr. Hesp. *citrus vulgo.*
- Malus citria cretica* folio rotundiore , & fructi ; an
malus citria fructu magno . I.B. tom. 1. l. 1. 94. ma-
lus citria fructu magno . C.B.P. 435.
- Malus citria coronata* latissimo folio .
- Malus citria odoratissima* folio oblongo angusto .
- Malus citria medulla dulcis* , *malus citria dulci me-*
dulla Ferr. Hesp.
- Malus citria Florentina* fructu majore acuminato lati-
folia .
- Malus citria Florentina* fructu minori crispo .
- Malus citria Florentina* folio sinuato , & serrato , fru-
ctu oviformi .
- Mali citræ congener* , sive *Lumia Valentina verru-*
cosa , & monstroso fructu rotundo . *Ferr. Hesp.*

- Eadem fructu oblongo.
- Malus citreæ* congener fructu rotundo maximo; *Pepona vera* dicta.
- Malus Limonia* a *Laura*, fructu maximo. *Ferr. Hesp.*
- Malus Limonia* a *Gritti*, fructu maximo.
- Malus Limonia* salernitana. *Ibid.*
- Malus Limonia Barberina* fructu oblongo.
- Malus Limonia sancti Remi*. *Ibid.*
- Malus Limonia Ligustica*. *Ibid.*
- Malus Limonia Corcirensis*. *Ibid.*
- Malus Limonia Calabrensis* cortice subtilissimo sine semine. *Ibid.*
- Malus Limonia Rosolina* dicta.
- Malus Limonia Cajetana*. *Ibid.*
- Malus Limonia latissimo folio ferrato* *Lacus Benaci*.
- Malus Limonia* a *Patraffo*.
- Malus Limonia* fructu rotundo, *Melangola* dicta.
- Malus Limonia* cucurbitifera.
- Malus Limonia racemosa* fructu maximo. *Ibid.*
- Malus Limonia Ulyssiponensis* medulla dulci.
- Malus Limonia Hispanica* fructu maximo medulla dulci.
- Malus Limonia* popiformis medulla dulci.
- Eadem medulla acida.
- Malus Limonia Valentina*.
- Malus Limonia Ponzina Reginorum*. *Ibid.*
- Malus Limonia ponzina Neapolitana*. *Ibid.*
- Malus Limonia Ponzina Calabrensis*. *Ibid.*
- Malus Limonia striata communis*. *Ibid.*
- Malus Limonia striata* a *Molfetta*. *Ibid.*
- Malus Limonia striata* popiformis, cortice subtilissimo medulla acida.
- Malus Limonia* sive *Lumia* fructu rotundo, *Divi Domini* dicta.
- Eadem fructu oblongo.
- Malus limonia*, seu *Lumia Arantii* forma, vulgo *lumia Aranzata*.

- Malus limonia, seu lūmia Valentina medulla dulci.
 Malus Limonia pyriformis spatafora regina dicta.
 Malus Limonia pyriformis spatafora major dicta.
 Malus Lymonia pyriformis foliis laurinis acuminatis
 spatafora minor dicta.
 Eadem folio sinuato rotundo, & fructu rotundo flo-
 re pleno.
 Malus aurantiæ congener foliis angustis acuminatis, fru-
 ctu odoratissimo, Mellarosa dicta.
 Malus aurantiæ congener latifolia sinuata fructu odo-
 ratissimo, Bergamota dicta.
 Malus aurantiæ congener foliis angustis serratis fru-
 ctu parvo odoratissimo, Mellapia dicto.
 Malus aurantia vulgaris medulla dulci.
 Malus aurantia vulgaris latifolia.
 Malus aurantia vulgaris folio crispo.
 Malus aurantia vulgaris flore pleno.
 Malus aurantia fœmina.
 Malus aurantia Hermaphroditica. *Ibid.*
 Malus aurantia fructu maximo verrucoso.
 Malus aurantia Ulyssiponensis.
 Malus aurantia stellata.
 Malus aurantia Hispanica.
 Malus aurantia Cretica fructu maximo.
 Malus aurantia striata medulla dulci.
 Malus aurantia folio, & fructu picto, sive variegato
 foliis angustis medulla dulci.
 Malus aurantia corniculata. *Ibid.*
 Malus aurantia sinensis laurini folio fructu parvo.
 Malus Aurantia Chinensis laurini folio picto, seu ma-
 culato. Vulgo Pomin di Dama.
 Malus Punica sativa. C.B.P.438. Malus Punica. I. B.
 tom. I. l. 2. 70. Granata, vulgo malus granata *Ravu-*
 T. M.
 Malus Punica, sive Balaustia flore pleno majore. C.
 B.P. 438.
 Marrubium cardiaca dictum, forte primum Theophra-
 sti.

- st. i. C.B.P. 230. Cardiaca. I. B. tom. 3. l. 28. 320. Cardiaca. Matth. Lycopsis Branca lupina Anguil. Cardiaca, vel Lycopsis. Fuchs.
- Marrubium palustre glabrum. C.B.P. 230 Marrubium aquaticum quorundam. I.B. tom. 3. l. 28. 318. Sideritis prima. Matth. Lancea Christi. Gesn.
- Marrubium nigrum fetidum Ballote. Dioscoridis. C.B.P. 230. Marrubium nigrum, sive Ballote. I.B. tom. 3. l. 28. 318.
- Marrubium album vulgare. C.B.P. 230. Marrubium album. I. B. tom. 3. l. 28. 316. marrubium fœmina, Brunf. Marrubium candidum. Trag. Marrubium. Matth. Prasium. Anguil.
- Marrubium album latifolium peregrinum. C.B.P. 230.
- Marrubium candidum. Dod. Marrubium candidum alterum hispanicum. Lob. Marrubium Creticum Camer. Marrubium candidum folio subrotundo. I. B. tom. 3. l. 28. 317.
- Marrubium Africanum minus foliis rotundioribus parvo flore Cl. volch. cardiaca americana annua neptæ folio floribus brevibus phæniceis villosis. H. L. B. Leonurus annuus Americanus vulgo.
- Marrubii species Cret. Sherard.
- Marubiastrum coma flavescente. T. Corrol.
- Marum syriacum vel creticum. H.L. B. Majorana Syriaca, vel cretica. C.B.P. 224. Marum Syriacum. Ado. Lob. Lugd. T.M. marum cretense Alpini.
- Marum Matth. Tragoriganum latifolium. C.B.P. 223. Thimum creticum. Ger. Tragoriganum. Dod. Lugd.
- Matricaria vulgaris. C.B.P. 133. Matricaria vulgo, minus Parthenium, I.B. tom. 3. l. 26. 129. Artemisia tenuifolia Fuchs.
- Matricaria flore pleno. C.B.P. 124. I. B. tom. 3. l. 26. 130. Matricaria pleno Flore Camer. Parthenium pleno, sive polyphyllo flore. clus. Pan. & hist.
- Matricaria flore pleno fistulofo. Matricaria foliis florum fistulosis. Cash. H.R. Paris. 118.

Matricaria, sive *Parthenium minus cotulæ folio bu-*
phthalmi flore : an matricaria alpina chamæmeli fo-
liis. C.B.P. 134.

Melampyrum purpurascente coma . C.B.P. 234. *Melam-*
pyrum multis, sive *Triticum vaccinum* . I. B. tom.
 3. l.30. 439. *Triticum vaccinum* ; *Trag. parietaria*
sylvestris 3. *Clusi*.

Melampyrum luteum latifolium . C.B.P. 234. *Melam-*
pyrum sylvaticum flore luteo, sive *Satureja lutea*
sylvestris . I.B.tom.3. l.30. 441. *parietaria sylvestris* .
 2. *Clusi*. *Crateogonon* . *Adv. Lob. Lugd.* *Satureja lu-*
tea Dalechampii . *Lugd. hyssopus nemorensis*, & *lu-*
tea . *Lugd.*

Melanthium capite, vel calice & flore majore pleno.
 I. B. tom. 3. l.26. 209. *nigella flore majore pleno cæru-*
leo . C.B.P. 145. *Melanthium Damascenum pleno*
flore . *Clus.*

Melanthium calice, & flore minore, semine nigro, &
luteo . I. B. tom. 3. l. 26. 208. *nigella flore minore*
simplici candido . C.B. P. 145. *Melanthium sativum*
Matth. nigella hortensis . *Trag.*

Melanthium simplici flore creticum : *Clusi*. *Nigella*
cretica . C.B.P. 146. in *Prodr. 75.*

Melanthium, sive *Nigella Americana elegantissima*
flore, semine foliaceo.

Melilotus officinarum Germaniæ . C. B. P. 331. *Trifo-*
lium odoratum, seu *melilotus vulgaris flore luteo* .
 I.B.tom.2. l.17. 370. *Melilotus fruticosa lutea vul-*
garis, vel *officinarum* . *Moris. lotus urbana* . *Matth.*
saxifraga lutea . *Fucbs.* & *lotus sylvestris eiusdem*
Icon. *Trifolium odoratum* . 2. *Dod.*

Eadem flore albo . C. B. P. 331. *Melilotus fruticosa*
candida major . *Moris. Trifolium odoratum*, sive *me-*
lilotus vulgaris flore candido . I. B. tom. 2. l. 17.
 370.

Melilotus corniculis reflexis major . C.B.P. 331. *Tri-*
folium italicum, sive *melilotus italicica corniculis in-*
 cur-

curvis. I.B.tom.2. l.17. 372. *Melilotus italicus.* Fuchs.
Lotus sylvestris Gesn.

Melilotus major odorata violacea. Moris. *Lotus hortensis odora,* C. B. Pin. 331. *Lotus sativa odorata annua flore cæruleo.* I.B.tom.2. l.17. 368. *Melilotus vera.* T. M. *Melilotus singularis* Alpin. Ponæ. *Trifolium odoratum alterum, sive lotus sativa.* Dod. 571.

Melilotus coronata. Adv. Lob. *Lotus,* sive *Melilotus pentaphyllos minor glabra.* C. B. P. 332. *Lotus corniculata glabra minor.* I.B.tom.2. l.17. 356. *Lotus polyceratos lutea minor, foliis, & siliquis glabris brevioribus, & crassioribus.* Moris. *Lotus sylvestris.* Dod. Gal.

Eadem flore luteo majore splendente. *Lotus pentaphyllos flore luteo majore splendente.* C.B.P.332. *Lotus corniculatæ major species.* I.B.tom.2. l.17. 355. *Trifolium corniculatum tertium.* Dod.

Melilotus vulgaris alter sylvestris. Cesalp. *Lotus pentaphyllos major hirsutie candicans.* C.B.P.332.

Melilotus sive lotus pratensis siliquosa lutea. C.B.Pin. 332. *Lotus siliquosa lutea monspeliensis.* I. B. tom. 2. l.17. 359. *Lotus oligocheratos tetragonolobos perennis monspeliensis flore luteo.* Moris. *Lotus Trifolia corniculata.* Ger. *Lotus quadrata siliqua flore luteo.* Catb.H.Pat. *Polygala Cæsalpini,* a C. B. pretermissa in synonymis.

Melilotus, sive Lotus ruber siliqua angulosa. C.B.P. 332. *Lotus siliquosa flore fusco tetragonoloba.* I. B. tom.2. l.17. 359. *Lotus oligocheratos tetragonolobos annua cretica, flore saturate rubro seu holoserico coccineo.* Moris.

Melilotus Messalensis procumbens. Rajibist.

Melianthus Africanus. H.L.B. *Pimpinella spicata maxima Africana.* Barth. act. Haf. anni 1673. volum. 2. p.58. *Melianthus Africana major fetida floribus atropurpureis.* Pluken. Almeg. Bot.

Melissa hortensis. C.B.P. 229. *Melissa vulgaris odore ci-*

- citri. I.B.tom.3. l.28. 232. Citrago. Gesn. Melisso-
phyllum. Matth.
- Melissa peregrina folio oblongo. C. B. P. 229. Melissa
Turcica multis dicta. I.B.tom.3. l.28. 234. Melissa
Moldavica. Matth. Melissa Turcica Dalech. Lugd.
flore cæruleo. C. B. P. 227. Lugd. ex. 1. B. tom. 3. l.28.
Eadem flore albo. C. B. P. Variet. 229. I. B. tom. 3. l.28.
234. descrip.
- Melissa Molucana odorata. C. B. P. 229. Moluca. I. B.
to. 3. l.28. 234. Melissa Constantinopolitana. Matth.
Moluca syriaca. Adv. Lob.
- Melissa Romana hirsutior. Moris. Prael. 286. Melissa
Romana molliter hirsuta, & graveolens. H.R. Pa-
ris. ex Tournef. 193. Melissa sylvestris hirsutior minus
odora Raij. H. Plant. Melisophylli sylvestris genus.
Matth.
- Melissa, sive Moldavica Orientalis minima, ocimi fo-
lio flore purpurascente. Tournef. Coroll. II.
- Melochia Alpini. Corcoros Plinii Lob. Lugd. C. B. P.
317. corchoros, sive Melochia. Cam. Corcorus, sive
melochia. I. B. tom. 3. 983. Olus judaicum Avicennæ
quibusdam, & Melochia Arabum. Ravnolf.
- Melo Ægyptius. C. B. Pin. 311. Abdelavi Ægyptio-
rum Alp. Melo Ægyptius minor, Abdelavi H. Pat.
& Tournef. 105.
- Mentha hortensis verticillata Ocimi odore. C. B. P.
227. Mentha verticillata minor acuta non crispa odo-
re Ocymi. I. B. tom. 3. l.28. 216. Mentha sativa 4.
Dod. Lugd. Ocyoides repens. Ger. Icon.
- Mentha crispa verticillata. C. B. P. 227. Mentha cris-
pa verticillato folio rotundiore. I. B. tom. 3. l.28. 216.
Mentha sativa prima. Fuchs. mentha vulgata ser-
pens rotundiore folio pulegii odore. Adv. Lob.
- Mentha angustifolia spicata. C. B. P. 227. Mentha spi-
cata folio longiore acuto glabro nigriori. I. B. tom. 3.
l.28. 220. Mentha. I. Matth. Mentha sativa horten-
sis 3. Dod. Sisymbbris altera species. Cord. in Diosc.

Mentha rotundifolia spicata altera. C.B.P. 227. *Menthastrum spicatum cultum folio rotundiore rugoso*: I.B. tom. 3 l. 28 219. an *Mentha rubra*. *Trag. Sisymbrium hortense*. *Mattb. Sisymbria mentha agrestis*: *Lob.*

Mentha hortensis corymbifera. C. B. P. 226. *Alisara. Trag. Balsamita major: Dod. Gal. Mentha græca. Mattb. Costus hortensis. Gesn. Ovaria ejusdem, herba Sanctæ Mariæ vulgo. Cæsalp.*

Mentha sylvestris rotundiore folio. C.B.P. 227. *Menthastrum. Cord. in Diosc. Menthastrum folio rugoso rotundiore spontaneum, flore spicato odore gravi*. I. B. tom. 3. 219.

Mentha sylvestris longiore folio. C.B.P. 227. *Menthastrum spicatum folio longiore candicante*: I. B. tom. 3. l. 28. 221. *Mentha equina. Brunsf. Mentastrum. Trag. silymbrium campestre. Anguil.*

Mentha rotundifolia palustris, seu aquatica major. C. B. P. 227. *Mentha aquatica, sive sifymbrium*. I. B. tom. 3. l. 28. 223. *Mentha rubra. Brunf. Balsamina agrestis, & nepeta 3. Trag.*

Mentha palustris folio oblongo. C.B.P. 228. *Menthastrum aquatici genus hirsutum spica latiore*. I. B. tom. 3. l. 28. 222. *Menthastrum minus spicatum*. *Lugd.*

Mentha cattaria vulgaris, & major. C.B.P. 228. *Mentha cattaria. I.B. to. 3. l. 28. 225. calamintha cattaria, seu nepeta vulgaris, & major*. H.L.B.

Mentha sylvestris longioribus, nigrioribus, & minus incanis foliis. C.B.P. 227. *Menthastrum aliud. Lob. Menthastrum campestre Lugd.*

Mercurialis testiculata, sive mas. Diosc. & Plinii. C. B. P. 121. Mercurialis mas. I.B. tom. 2 l. 23. 677. Mercurialis mas. Mattb.

Mercurialis spicata sive fœmina. Diosc. & Plin. C. B. P. 121. Mercurialis fœmina. I. B. tom. 2. l. 23. 677. Phylon Thelligonon Theophrasti Cord. in Diosc.

Mercurialis montana testiculata. C. B. P. 122. *Cyno-*

crambe mas, sive *Mercurialis repens*. I.B.tom. 2.
l.23. 979. *Cynocrambe*. *Mattb.* *mercurialis canina*
mas. *Colum.*

Mercurialis montana spicata. C.B.P.122. *Cynocrambe*
fœmina, sive *mercurialis repens*. I. B. tom. 2. l. 23.
979. *cynocrambe*, sive *mercurialis sylvestris fœmina*.
Camer.

Meum foliis Anethi. C.B.P. 148. *Meum Athamanticum*. *Moris. Umbel.* 4. *Meum vulgare*, sive *radix Ursina*. I.B.tom. 3. l.27. II. *Meum*. *Mattb. Dod.* *Anethum sylvestre Lon.* *Libanotidis primum genus*, &
feniculus porcinus. *Dod. Gal.* *Seseli creticum*. *Fuchs. Icon.*

Myagrum siliqua longa. C. B. P. 109. *Myagro affinis*
planta siliquis longis. I.B. tom.21. 894. *Eruca sylvestris latifolia* folio integro, flore luteo minore.
Moris. Viola lutea sylvestris. *Trag.* *Camelina*. *Ger.*
eruca sylvestris angustifolia ejusdem.

Myagrum monospermum latifolium. C.B.P.109. *Myagrum hortense monospermum*. *Eyst.* *Raphanistrum monospermum latifolium siliquis fungosis glabris articulatis*. *Mor.* *myagrum monospermum*. I.B.tom.2.
l. 21. 894. *Pseudoisatidem Alpinus nominabat*.

Millefolium vulgare album. C.B.P. 140. *Millefolium stratiotes pennatum terrestre*. I.B. tom.3. l. 26. 136.
stratiotes 2. *Anguil.* *militaris* sive *Millefolium flore albo*. *Adv.*

Millefolium vulgare purpureum minus. C.B. Pin. 140.
Millefolium minus. *Mattb.* *millefolium parvum*. *Cæsalp.* *stratiotes Millefolia minor*. *Lugd.*

Millefolium incanum creticum. C.B.P.140. *stratiotes Millefolia Belli epist.* *Millefolium creticum*. I. B. tom.3. l.26. 139.

Millefolium tomentosum luteum. C.B.Pin. 140. *helichrysum Italicum*. *Mattb.* *Tanacetum lanuginosum*:
Lugd. *Millefolium tomentosum luteum*, I.B. tom.
3. l.26. 13.

Millefolium majus album odore camphoræ. H. L. B.
Tanacetum minus album odore camphoræ, sive *Achillæa Dioſc.* C.B.P. 132. *Achillæa millefolia odorata*. I.B.tom.3. l.26. 140. *Achillæa Matth.* *Achillæa*, sive *millefolium nobile*. T.M.

Myrrhis major, vel *cicutaria odorata*. C. B. Pin. 160.
Myrrhis magno semine longo sulcato. I. B. tom. 3. l. 27. 77. *Myrrhis perennis semine striato alba major odorata*. *Moris. Umbel.* 44. *Myrrhis Matth.* *Seseli Peloponense. Anguil.* *Cerefolium hispanicum* T.M.
Myrrhis minor. C.B.Pin. 160. *Myrrhis sativa minor*.
Camer.

Myrrhis sylvestris seminibus lævibus. C.B.P.160. *Mirrhis Fuchs. Dod.* *cicutaria Gesn.* *cicutaria vulgaris*. I.B.tom.2. l. 27. 181. *cherephyllum*, seu *cerefolium sylvestre perenne, seminibus lævibus nigris Moris.Umbel.* 46.

Myrrhis cicutæ foliis. Plures *Myrrhis* species *cicutæ assimilantur*, ita ut caute colligendæ, ne una pro altera accipiatur:

Myrtillus Matth. *Vitis Idæa* foliis oblongis crenatis, fructu nigricante. C.B.Pin.470. *Bagolæ* primum genus. *Cæſalp.* *Vitis Idea* fructu nigro. I.B.tom.1.l. 5. 519. *Myrtillus vulgo*.

Myrtillus exiguus. *Trag.* *Vitis Idea* foliis subrotundis non crenatis baccis rubris. C.B.P.470. *Vaccinia rubra*. *Dod.Gal.* radix *Idæa* fructu rubro. *Anguil.*

Myrtus latifolia Romana. C.B.Pin.468. *Myrtus latifolia Bætica, forte Romana*. I.B.tom.1.l.5.512. *Myrtus laurea maxima*. *Lob.* *Myrtus major*. *Dod. Gal.*

Myrtus foliis minimis, & mucronatis. C.B.P.469 *Myrtus angustifolia minor*. I.B.tom. 2. l.5. 513. *Myrtus albis baccis in Asia Bellon.*

Myrtus flore pleno Cornuti, & Raij hist.

Myrtus exoticus foliis tenuissimis viridis ex luteis variegatis.

Moly angustifolium umbellatum. C.B.P.74. *Moly Dioſco-*

scoridis parvum quibusdam. I. B. tom. 2. l. 19. 568.

Moly Matth.

Idem flore albo.

Moly latifolium liliflorum. C.B.P. 75. Ornithogalum indicum latifolium floriferum colore colossino, aut albo. Moris. Moly Theophrasti magnum. I. B. tom. 2. l. 19. 569.

Moly exoticum floribus albo viridibus. C.B.P. 75. Moly flore albo lineis viridis coloris Svertii.

Molle: I.B.tom.1. l. 5. 535. Lentiscus Peruviana. C.B. P. 399. Molle Clusio. Molle arbor. Lugd. hist.



Arcissus juncifolius oblongo calice luteus major. C.B.P. 51. *Narcissus major juncifolius*. Eyst. Moris. *Narcissus juncifolius* flore luteo. I. B. tom. 2. l. 19. 607. *Narcissus juncifolius prior*. Clusii.

Narcissus juncifolius minor luteus.

C.B.P. 51. I.B. tom. 2. l. 19. 607. *Narcissus juncifolius minor*. Dod. *Narcissus juncifolius ejusdem flor*. *Narcissus juncifolius serotinus*. Lob.

Narcissus juncifolius aureus multiplex, Anemones forma. C.B. Pin. 54. *Narcissus juncifolius pleno flore* Clus. *Narcissus juncifolius luteus flore pleno*. Eyst. Moris. *Narcissus Cyprius luteus polyanthes flore pleno*. I. B. tom. 2. l. 19. 595.

Narcissus latifolius maximus albus, calice brevi luteo. C.B.P. 51.

Narcissus albus multiflorus minimus.

Idem *medius*.

Narcissus albus oblongo calice. C.B.P. 53. *Pseudonarcissus albo flore*. Clusii. I.B. tom. 2. l. 19. 597.

Narcissus totus niveus multiplex. C.B.P. 54. *narcissus flore singulari albo pleno*. I.B. tom. 2. l. 19. 602.

Narcissus albus foliis reflexis, calice brevi aureo. Cath. H.R. Paris. 127.

Narcissus incomparabilis flore pleno partim flavo, partim croceo. Cath. H.R. Paris. 127.

Narcissus major totus luteus calice prælongo. C.B.P. 52. *Bulbocodium hispanicum*. I.B. tom. 2. l. 19. 594.

Narcissus albus calice flavo, moscari odore. C.B.P. 52. *Narcissus oblongo calice*. Clusii. *Pseudonarcissus albus calice luteo*. Eyst.

Narcissus albus tubo luteo. C.B.P. 52. *Narcissus albus oblongo calice luteo* Svertii.

Narcissus maximus pallide luteus. C.B.P. 52. *Narcissus ma-*

- maximus griseus*, vel *pallidus amplio calice flavo*
non descriptus. *Svvert.*
- Narcissus latifolius sulphureus*, vel *albus brevi calice.*
C.B.Pin. 52. *Narcissus sulphurei coloris brevi calice.*
Svvert. *vel narcissus totus albus brevi calice ejusdem.*
- Narcissus albus circulo croceo*, vel *luteo.* *G.B.P. 49.*
Narcissus mediocroceus tenuifolius. *I.B.tom.2. l.19.*
602. *narcissus veterum.* *Trag.*
- Narcissus latifolius maximus albus calice brevi luteo.*
C.B.P. 51. & *Eyst.* & *Moris. hist.*
- Narcissus juncifolius flore luteo lineis albis notato.*
- Narcissus Orientalis major altus.* *C.B.P. 49.* *narcissus orientalis major polyanthos totus albus.* *Eyst. Moris.*
- Narcissus flore luteo stellato multiflorus Constantinopolitanus:* an *Narcissus luteus Constantinopolitanus.*
C.B.P. 51.
- Narcissus niveus odoratus circulo rubello* *C. B. P. 48.*
Narcissus medio-purpureus minor. *I.B.tom.2. l. 19.*
601.
- Narcissus albus magno odorato flore*, *circulo pallido.*
C.B. P. 48. *Narcissus medio-purpureus magno flore*
folio latiore. *I.B.tom.2. l.19. 601.*
- Nardus celtica* *Dioscoridis.* *C.B.P.165.* *Nardus celtica.* *Matth.* *nardus alpina*, *sive Celtica.* *Clusi.*
- Nasturtium hortense latifolium.* *C. B. P. 103.* *Nasturtium hispanicum.* *Gesn.* *T.M. Ger.*
- Nasturtium hortense vulgatum.* *C.B.P.103.* *Nasturtium vulgare.* *I.B.tom. 2. l. 22. 912.* *Nasturtium vulgare,*
sive hortense tenuiter divisum. *Moris. hist.* *Nasturtium album* *Plinio Nasturtium.* *Matth. Anguil.*
- Nasturtium hortense crispum.* *I.B.tom.2. l.22. 913.* *hujus speciei invenitur latifolium, & angustifolium.*
vide C.B.P. in Prodr.
- Nasturtium aquaticum supinum.* *C.B.P. 104.* *sisymbrium cardamine*, *sive Nasturtium aquaticum.* *I.B.tom.2. l.*

21. 884. *Nasturtium aquaticum supinum flore albo.*
Moris. *Sisymbrium alterum*, vel *cardamine*. *Diosc.*
Sium minus. *Gerar.* *cressolaver odoratum*. *Eurit.*
Cord.

Nasturtium aquaticum erectum folio longiore. C.B.P.
 104. *Sium vulgare.* *Matth.* *Lugd.* *Sion Matth.* & *Italorum.* *Lob.*

Nasturtium sylvestre tenuissime divisum. C.B.P. 105.
Seriphium Germanicum Trag. *sophia chirurgorum*.
Adv. *Lob.* *Dod.* *Accipitrina Cæsalp.* *seriphium Germanicum Sophia quibusdam.* I.B. tom. 2. l. 21. 886.
Nasturtium sylvestre tenuissime divisum, seu *nasturtium Moriophyllum flore luteo minimo.* *Moris.*

Nerion floribus rubescensibus. C.B.P. 464. *nerium*, si-
 ve *Rhododendrum flore rubro.* I.B. tom. 2. l. 15. 140.
Oleander vulgo, *Nerium Trag.* *Matth.* *Dod.* *Oleander flore rubro Ang.* *Rhododendron Bellonii Rhododaphne.* *Gesn.* *H.* *Cæsalp.*

Nerion floribus albis. C.B.p. 464. *Nerion*, si-
 ve *Rhododendron flore albo.* I.B. tom. 2. l. 15. 140.

Nerium indicum latifolium floribus plenis odoratis.
H.L.B. *flore purpureo.*

Nerium flore pleno variegato, & *odorato.* *Volckam.*
flor. *Norib.* 302.

Nerium Indicum flore simplici persici colore.

Nicotiana major latifolia. C.B.P. 169. *Nicotiana major*. si-
 ve *Tabacum majus.* I.B. tom. 3. l. 34. 629. *sana sancta indorum.* *Adv.* *Lob.* *Ger.* *Tabacum latifolium Camer.* *Hyoscyamus Peruvianus.* *Dod.*

Nicotiana minor. C.B.P. 170. *Priapeja quibusdam nicotiana minor.* I.B. tom. 3. l. 34. 630. *Hyoscyamus Peruvianus.* T.M. *Priapeja a forma fructus.* *Gesn.H.*

Nicotiana major angustifolia. C.B.P. 170. *nicotiana*, si-
 ve *Tabacum folio angustissimo.* I.B. tom. 3. l. 34. 630.
herba sancta, si-ve *Tabacum minus Lob. obs.*

Nymphaea lutea major. C.B.P. 193. *Nymphaea lutea.* I.B. tom. 3. l. 28. 771. *Nenuphar luteum.* *Brunf.*

- Nymphæa alba major.* C.B.P. 193. *Nymphaea alba.* I.
B.tom.3. l.28. 771. *Nenuphar album.* Brunf. an lo-
tus *Ægyptia.* Aldini.
- Nymphæa alba minor.* C.B.P. 193. l.38. 773. *Nymphæa*
parva. Matth.
- Nummularia lutea major.* C. B. Pin. 309. *nummularia*
sive centimorbia. I.B.tom.3. 370. *nummularia major*
flore luteo. Moris.



Cimum viride foliis bullatis . C. B. P. 225. Ocimum bullatum . Volch. Ocimum indicum viride majus, foliis pro- tuberantibus. Eyst.

Ocimum caryophyllum majus . C. B. P. 226. Ocimum odoratum , sive Basilicum . I. B. tom. 3. l. 28. 249. Basilica major Trag. Ocimum majus . Matth.

Ocimum citri odore . C. B. P. 226. Ocimum magnum . I. B. tom. 3. l. 28. 246. Ocimum citratum . Gesn.

Ocimum vulgatius . C. B. P. 226. I. B. tom. 3. l. 28. 247. O- cimum medicum vulgatius adv. 4. Eyst.

Ocimum minimum . C. B. P. 226. I. B. tom. 3. l. 28. 247. O- cimum minimum Amaraci figura Caryophyllum . Lob. Eyst.

Ocimum indicum orientale Sherardi .

Ocimum melissæ odore .

Ocimum indicum styracis liquide odore .

Olea sativa . C. B. P. 472. I. B. tom. 1. l. 6. 1.

Onobrychis arvensis . C. B. P. 215. vel campanula erecta ejusdem . Campanula arvensis minima . Dod. Moris.

Avicularia Sylvy quibusdam . I. B. tom. 2. l. 20. 800. campanula arvensis minima . Dod. elatine . Cæf. speculum Veneris Gerar.

Onobrychis foliis Viciæ fructu echinato major . C. B. P. 350. Polygonon . Gesn. I. B. tom. 2. l. 17. 315. Ono- brychis major siliculis echinatis , cristatis in spica congestis . Moris. Glaux , vel Onobrychis . Gesn. H. Polygala multorum Lgd. Onobrychis . Dodon. Ono- brychis flore rubro . Eyst. Onobrychis . Dod. flore ru- bro . Eyst.

Onobrychis semine clypeato aspero major . C. B. P. 350. Astragalus Romanus , sive Hedyfaram clypearium si- liqua aspera . I. B. tom. 3. l. 17. 315. Onobrychis ma- jor perenni , siliculis articulatis .

- Ophioglossum vulgare. C. B. P. 354. Ophioglossum. I.
B. tom. 3. l. 35. 7. 8. Serpentaria 2. Brunf. Ophioglossum.
Matthiol. Dodon. Lancea Christi, vel luciola. Gesn.
Hort.
- Ophrys bifolia. C.B.P. 87. Orchis bifolia herbaceo flo-
re major. H.L.B. Bifolium majus, sive orchis major
quibusdam. I. B. tom. 2. l. 31. 533. Alisma. Cord.
Gesn. H. Satyrium x. & bifolium. Trag.
- Ophrys trifolia. C.B.P. 87. Persfoliata sylvestris fæmi-
na Brunf. Ophrys trifolia. Tab. M. Gerard.
- Orchis mas latifolia. Fuchs. Cynosorchis latifolia, hi-
ante cucullo major. C. B. Pin. 80. Orchis prior.
Diosc.
- Orchis 4. Dodonei. Lugd. Cynosorchis montana purpu-
rea odorata. C. B. P. 81. Orchis 5. odora serapiada.
Diosc. Trag. Testiculus primus. Matth.
- Orchis, sive Cynosorchis latifolia, hiante cucullo mi-
nor. C.B.Pin.81. Cynosorcnis altera. Dod. Lugd.
- Orchis morio mas foliis maculatis. C.B.P. 81. Orchis
major tota purpurea maculofo folio. I.B.tom.2.l.19.
763. Cynosorchis morio mas. T.M.
- Orchis morio fæmina. C.B.P. 82. Testiculi species ter-
tia. Matth. Orchis angustifolia fæmina altera. Fuchs.
Icon. Orchis minor purpurea cum alis virentibus. I.B.
tom.2. l.19.761.
- Orchis fucum referens, flore subvirente. C.B.P.83. Or-
chis melittias, sive apis cadaverulum exprimens.
Lob. Lugd. Tab. M.
- Orchis fucum referens colore rubiginoso. C. B. P. 81.
Testiculo vulpino similis minor. Adv.
- Orchis muscam referens major. C. B. Pin. 83. Orchis
myodes altera. Gesn. Lob. Lugd. Testiculus muscarius
quartus. T.M.
- Orchis muscæ corpus referens minor : C.B.Pin.83. Or-
chidis quintum genus. Dod.Ger.
- Orchis araneum referens. C. B. Pin.84. orchis andra-
chnitis. Lob. Icon.

Orchis palmata angustifolia minor. C. B. Pin. 85. *Satyrium fæmina*. Brunsf. *Palma Christi major*. Matthiol.

Orchis palmata pratensis maculata: C. B. Pin. 85. *Orchis palmata maculata*. I. B. tom. 2. l. 19. 775. *Satyrion Basilium Græcorum*, & officinarum Christi palma. Ruel.

Oreoselinum Orientale Sefelios Massiliens. folio. Tour. Corall.

Origanum minus chium odoratissimum flore albo ex Triumfetti H.

Origanum sylvestre, cunila bubula Plinii. C. B. P. 223.

Origanum vulgare spontaneum. I. B. tom. 3. l. 28. 236.

Origanum vulgare. Trag. Matth.

Origanum heracleoticum. Cunila gallinacea Plinii. C. B. Pin. 223. *Origanum heracleoticum*. Matth. aliis forte Creticum. I. B. tom. 3. l. 28. 257. *Origanum heracleoticum*. Matth.

Origanum onites. C. B. Pin. 223. *Origanum Monspe- liensium pulchrum Camerarii*. I. B. tom. 3. l. 28. 238. *Origanum Onites*. Matth. marum quibusdam. Dod. Gal. majorana major Anglic. T. M. Ger.

Ornithogalum umbellatum album medium latifolium. C. B. P. 70. *Ornithogalo vulgari simile latiori folio* I. B. tom. 2. 631. *Ornithogalum aliud vulgare*. Clusii hist. 188.

Ornithogalum luteum. C. B. P. 71. *Bulbus*. Trag. *Ornitogalum luteum*. Cord. *Bulbus sylvestris*. Fuchs. flore luteo, sive *Ornithogalum luteum*. I. B. tom. 2. 623. *bulbus sylvestris*: Dod. 222. *Sisyrinchium*. Cord. hist.

Ornithogalum latifolium, & maximum. C. B. P. 70. *Ornithogalum maximum*. Clusii *Ornithogalum*, sive *Lilium Alexandrinum* floribus albis innumerabilibus. Swver. *Ornithogalum umbellatum*. Eyst.

Ornithogalum angustifolium majus, floribus ex albo vi- rescientibus. C. B. P. 70. *Asphodelus fæmina*. Dod. Gal.

Orobus latifolius parvo flore purpureo. C. B. Pin. 351
Galegae nemorensis vernæ similis multiflora flore
purpureo. I. B. tom. 2. l. 17. 345. *Orobus Venetus*
Clusi. *Orobus sylvaticus latifolius* siliquis propen-
dentibus, parvo flore purpureo. *Moris*.
Orobus sylvestris angustifolius Asphodeli radice. C. B.
P. 351. *Orobus Pannonicus tertius*. *Clus.*



Pœonia folio nigricante splendido, quæ mas. C.B.P. 323. Pœonia mas procerior. I. B. tom. 3. l. 30. 492. Pœonia mas. Matth.

Pœonia fæmina flore pleno rubro. majore. C.B. Pin. 324. pœonia flore pleno rubro. I.B. tom. 3. lib. 30. 493. pœonia fæmina multiplici flore. Ges. H.

Pœonia flore exalbido pleno major. C.B.P. 324. pœonia sexta, sive exalbida plena. Clus. pœonia albo flore pleno, sive polyanthos alba fæmina. I.B. tom. 3. l. 30. 494.

Palma major. C. B. P. 506. palma. I.B. tom. 1. lib. 3. 351. palma dactilifera Linscot.

Panax costinum. C. B. P. 156. costus spurius. Matth. herba costa. Cæs.

Panax Sphondylii folio, sive Herculeum. C.B.P. 157. panax heracleum. Matth. Sphondylium alterum. Dod. Sphondylium majus, sive panax heracleum quibusdam. I.B. tom. 3. l. 27. 161.

Panax Asclepium semine folioso. C.B.P. 158. Thapsia Apula Panax Asclepium. column. Park.

Papaver hortense semine albo sativum. C. B. Pin. 170. papaver album. I. B. tom. 3. l. 30. 390. papaver hortense simplex semine albo. Moris. papaver sativum. Matth.

Papaver pleno flore album. C.B Pin. 171. papaver flore multiplo. Gesn. H. Camer. epit.

Papaver pleno flore nigrum. C. B. Pin. 171. papaver nigrum polyanthon. Lob. Ger.

Idem flore roseo.

Idem flore purpureo.

Idem flore variegato.

Idem flore violaceo.

Idem flore suaverubente.

Idem flore incarnato.

Papaver erraticum pleno flore. C. B. Pin. 171. Argemone multiplex. *Trag.* papaver Rhæas flore pleno. *Camer.*

Papaver erraticum majus Rhæas Diosc. *Theoph.* & Plinii. C. B. P. 171. papaver Rhæas. *Lob.* papaver erraticum rubrum campestre. I. B. tom. 3. l. 30. 395.

Papaver erraticum minus. C. B. P. 171. Argemone exigua, & 2. *Trag.* Lugd.

Papaver Africanum perenne flore magno, mali aurantiæ colore. *Volck.*

Papaver corniculatum luteum. C. B. P. 171. I. B. tom. 3. l. 30. 398. papaver corniculatum. *Matth.* papaver cornutum. *Dod. Gal.*

Papaver corniculatum phæniceum hirsutum. C. B. P. 171. I. B. tom. 3. l. 30. 399.

Pastinaca tenuifolia sylvestris Dioscoridis, vel Daucus officinarum. C. B. Pin. 151. pastinaca sylvestris, sive staphylinus Græcorum. I. B. tom. 3. l. 27. 62. pastinaca sylvestris. *Matth.* Dauci tertium genus. *Dod. Gal.*

Pastinaca sativa latifolia. C. B. P. 155. pastinaca sativa latifolia Germanica, luteo flore. I. B. tom. 3. lib. 27. 151. Sisarum sativum magnum. *Fuch.*

Pastinaca minor Germanica. Sisarum Germanorum. C. B. P. 155. Elephaboscum Dioscoridis. *Colum.* Sisar Germanicum. *Cæf.*

Pastinaca sylvestris latifolia. C. B. P. 155. Elephaboscum *Matth.* *Dod.* Spondilium. *Ger.*

Pastinaca tenuifolia sativa radice lutea, vel alba. C. B. P. 151. pastinaca radicibus luteis, vel albis. *Gesn.* H. Carota radice Buxei coloris. *Cæf.* pastinaca sativa, sive Carota lutea. I. B. tom. 3. l. 27. 64.

Pastinaca tenuifolia sativa, radice atrorubente. C. B. P. 151. Carota. *Matth.* Carota radice sanguinei coloris. *Cæf.* pastinaca sativa, sive Carota rubra. I. B. tom. 3. l. 27. 64.

Pentaphyllum album . *Mattb.* Quinquefolium album majus alterum . C. B. P. 325. pentaphyllum album . I.B. tom. 2. lib. 19. 398. pentaphyllum minus rectum subtus incanum, flore albo *Moris.* quinquefolium sylvaticum . T.M.

Pentaphyllum luteum majus . *Dod. Gal. Lugd.* quinquefolium majus repens . C.B. Pin. 352. quinquefolium . *Mattb.* pentaphyllum , sive quinquefolium vulgare repens . I.B. tom. 2. lib. 17. 397. pentaphyllum minus procumbens, flore luteo vulgare radiculas emittens ex geniculis . *Moris.*

Pentaphyllum rectum foliis profunde sectis subtus argenteis, flore luteo . I.B. tom. 2. 1.17. 395. Quinquefolium folio argenteo . C.B. Pin. 325. pentaphyllum tormentillæ facie . *Ger.*

Pentaphyllum rectum majus . I.B. tom. 2. 1.17. Quinquefolium rectum luteum . C.B. Pin. 325. pentaphyllum, seu potius heptaphyllum majus luteum montanum flore majore . *Moris.* Heptaphylon Hermolai . *Cesalp.*

Pentaphyllum , vel quinquefolium minus repens aureum . C.B.P. 325. Quinquefolii quarti secunda species . *Clus. Pan. & hist.*

Pentaphyllum , sive quinquefolium minus . T. M. quinquefolium minus repens lanuginosum luteum . C.B. P. 325. Quinquefolii quarti prima species . *Clus. Pan. & hist.*

Pentaphyllum , vel quinquefolium fragiferum . C.B.P. 326. Fragaria 4. *Trag.* Quinquefolium fragiferum sextum . T. M. & *Clus. hist.* pentaphylloides erectum . I. B. tom. 2. 1.17. 398.

Pentaphyllum supinum tormentillæ facie . *Lob. Lugd.* quinquefolium fragiferum repens . *Lob.* pentaphylloides minus supinum , seu procumbens , foliis alatis Geranii supini instar . *Moris.*

Pentaphyllum argenteum . *Ang.* Tormentilla alpina folio sericeo . C. B. Pin. 326. Argentinas heptaphyla

la montana. Camerar. Alchimillæ alterum genus.
Cæsalp.

Pentaphyllum, vel melius heptaphyllum rectum caule rubente hirsutius. H. C. quinquefolium montanum erectum hirsutum, quod 3. in Prodr. C. B. Pin. 325.

Periclymenum humile. C. B. P. 302. periclymenum minus. T.M. Chamæpericlymenum prutenicum. *clusii Pan.*

Periclymenum non perfoliatum Germanicum. C.B.P. 302. periclymenum, sive Caprifolium non perfoliatum. I.B.tom.2.l.15.104. Caprifolium. *Brunsf.*
Periclymenum perfoliatum. C. B. P. 302. I. B. tom.2. l.15.104. Vinciboscum. *Cæf.*

Perfoliata vulgatissima, sive arvensis. C.B.P. 277. perfoliata simpliciter dicta vulgaris annua. I.B. tom. 3. l.27. 198. perfoliatum vulgatus flore luteo folio umbilicato. *Adv. Lob.*

Persicaria orientalis nicotianæ folio, calice florum purpureo. *Tournef.* Coroll. 38. altissima est, & arboreascens.

Persicaria urens, seu hydropiper. C.B. P. 101. persicaria acris, sive hydropiper. I.B.tom.3.lib.38. 580. hydropiper. *Fuchs. Ang.*

Persicaria mitis maculosa, & non maculosa. C.B. Pin. 101. plumbago Plinii quibusdam. *Lugd.*

Pinus sativa. C.B.Pin. 491. pinus ossiculis duris, foliis longis. I. B. tom. 1. l.9. 248. pinus urbana foliò perpetuo. *Theoph.* pinus domestica. *Matth.*

Pinus sylvestris. C.B.P. 49. pinus sylvestris montana. *Theoph.* sylvestris pinus. *Matth.*

Pinus pumila Africana fructu parvo, cortice subtilissimo. *Valisneyii.*

Peucedanum majus Italicum. C. B. P. 149. *Moris. Umbel.* 36. I.B.tom. 3.l.27. 36. peucedanum *Matth.*

Phalangium magno flore. C.B.P. 29. phalangium Alobrögicum magno flore lili. *Moris.* phalangium lili flo-

flore . I. B. tom. 219. 636. Asphodelus allabrogicus magno flore lili . H. L.B. phalangium Matth. phalangium Allobrogicum majus. Clusi.

Phalangium parvo flore non ramosum. C. B. Pin. 29. phalangites quorundam. Cord. in Diosc. phalangium non ramosum. Lob. Dod. phalangium pulchrius non ramosum . I. B. tom. 2. l. 19. 635.

Phalangium parvo flore ramosum. C. B. Pin. 29. Moly alterum Plinii . Dod. Gal. Phalangium ramosum. Lob. Dod. Phalangium parvo flore quibusdam ramosius. I. B. tom. 2. l. 19. 635.

Phalangium Virginianum vulgo dictum . Phalangium indicum flore violaceo . Cath. H. Pat. Allium , sive Moly Virginianum . C. B. P. app. 520. Ephemerum Virginianum Tradescanti. Park. Phalangium Virginianum foliis latioribus radice repente flore tripetalo ceruleo . Moris. hist.

Phaseolus Americanus frutescens minor, flore atrorubente .

Phaseolus hispanicus fructu albo compresso lunato .

Phaseolus minor fructu croceo insulæ sancti Jacobi .

Phaseolus Turcicus , seu peregrinus hortensi affinis, semine lato , albo multis nigris venis striato . C. B. Pin. 340. Phaseoli peregrini primi genus alterum . Clus.

Phaseolus peregrinus primo similis fructu lato albo striato . C. B. P. 340. Phaseolus peregrinus . Clusi .

Phaseolus peregrinus Anagyridis fructui similis ex nigro subvirescente . C. B. P. 240. Phaseolus peregrinus . v. Clusii . H.

Phaseolus peregrinus Anagyridis fructui similis colore rubescente . C. B. Pin. 340. phaseolus peregrinus 3. Clusii .

Phaseolus peregrinus minori fructu albo nigris maculis insignito . C. B. P. 340. phaseolus peregrinus 4. Alubias de indias . Clusii .

Phaseolus peregrinus fructu toto albo major .

- Phaseolus Æthyopicus lobis nigris venis asperis, fructu atrosplendente.* C.B.P. 340.
- Phaseolus Ægyptiacus nigro semine.* C.B.P. 341. *phaseolus niger lablab vocatus Alpini, phaseoli genus leplap. sive Lablab.* *Clus. cur. post.*
- Phaseolus Ægyptiacus semine rufo.* C.B.P. 331. *Lablab. alterum rufum Alpini Clusi. Dod.*
- Phaseolus Americanus semine hirsuto.*
- Phaseolus peregrinus fructu subrubente nigris striis variegato alter.* C.B.P. 340. *phaseolus peregrinus XII.* *Clus. hist.*
- Phlomis hispanica candidissima herbacea.* *Sherard.*
- Pilosella major repens hirsuta.* C.B.P. 262. *pilosella majori flore, sive vulgaris.* I.B.tom.2. l.24 1039. *auricula muris.* *Brunf.* *pilosella Matth.* *pilosella major.* *Fuchs.*
- Pilosella major erecta altera.* C.B.P. 262. *pilosella major prima.* T.M. *pilosella major latifolia.* *Ger.*
- Pimpinella saxifraga major altera.* C.B.P. 159. *saxifraga minor foliis sanguisorbæ.* H.L.B. *pimpinella saxifraga minor.* *Moris. Umbel.* 12. *Saxifraga hircina minor foliis Sanguisorbæ.* I.B.tom.3. l.27. 109. *Tragofelinum minus.* T.M. *pimpinella, sive saxifraga major.* *Ger.*
- Pimpinella Saxifraga major umbella candida.* C.B.P. 159. *saxifraga major umbella candida.* H.L.B. *Pimpinella saxifraga major.* *Moris. Umbel.* 12. *saxifraga hircina major.* I.B.tom.3.l.27. 109. *Tragofelinum majus.* T.M.
- Pimpinella saxifraga major umbella rubente.* C.B.P. 159. *saxifraga major in alpibus flôre rubente.* *Gesn. Hort.*
- Pimpinella saxifraga minor.* C.B.P. 160. *Tragofelinum petreum.* T.M. *Daucus Selinoides.* *Cord. hist.* *Saxifraga minor crispa, umbella candida.* H.L.B. *saxifraga hircina minima, pimpinella crispa.* *Trag.* I.B.tom.3. l.27. 113.

Pimpinella sanguisorba major. C.B.P. 160. pimpinella spica brevi rubra. *Moris.* sanguisorba major flore spadiceo. I.B.tom.3. l. 27. 120. Pimpinella seu sanguisorba major. *Matth.* sideritis 2. *Dioscoridis* major. *Colum.*

Pimpinella major rigida, præalta, auriculata Sabauda. *Bocc. Mus.* Pimpinella auriculata Sabauda rigida ejusdem ex *Tournef.* 157.

Pimpinella sanguisorba minor hirsuta. C.B.P 160. sanguisorba minor. I.B.tom.3. Port. 2. 113. pimpinella sanguisorba. *Dod.* 105. pimpinella italicæ. *Trag.* sideritis 2. *Diosc.* minor. *Column.*

Pimpinella sanguisorba minor levis. C.B.P. 160. sanguisorba minor. I.B.tom.3. l.27. 113. pimpinella spica brevi minor levis, non pilosa. *Moris. Umbel.* 57. pimpinella sativa levis. *Gesn. H.*

Pimpinella spinosa cretica. *Cath. H. Pat.* pimpinella spinosa, seu sempervirens. *Moris. Umbel.* 57. Poterio affinis foliis pimpinellæ spinosa : C. B. P. 388. poterium quibusdam, sive pimpinella spinosa. I. B. tom. 1. par.2. 410. Chalcios, sive ereria. *Ang. Chalcejon Anguillaræ. Lugd. Clus. hisp.* pimpinella spinosa. *Clus. hisp. Camer.* stæbe legitima. *Diosc. Belli.*

Pyrola rotundifolia major. C.B.Pin. 191. pyrola I.B. tom.3. l.31. 135. pyrola *Matth.* Limonium *Fuch.* & *Lon.*

Pyrola folio mucronato ferrato. C.B.P. 191. I.B.tom.3. l.3. 536. Ambrosia Dalechampii in *Diosc.* Ambrosia montana. *Lugd.* pyrola minor. *Thal.*

Pyri sativæ varia arte, & mangonio productæ species multivariæ.

Pisum hortense fructu rubro lituris distincto : an pisum maximum fructu nigra linea maculato. H. R. *Parif. Tournef.* 394.

Pisum hortense majus. C.B.P. 342. pisum ramulare hilo nigro. *Moris. hisp.* pisum majus *Matth.*

Pisum humile caule firmo. *Tourn.* 394. pisa nana rotun-

tunda sine adminiculis recta . H.R. Paris. pisa nana
rotunda . Moris. H.R. Bles.

Pisum vesicarium fructu nigro alba macula notato . C.
B.P. 343. Halicacabum peregrinum . Fuch. pisum cor-
datum Adv. Lob. Corindum , sive haliacacabum pere-
grinum multis . I.B. tom. 2. l. 15. 173.

Pisum arvense . C.B.P. 342. pisum spontaneum nanum
inter triticum . Moris. pisa arvensia . I.B. tom. 2. l. 17.
267. pisum minus . Matth.

Pistacia peregrina fructu racemoso , sive Therebinthus
indica . Theoph. C.B.P. 401. pistacia . I. B. tom. 1. l. 3.
275.

Plantago latifolia sinuata . C.B.P. 189. Plantago major
folio glabro, non laciniato ut plurimum . I.B. tom. 3.
l. 31. 503. plantago major . Matth.

Plantago latifolia rosea , floribus quasi in spicam dis-
positis . C.B.P. 189. plantago rosea Adv. Lob. Lugd. plan-
tago multiplex . T.M.

Plantago latifolia rosea flore expanso . C.B.P. 189. plan-
tago rosea . Cam. Adv. Lob. Icon.

Plantago angustifolia major . C.B.P. 189. plantago mi-
nor . Brunf. Fuchs. Dod. Lanceola major . Cæsalp.

Plantago angustifolia minor . C.B.P. 189. T.M. Ger. plan-
tago pentaneuros minor . Thal. Lanceola minor .
Cæsalp.

Plantago aquatica latifolia . C.B.P. 190. plantago aquati-
ca . I.B. tom. 3. l. 38. 787. plantago aquatica . Matth.
Limonium . Anguil.

Plantago aquatica angustifolia . C. B. P. 190. plantago
humilis angustifolia . I.B. tom. 3. l. 38. 788. plantago ap-
quatica minor . Cæsalp. plantago aquatica humilis .
Ger.

Polygala major . C.B.P. 215. polygala vulgaris major .
Clus. polygala major . T.M. flore cæruleo . Polygala
vulgaris major . I.B. tom. 3. 387.

Polygala vulgaris . C.B.P. 215. polygalon multis . I. B.
tom. 3. 386. polygala cærulea . T.M. Icon. 831. poly-
gala

gala recentiorum. *Adv. Lob.* flos ambervalis. *Dod.*
Onobrychis vera. *Diosc. Lob.* *Adv.* amarella *Gesn.* e-
 pift.

Polygonatum latifolium vulgare. *C.B.P.* 303. polygo-
 natum, vulgo sigillum Salomonis. *I. B.* tom. 3. l. 31.
 519. sigillum Salomonis, *Brunf. Gesn.* *H. Frassinella*
Ang. Cæs.

Polygonatum angustifolium non ramosum. *C.B.P.* 303.
 polygonatum angustifolium. *I.B.* tom. 3. l. 31. 531. Si-
 gillum salomonis angustifolium *Trag.*

Polygonatum spicatum sterile. *Corn.* 32. cap. 13. Smilax
 spicata Polygonati folio. *Tournef.* 654.

Polypodium vulgare. *C.B.Pin.* 359. polypodium. *I. B.*
 tom. 3. l. 37. 746.

Polium montanum album. *C.B.P.* 221. an polium mon-
 spessulanum. *I.B.* tom. 3. l. 28. 299. polium montanum
 primum *lus.*

Polium montanum repens. *C.B.P.* 221. polium & re-
 pens. *Dod.* polium montanum alterum. *Cæs.* polium
 montanum supinum minimum. *Lob. Lugd.*

Polium maritimum supinum Venetum. *C. B. P.* 221.
 polium Venetum. *I. B.* tom. 3. l. 28. 300. polium. *I.*
Dod. Gal. Origanum 3. genuinum. *Diosc. Quadr.* hyss-
 opus Apulus *Diosc.* & serapionis. *Column.*

Portulaca latifolia, seu sativa. *C.B. Pin.* 288. portu-
 laca hortensis latifolia. *I.B.* tom. 3. l. 35. 678. portu-
 laca latioribus foliis *Cæs.*

Portulaca angustifolia, sive sylvestris. *C.B.P.* 288. por-
 tulaca sylvestris. *Trag. Matth.*

Portulaca latifolia foliis flavis. *Moris.* portulaca fla-
 vescens, seu foliis aureis. *Cath. H.R.* *Parif.*

Portulaca Americana capparidis folio, seu latifolia e-
 recta floribus albis. *Par. Bat.*

Portulaca corassavica lanuginosa procumbens *Par. Bat.*
 portulaca corassavica lanuginosa psyllii folio humili-
 or, & supina, flore saturatius rubente. *Par. Bat.*
Prodr.

Primulæ veris minoris altera species. Dod. Verbasculum sylvestre minus singulari flore. C.B.P. 242. primula sylvarum floribus obscure virentibus simbriatis. *Adv. Lob. Lugd.*

Eadem flore rubente, sive *Primula veris Constantiopolitana*, flore minore purpureo. *Tournef.* 125. Verbasculum Turcicum, sive Carchichec Turcarum flore purpureo minore H. Edi.

Eadem *Primula veris Constantinopolitana* flore dilute purpureo. *Tournef.* 125. Carchichec Turcarum, sive *primula veris Constantinopolitana*. *Corn.* 85. Verbasculum Constantinopolitanum H.R. *Paris.*

Primula veris constantinopolitana flore luteo. *Tourn.* 125. Verbasculum Constantinopolitanum flore luteo. *H.R. Paris.*

Eiusdem species colore, & florum magnitudine variæ.

Primula veris flore pleno singulari. Verbasculum sylvestre magno flore pleno. C.B.P. 242. primula veris floribus plenis ex singularibus pediculis. I.B.tom. 3. l. 30. 497.

Primula veris hortensis umbellata major, flore simpli- ci luteo. Verbasculum alpinus umbellatum majus. C.B.P. 242. paralitica alpina, sanicula angustifolia major. *Lob. Lugd.*

Psyllium majus supinum. C.B.P. 191. I.B.tom. 3. l. 31. 513. *Psyllium alterum*. Matth. *Psyllium perenne*. Gesn.

Psyllium majus erectum. C.B.P. 191. I.B.tom. 3. l. 31. 513. *psyllium*. Trag. Matth.

Pulegium latifolium. C.B.P. 222. *pulegium*. I.B.tom. 3. l. 28. 256. *pulegium* Matth.

Pulegium angustifolium. C.B.P. 222. *pulegium cervinum*. Gesn. H. *Lugd. Camer.* *pulegium creticum*, & *Massilioticum*. T.M. *pulegium cervinum angustifolium*. I.B.tom. 3. l. 28. 257. flore purpureo. *mentha aquatica* saturejæ folio *Tourn.* 190.

Pulegium origani folio creticum. H. Pat. clinopodium
perenne patavinum, Ocimi subrotundo folio, pulegii
odore Bocc. mus. 47. tab. 45.

Pulmonaria altera. Matth. symphytum maculosum, si-
ve pulmonaria latifolia. C.B.Pin. 249.

Pulmonaria angustifolia, rubente cæruleo flore. C.B.P.
260. pulmonaria foliis echii Lob. Icon. Ger. pulmona-
ria rubro flore foliis Echii tom. 3. l. 33. 597.

Pulsatilla flore albo. C.B.P. 177. pulsatilla alba. Lob.
Lugd. pulsatilla flore candido. Dod. Anemone alpi-
na. Gesn. H. Anemone sylvestris 2. Clus.

Pulsatilla flore minore nigricante. C.B.P. 177. Pulta-
tilla altera. Dod. Lugd. pulsatilla vulgaris saturatio-
re flore. Clusii. Pon. & bist.



Hodia radix. C.B.P. 286. I.B. tom. 3. l. 35. 682. *Telephium radice rosam spirante majus.* H. L. B. *Radix Rhodia.* *Matth. Trag.* *Anguil.* *Dod.* *Rosea radix.* T.M. *Rhodia, sive rosea radix.* Fuchs. *Adv. Lob.*

Ranunculus nemorosus luteus. C.B. P. 178. *Ranunculus phragmites luteus nemorosus.* I.B. to. 3. l. 30. 413. *Ranunculi 4. species lutea.* Fuch. *Dod.* *Gal.* *Lugd.* *Anemone nemorum lutea.* Ger. *Ranunculus nemorosus, vel sylvaticus folio rotundo.* C. B. P. 178. *Ranunculus auricomus.* *Dod.* *Gal* *Lob.* *Icon.* *Tbal.* *Polyanthemum.* *Angui.* *Ranunculus rotundifolius vernus sylvaticus.* I.B. tom. 3. app. 841. *an Ranunculus rotundifolius vernus sylvaticus major, sive Cassubicus foliis Thoræ, seu Calthæ.* Breyn. *Prodr.* 45. H.L.B.

Ranunculus nemorosus albus. *Ranunculus phragmites albus vernus.* I.B. tom. 3. l. 30. 412.

Ranunculus pratensis erectus acris. C. B. P. 178. *Ranunculus pratensis surrectis caulinis.* Lob. *Ranunculus rectus non repens, flore simplici luteo.* I.B. tom. 3. l. 30. 416.

Ranunculus pratensis erectus dulcis. C.B.P. 179. *Ranunculus surrectis caulinis.* Ger. *Chrysanthemum simplex.* Fuch.

Ranunculus pratensis repens hirsutus. C.B.P. 179. *Ranunculus pratensis reptante caulinulo.* Lob. *Ranunculus vinealis.* T. M. *Ranunculus repens flore luteo simplici.* I.B. tom. 3. l. 30. 419. *Ranunculus pratensis procumbens, aut inclinans, hirsutus.* Moris. bist.

Ranunculus pratensis radice verticilli modo rotunda. C.B. P. 179. *Crus Galli.* Brunf. *Coronopus parvus ejusdem.* Batrachion Apuleii. *Dod.* *Gal.* *Ranunculus tuberosus major.* I.B. tom. 3. l. 30. 417.

Ranunculus arvensis parvus folio trifido. C.B. P. 179.

Ranunculus

- Ranunculus minimus Apulus. *Colum.*
 Ranunculus hortensis erectus flore pleno. C.B.P. 179.
 Ranunculus multiplex. *Fuchs.* Ranunculus 3. flore
 multiplici. *Trag.* Ranunculus multiplex. *Fuchs.* po-
 lyanthemos. *Adv. Lob.*
 Ranunculus arvensis echinatus. C.B.P. 179. Ranunculus
 arvorum. *Lob. Icon. Ger.* Ranunculus arven-
 sis. *Gesn.* Ranunculus arvensis echinatus. I.B.tom.
 3. append. 859.
 Ranunculus palustris echinatus sub 3. in *Prodr.* C.B.
 Pin. 180. Ranunculus Apuleii quibusdam. *Clusi-*
bist.
 Ranunculus palustris Apii folio lævis. C.B. Pin. 180.
 Ranunculus, & Sardonia. *Diosc.* scelerata Apuleii.
 Ranunculus primus. *Matth.* ranunculus ptimus.
Matth. Ranunculus palustris flore minimo. I.B. to.
 3. append. 808.
 Ranunculus palustris Apii folio lanuginosus. C.B. Pin.
 180. Ranunculus Sardonicus. *Anguil.* Ranunculus 2.
Matth. Lugd.
 Ranunculus lanuginosus angustifolius grumosa radice
 major. C.B. Pin. 181. Ranunculus Illiricus major.
Clusi bist.
 Ranunculus montanus Aconiti folio flore globoso. C.B.P. 182. Ranunculus montanus alpinus glomeratus.
Lob. ranunculus 6. *Matth. Lugd.* 3. *Matth. Lac. Thal.*
 Ranunculus flore globoso, quibusdam Trollius flos.
 I.B.tom.3. l.30. 419. Helleborus ranunculoides flore
 globoso. H.L.B.
 Ranunculus montanus latissimo folio hirsutus. C.B.P.
 182. Ranunculus platiphyllus flore luteo. *Clus. Pan.*
 Ranunculus aquatilis albus fluitans Peucedani foliis.
 H.L.B. Ranunculus, sive polyanthemo aquatili albo
 affinis, sive millefolium maratriphyllum fluitans.
 I.B.tom.3. l.38. 782. Millefolium foliis fœniculi, ra-
 nunculi flore, & capitulo. C.B.P. 141.
 Ranunculus rutaceo folio flore pleno. H.L.B. Ranun-

- culus rutæ folio serotinus flore aureo pleno. C.H.
 R.P. Ranunculus flavus multiplex folio rutæ. Ferr.
Fl. cul. 340.
 Idem flore elegantissimo variegato.
 Idem flore albo lineis rubris notato.
 Ranunculus grumosa radice, flore flavo vario. C.B.P.
 181. Ranunculus Asiaticus grumosa radice, flore fla-
 vo rubris venis distincto. *Clus. cur. post Eyst.*
 Ranunculus latifolius bullatus asphodeli radice. C. B.
 P. 181. Ranunculus Lusitanicus. *Clus.* Ranunculus
 Lusitanicus autumnalis. *Lob. obs.*
 Ranunculus Asphodeli radice, flore sanguineo C.B.P.
 181. Ranunculus Asiaticus grumosa radice pleno flo-
 re. *Clus. hist.* Ranunculus Constantinopolitanus flo-
 re sanguineo pleno. I. B. tom. 3. app. 864.
 Ranunculus Asphodeli radice flore subphænicio ru-
 bente. C. B. P. 181. Ranunculus Asiaticus grumosa
 radice pleno flore 2. *Clusii hist.*
 Ranunculus Asphodeli radice prolifer miniatus. C.B.
 P. 181. Ranunculus Asiaticus grumosa radice flore
 pleno sanguineo prolifico. *Eyst.* Ranunculus Asiati-
 cus grumosa radice pleno flore 3. *Clus. hist.*
 Ranunculus Asphodeli radice flore albo, potius candi-
 diffissimo pleno : an Ranunculus Asphodeli radice
 flore pleno magno albo roseo. Hort. Reg. Mons.
Tournef. 288. Ranunculus roseo flore quoad formam,
 non colorem intelligendus.
 Ranunculus Asphodeli radice flore pleno in medio vi-
 ridi: an Ranunculus asphodeli radice flore pleno ex
 albo virescente. H. R. Mons. *Tournef.* 288.
 Ranunculus Asphodeli radice Constantinopolitana tri-
 phyllos, flore albo pleno stellato.
 Ranunculus Asphodeli radice flore magno aureo.
 Ranunculus Asphodeli radice flore pleno variegato, A-
 nemones facie.
 Ranunculus Asphodeli radice, flore pleno roseo.
 Idem flore pleno carneo albicante.

- Ranunculus Asphodeli radice minor flore pleno persicino.
- Ranunculus Asphodeli radice flore pleno phænicio.
- Ranunculus alpinus humilis rotundifolius flore maiore. C.B.Pin. 181. Ranunculus montanus minimus. Gesn. H.
- Ranunculus Cyclaminis folio, Asphodeli radice major. Tournef. 285. Ranunculus alpinus Cyclaminis folio, sive Ranunculus rotundifolius alpinus flore parvo grumosa radice, Thora major dictus. Thora Valdensis. Clus. Aconitum pardalianches 1. seu Thora major. C.B.P. 184.
- Idem minor, sive Aconitum pardalianches alterum, sive Thora minor. C.B.P. 184.
- Raphanus Rusticanus. C.B.P. 96. Raphanus sylvestris, sive Armoracia multis. I.B.tom. 2. l. 21. 851. Thlaspi alterum. Diosc. Raphanus sylvestris, seu Armoracia Plinii quibus Armoracia, aut Raphanus major. Brunf.
- Raphanus aquaticus foliis in profundas lacinias divisus. C.B.P. 97. Radicula sylvestris Dod. Sisymbrium sylvestre. Cæs. Raphanus aquaticus. T.M. I. B. tom. 2. l. 21. 867.
- Raphanus aquaticus alter. C. B.P. 97. sed in app. pin. 518. corrigit, & scribit Rapistri folio Raphanus aquaticus p. 518. Rapistrum aquaticum. T.M. Ger. radicula sylvestris, sive palustris. I.B.tom. 2. l. 21. 867.
- Rapistrum flore luteo. C.B.P. 95. Sinapi arvense præcox, semine nigro. Moris. Sinapi agreste. Trag. Rapistrum arvorum. Adv. Lob. Icon. Fuchs.
- Rapunculus vulgaris monspessulanus. I.B.tom. 2. l. 20. 795. campanula radice esculenta flore cæruleo. H. L.B.
- Rapunculus pirenaicus Virgæ Aureæ folio ex Tournefortio: an Rapuntium Americanum virgæ aureæ foliis parvo flore subcæruleo. Tournef. 163.
- Rapunculus spicatus. C.B.P. 92. Rapunculus spicatus,

- sive comosus cæruleus. I.B.to 2.l.20. 809. Rapunculus corniculatus Spicatus, seu alopecuroides. Mor. Rapuntium majus. Ger. Rapuntium majus alopecuroides comoso flore. Adv. Lob. phyteuma foliis rapunculi. Cæs.
- Rapunculus scabiose capitulo ceruleo. C. B. P. 92. scabiosa media serrato angustifolio flore globulariæ. Ado. scabiosa globularis, quam ovinam non inant. I.B.tom.3. l.25. 12.
- Rapunculus hortensis folio latiori, seu pyramidalis. C. B.P.93. pyramidalis lævis. I.B.tom.2. l.20.808. Campanula major lactescens. Lob. Morif.
- Rapunculus persicifolius magno flore. C.B.P.93. campanula persicifolia. Lob.Clus. phyteuma. Matth. campanula angustifolia cærulea I.B.tom.2. l.20. 803. Idem flore albo. campanula angustifolia alba. I.B.to. 2. l. 20. 803.
- Rapunculus umbellatus folio gramineo. C.B.P.92. Rapuntium alterum angustifolium alpinum. Colum.
- Rapunculus alpinus corniculatus. C.B.Pin. 93. Tracheliūm petréum minus. Fons Rapuntio corniculato affinis. Colum.
- Rapunculus campanulatus linifolius, seu 7. Thal. campanula minor rotundifolia vulgaris. C. B. P. 93. Campanula rotundifolia. Ger. Campanula minor alpina rotundioribus imis foliis. Clus.hist.
- Rapunculus, idest Campanula minor rotundifolia minor alpina. C.B P.93. Campanula minor alpina. clus.
- Reseda lutea maxima. C. B. P. 100. Reseda maxima. Lob. Reseda major. Thal. Reseda lutea. Lugd. Sesamoides magnum. Lac.
- Reseda vulgaris. C.B.P. 100. Reseda plinii. Ger. Eyst. Neotericorum Erucago vulgaris Colum. Eruca peregrina, italica, vel cantabrica. Adv. Lob. Reseda lutea. I.B.tom.3. l.30. 467.
- Resedæ affinis phyteuma. C.B.P.100. phyteuma monspeliensium. Gesn. sesamoides patrum Lacunæ. Se-

- samoides tertium. Cæsalp. Reseda phyteuma dicta.
H.L.B. phyteuma. I.B. tom. 3. l. 29. 386.
Rhaponticum folio lapathi majoris glabro. C.B.P. 117.
Rhaponticum Thracicum Alpino exot. 188.
Rhaponticum folio Helenii incano. C.B.P. 117. Rha-
capitatum folio Enulæ, centaurii majoris facie.
Adv. Loh. Rha capitatum. *Ger.* Rha helenii folio.
Lugd.
Rhamnus salicis folio angusto, fructu flavescente. C.
B.P. 477. Rhamnus, vel oleaster Germanicus. I.B.
tom. i. l. 6. 33. Rhamnus 2. Matth. Oleaster Germa-
nicus. *Cord. hist.* & in *Diosc.*
Rhamnus folio subrotundo fructu compresso. C.B.P.
477. paliurus. Dod. Rhamnus, sive paliurus folio
jujubino. I.B. tom. i. l. 6. 33. Rhamnus 3. *Diosc.* spina
judaica Crescentio. paliurus frutex. Gesn.
Rhamnus palestinus spinis longissimis, & acutissimis
flore violaceo.
Ricinus vulgaris. C.B.P. 432. I.B. tom. 3. l. 34. 642. Ri-
cinus. Matth. Fucb. Dod. Mira sole Italica. Guil. epist.
phaseolus Romanus Tuscis. Marc. Virg.
Ricinus Americanus minor. C.B.P. 432. Eravvay, Ri-
cini pusillum genus. Clusii exot. l. 2. c. 21.
Ricinus Americanus perennis folio ficolatiori, caule ru-
bro: an Ricinus Africanus maximus caule genicula-
to rutilante. H.R. Paris.
Ricinus Americanus major caule virescente. cath. H.
R. Paris.
Rosa rubra. C.B.P. 481. I.B. tom. 3. l. 14. 34. Rosa mi-
lesia Plinii. Rosa domestica purpurea. Matth.
Rosa purpurea. C.B.P. 481. Rosa Domestica carnis co-
lorem referens. Matth. Rosa sativa purpurea. Cost.
Rosa rubello flore majore multiplicato, sive pleno,
incarnata vulgo. I.B. tom. 2. l. 14. 36.
Rosa versicolor. C.B.P. 481. Rosa Prænestina versico-
lor. Clus. hist.
Rosa maxima multiplex. C.B.P. 481. Rosa centifolia

- Batavica rubra. *Clus.* H. *Eyst.* Rosa hollandica ru-
bella plena, quibusdam centifolia spinoso frutice. I.
B. tom. 2. l. 14. 37.
- Rosa milesia flore rubro pleno, vulgo Rosa fina. C.
B.P. 481.
- Rosa ex rubro nigricante flore pleno. C. B.P. 481.
- Rosa alba vulgaris major. C.B. Pin. 482. Rosa campa-
na Plinii Rosa domestica alba. *Matth.* Rosa candi-
da semiplena I.B. tom. 2. l. 14. 44.
- Rosa moscata simplici flore. C.B.P. 482. Rosa mosca-
ta, & Damascena. *Matth.* Rosa moscata major.
I.B. tom. 2. l. 14. 45.
- Rosa moscata flore pleno. C.B.P. 482. Rosa coroneo-
la Plinii. Rosa muscatula multifolia. *Cæsalp.*
- Rosa sylvestris vulgaris, flore odorato incarnato. C.
B. Pin. 483. Rosa sylvestris alba cum rubore glabra.
I. B. tom. 2. l. 14. 43. Cynosbatos Dioscoridis. *Lon. Adv.*
Cynorrhodos, seu Rosa canina. *Thal.* Rosa cani-
na odorata, & sylvestris. *Lob.*
- Rosa campestris spinosissima flore albo odoro. C.B.P.
483. Cynorrhodon polyacantos. *Lugd.* Rosa pumila
spinosisima foliis pimpinellæ glabris flore albo. I.
B. tom. 2. l. 14. 40.
- Rosa lutea multiplex. C.B.P. 483. Rosa flava plena.
Clusi: Rosa lutea maxima flore pleno. *Eyst.* Rosa lu-
tea flore pleno. I.B. tom. 2. l. 14. 48.
- Rosa sylvestris pomifera minor. C.B.P. 484. Rosa syl-
vestris pomifera. *Adv.* *Lob.* *Lugd.* Rosa arvina. T.
M. Rosa pimpinella *Ger.* Cynorrhodi species. *Thal.*
- Rosa punicea. *Corn.* 11. Rosa sylvestris Austriaca flo-
re phæniceo. *Park.* Th. 1019. *ex Tournef.* 475. Rosa
simplex phæniceo colore adversa parte luteo, odore
mellino. Rosa flore flavo simplex, Leonia dicta.
Cat. H.P.
- Rubia tinctorum sativa. C. B. P. 333. Rubia sativa.
I.B. tom. 2. l. 36. 715. Thapsia Asclepiadis. *Anguil.*
- Rubia sylvestris levigata. C.B.P. 333. Rubia sylvestris.
Mat-

- Matth.* Lappago Plinio. *cesalp.* *Rubia angulosa* aspera, & parva Genuensis. I.B. tom. 2. l. 46. 715.
Rubia cynanchica. C.B.P. 333. *Asperula herba repens*.
Gesn. Col. *Gallium tetraphyllum montanum cruciatum*. *colum.* *Rubia Cynanchica*. I.B. tom. 3. 36. 723.
Rubia maritima. C.B.P. 334. *Rubia marina Narbonense*. *Adv. Lob. Dod. Clus.* *Erythrodanum marinum*.
Lugd.
Rubia quadrifolia, vel *latifolia levis*. C.B.P. 334. *Rubia levis Taurinensium*: *Lob. Lugd.*
Rubia Pyrenaica minor argentea flore niveo ex Tournef.
Rubeola arvensis repens cærulea, quæ v. in prodr. C. B.P. 334.
Rubus sicus spinosus flore, & fructu luteo ex H. Cath.
Rubus alpinus humilis. *Gesn.* *Chamerubus saxatilis*. C.B.P. 479. *Rubus saxatilis*, sive *petræus*, sive *alpinus*. *Clusii Pan. & hist.*
Ruscus. C. B. P. 470. I. B. tom. 1. l. 5. 579. *Ruscus Matth.*
Ruta hortensis latifolia. C.B.P. 336. *Ruta sativa* vel *hortensis*. I.B. tom. 3. l. 26. 697. *Ruta*. *Matth.*
Ruta sylvestris flore magno albo. C.B.P. 336. *Ruta sylvestris Harmala*: *Matth.* *Harmala syriaca*. *Adv. Lob.* *Ruta*, quæ dici solet *Harmala*. I.B. tom. 2. l. 26. 200.
Ruta chaleensis latifolia, florum pétalis villis scutentibus. *H.L.B. Tourn.* 257.



Abina folio Tamarisci. *Diosc.* C.B.P. 487. Sabina sterilis. I.B.tom.1. l. 9. 288. sabina sine baccis, sive sterilis. *Matth.* Sagitta aquatica major. C.B.P. 194. sagitta major. *Matth.* Barba sylvana recentioribus. *Cesalp.* Pistana magonis, sive sagittaria, aquatica Plinii.

Adv. Lob.

Sagitta aquatica minor angustifolia. C.B.P. 194. sagitta minor angustifolia. T.M. *Ger.* Phleos, sive stæbe *Theoph.* sagitta minor angustifolia. I.B.tom.3. l. 38.

789.

Salix latifolia rotunda. I.B. Pin. 474. *salix latifolia* inferne hirsuta. I.B.tom.1. l. 8. 215. *salix lato folio* *Gesn.* Chaleb syrorum. *Gesn.* H. *salix caprea rotundifolia*, T.M. *Ger.*

Salix alpina angustifolia repens non incana, quæ. V. in *Prodr.* C.B.P. 474.

Salix pumila brevi angustoque folio incano. C.B.P. 474. *salix pumila angustifolia altera*. *Clusi*.

Salvia major, an Sphacelus Theophrasti. C.B.P. 237. *salvia latifolia*. I.B.tom.3. l. 28. 305. *salvia major*. *Matth.*

Salvia Africana frutescens rotundioribus foliis flore magnio ferrugineo. *Salvia syriaca cisti feminæ foliis acetabulis moluccæ*. *Breyn. cent.* 1, 170.

Salvia nigra. C.B.P. 237. *salvia major alba*. *Dod.*

Salvia minor aurita, & non aurita. C.B.P. 237. *Salvia minor auriculata* I.B.tom.3. l. 28. 305. *Salvia nobilis*. *Brunsf.* *Salvia minor*. *Matth.* *Salvia tenuifolia auriculata*. *Camer.*

Salvia folio tenuiore. C.B.P. 237. *Salvia tenuifolia*. I.B.tom.3. l. 28. 306. *salvia hispanica flore albo*. *Eyst.* *Salvia odoratissima*. *Cam.*

Sal-

Salvia foliis ex luteo, & viridi variegatis C. H. Reg.
Paris. 160.

Salvia foliis ex luteo purpureo, & viridi variegatis. |
Salvia Africana latissimo folio criso mollib. lanugino-
sis.

Eadem foliis ex purpureo, & albo variis. C. H. R.
Paris 160.

Salvia sylvestris. *Trag.* *Scordium alterum*, sive *salvia sylvestris*. C.B.P. 247. *scorodonia*. *Cord.* *Salvia agrestis*, sive *sphacelus*. *Dod.* *Lugd.* *Sphacelns sylvestris*. *Dod.* *Gal.* *Scordium folio salviæ*, sive *scorodotis*. I. B.tom. 3. l. 28. 292.

Sambucus racemosa rubra. C.B.P. 456. *Sambucus racemosa acinis rubris*. I.B.tom. 1. l. 5. 551. *Sambucus montana*. *Matth.* *Sambucus sylvestris*, sive *montana*. *Lugd.*

Sambucus laciniato folio. C.B.P. 456. *Sambucus foliis laciniatis*. *Lob.* *Sambucus laciniata*. I.B.tom. 1. l. 5. 549.

Sambucus aquatica flore globoſo pleno. C.B.P. 456. *sambucus rosea*. I.B.tom. 1. l. 5. 553. *Sambucus rosea*. *Adv.* *Lob.* *rosea* quoad formam : nam candidissima est.

Sambucus humilis, sive *Ebulus folio laciniato*. C.B.P. 456. *Ebulus laciniata*. *Ponæ Ital.*

Sanicula montana latifolia laciniata. C.B.P. 243. *primula Veris montana laciniata*. H. L. B. *Sanicula montana latifolia laciniata*: *Moris*. *Cortusa*. *Matth.* *Garyophyllata Veronensium flore saniculæ ursinæ*. *Adv.* *Lob.*

Sanicula montana rotundifolia major. C.B.P. 243. *Sanicula montana*. Clus. *Caryophyllata*, sive *Geum alpinum recentiorum folio hederaceo*. *Adv.* *Lob.* *Icon.* *Lugd.* *Sanicula guettata*. Cam. H. *Sanicula alpina guttata*. I.B.tom. 3. l. 35. 707.

Sanicula officinarum. C.B.P. 319. *Diapensia* sive *sanicula mas*. Fuchs. I.B.tom. 3. l. 34. 639.

- Saponaria major levis.* C. B. P. 206. *saponaria vulgaris.* I. B. tom. 3. l. 29. 346. *Lychnis saponaria dicta major vulgaris simplex Moris.* *Viola agrestis.* *Trag. struthium.* *Fuchs. saponaria.* *Dod.*
- Saponaria flore pleno.* Corn. 209. *Lychnis Saponaria dicta multiplex.* *Moris. bist.*
- Satureja hortensis,* seu *cunila sativa* Plinii. C. B. P.
- Satureja sativa.* I. B. tom. 3. l. 28. 272. *hyssopus Agrestis.* *Brunf. satureja sativa.* *Fuchs.*
- Satureja montana.* C. B. P. 218. *Thymbra.* *Dod.* *Thymbra sylvestris.* *Anguil.* *Thymbra agrestis.* *Gesn. satureja durior.* I. B. tom. 3. l. 28. 272. *satureja, sive Thymbra altera Adveri.* *Lob.*
- Satureja Cretica frutescens spicata:* *Sherard.*
- Scabiosa pratensis hirsuta, quæ officinarum.* C. B. P. 269. *scabiosa major communior hirsuta folio laciniato.* I. B. tom. 3. l. 25. 2. *scabiosa folio scisso.* *Cesalp. scabiosa major satorum vulgatior.* *Adv. Lob.*
- Scabiosa sicula flore candido.* ex H. Cath.
- Eadem flore carneo.
- Eadem flore purpureo.
- Scabiosa altissima annua foliis agrimoniae nonnihil similibus:* H. L. B.
- Scabiosa Africana frutescens rugosis, & crenatis foliis capite rotundo.* Par. Bat. Prodr. sive *Scabiosa frutescens Africana maxima Par. Bat.*
- * *Scabiosa alpina altissima foliis tenuissime dissectis, flore cæruleo.*
- Scabiosa stellata folio laciniato major.* C. B. P. 271. *Scabiosa major cum pulchro semine.* I. B. tom. 3. lib. 25. 9.
- Scabiosa indica prolifera.* H. Edimb. ex Tourn. 465. an eadem folio intergo flore cæruleo prolifera. *Tournef.* 466. cui & *Succisa alpina flore proliero cæruleo.* Cath. H. R. Paris.
- Scabiosa peregrina rubra capitulo oblongo quæ 1.* in Prodr. C. B. P. 270. *Scabiosa indica,* sive 6. clus. *Scabio-*

- biosa rubra peregrina, quibusdam indica. I.B.tom. 3.
l.25. 6.
- Eadem flore carneo. C.H.R. *Parif.*
- Eadem flore atropurpureo. C.H.R. *Ibid.*
- Eadem flore variegato. C.H.R. *Ibid.*
- Scabiosa flore globoso niveo. C. B. P. 270. Scabiosa
Belgica flore albo. *Eyst.* scabiosa alba in hortis Bel-
gicis. *Clus. bift.*
- Scabiosa alpina foliis centaurii major. C.B.P. 270. sca-
biosa alpina centauroides. *Cam. Eyst.*
- Scabiosa montana dentis leonis folio, quæ 4. in *Prodr.*
C.B.P. 270.
- Scabiosa montana latifolia non laciniata rubra, & pri-
ma. C.B.P. 270. Scabiosa latifolia purpurascente flo-
re *Clus. Pan.* sive 4. eidem in *Hist.* Scabiosa latifo-
lia purpurante ex nigro flore. I.B.tom.3. l.25. 9.
- Scabiosa latifolia rubra non laciniata 2. C.B.P. 270. Sca-
biosa prima, vel latifolia rubro flore. *Clus. Pan.* Sca-
biosa succisæ similis. *Cæsalp.* Scabiosa latifolia ru-
bro flore. I.B.tom 3. l.25.9.
- Scabiosa argentea angustifolia, quæ 6. in *Prodr.* C. B.
P. 270. scabiosa graminea folio argenteo flore purpu-
reo. *Cam.* scabiosa argentea I.B.tom.3. l.26. 12.
- Scabiosa stellata folio laciniato minor, sive maritima.
C.B.P. 271. Scabiosa hispanica minor. *Clus. Hisp. &*
Hisp.
- Scabiosa folio Cardiacæ *Bocconi.*
- Scabiosa integrifolia Syriaca annua flore cæruleo, Sy-
ran ex Syria dicta.
- Scabiosa stellata folio non dissecto. C.B.P. 271. Scabio-
sa arborea cretica *Pone* Scabiosa arborescens. *Cæ-
salp.*
- Scandix semine rostrato vulgaris. C. B. P. 152. *Pecten*
Veneris. Martb. Anguil. *Pecten Veneris* folio tenuio-
ri, paucioribus rostris. I.B.tom.3. l.27. 74.
- Scilla esculenta. C.B.P. 73. Scilla epiménidia. *Theopb.*
Scilla vera, & legitima. *Anguil.*

Scordium C. B. P. 247. I.B. tom. 3. lib. 28. pag. 292.

Scordium Matth. Trag. Dod.

Scordium lanuginosum. C. B. P. 247. Scordium creticum lanuginosum. Cam.

Scorzonera latifolia sinuata. C. B. P. 275. Tragopogon hispanicum, sive escorsonera, aut scorzonera. I. B. tom. 2. l. 24. 1060. Scorzonera hispanica. Matth. Scorzonera major hispanica I. Clusi.

Scorzonera sicula altissima foliis plantaginis hirsutis, & incanis, amplissimo flore ex H. Cath. an Scorzonera Lusitanica plantaginis folio Tourn. 477.

Scorzonera foliis gramineis, flore purpurascente flavo.

Scrophularia nodosa fetida. C. B. P. 235. Scrophularia vulgaris, & major. I. B. tom. 3. 421. Scrophularia. Matth. Dod. Cast. Ocimastrum alterum. Trag. Galeopsis. Dod Gal. Clymenum mas Gesn.

Scrophularia aquatica major. C. B. P. 235. Ocimastrum majus. Trag. Betonica aquatica, Dod. Adv. Lob.

Scrophularia nemorensis urticæ folio magno flore atro punicante. H. Cath. titulo scruphulariæ nebrodensis, urticæ folio, altissima flore phæniceo missa ex H. Cath.

Scrophularia Americana sambuci folio. Parck. Scrophularia maxima Lusitanica sambuci folio lanuginoso. Tournef. 167. an eadem cum Scrophularia hispanica sambuci folio glabro ejusdem Tourn. 166. sola foliorum lanagine diversa.

Scrophularia Americana Verbenæ folio. Scrophularia Lusitanica frutescens Verbenacæ foliis. Tournef. 167.

Scrophularia flore luteo. C. B. P. 236. Lamium Pannonicum 2. Clusi Pan. Scrophularia lutea magna amplis foliis. I. B. tom. 2. l. 3 422.

Scrophularia scorodoniæ foliis. Moris. hist.

Securidaca dumetorum major flore vario, siliquis articulatis. C. B. P. 349. Colutea herbacea dumetorum major siliquis articulatis, flore vario. H. L. B. Coronil-

- nilla, seu polygala dumetorum major siliquis articulatis flore vatio. Mor. H. Melilotus quinta. Trag. Ornithopodium 2. vel quodam majus Dod. Hedyssarum scorpiuton, Camer.
- Securidaca dumetorum minor pallide cærulea. C. B. P. 349. Securidacæ secundæ altera species. Clus. Pan. & hist.
- Securidaca lutea major. C. B. P.
- Securidaca peregrina Clusii, vel Securidaca siliquis planis utrinque dentatis G. B. P.
- Sedum majus arborescens flosculis candidis. C. B. Pin. 282. Semper vivum arborescens. Matth. Aizoon arborescens. Lugd. Cam.
- Sedum majus vulgare. C. B. P. 283. I. B. tom. 3. l. 35. 687. Aizoon magnum Dioscoridis. Umbilici Veneris species altera. Ang.
- Sedum Gnaphaloides angusto oblongo que folio, flore purpureo Triunfetti.
- Sedum minus teretifolium album. C. B. P. 283. Semper vivum minus album. Brunf. sempervivum minus. Matth. Vermicularis, & illecebra major. Adv. Lob. Lugd. Sedum minus folio longiusculo tereti, flore candido. I. B. tom. 3. l. 35. 690.
- Sedum minus teretifolium alterum. C. B. P. 283. semper vivum parvum. Lob. Aizoon minus Matlh. Lug. Sedum minus teretifolium alterum. I. B. tom. 3. lib. 35. 691.
- Sedum minus folio circinato. C. B. P. 283. Aizoon dasypodium, idest dentifolium. Lugd. Sedum minimum frigidum. Clus. H. Sedum minus septimum. Clus. H. Sedum parvum folio circinato flore albo. I. B. tom. 3. l. 35. 692.
- Sedum minus teretifolium luteum. C. B. P. 283. sedi minoris 2. species. Trag. sempervivum minus æstivum. Lob. Lugd.
- Sedum minus tertium, & Vermicularis, Trag. sempervivum minus verticillatum acre. C. B. P. 283. semper-

pervivum minimum, sive 3. *Matth.* *Castor.* *illecebra*, sive *semperfivum tertium* *Dod.* *Vermicularis*, sive *illecebra*. *Ger.* *sedum parvum acre flore luteo*. *I.B.* *tom. 3. l. 35. 694.*

Sedum minus fruticosum. *C.B.P. 284.* *Kali fruticosum minus flore minore*. *Moris.* *sedum minimum arborescens vermiculatum flore luteo*. *I.B. tom. 3. l. 35. 695.* *sedum minimum arborescens vermiculatum* *Lob. Lugd.*

Serpyllum majus latifolium. *C.B.P. 220.* *Thymum latifolium*. *Lob. Icon.*

Serpyllum sativum. *C.B.P. 220.* *Serpyllum Matth.* *serpyllum domesticum*. *Cast.* *Serpyllum foliis Amara ci.* *Ger.*

Serpyllum foliis citri odore. *C. B. P. 220.* *Serpyllum alterum citratum*. *Matth.* *Thymum latifolium*. *Ger. Icon.* *serpillum citri odore*. *I.B. tom. 2. l. 28. 270.*

Serpyllum angustifolium hirsutum, vel *montanum re pens hirsutum*. *C.B.Pin. 220.* *serpyllum Pannonicum*, vel 3. *Clusii serpyllum angusto lanuginosoque folio*. *I.B. tom. 2. l. 28. 270.*

Serratula. *C. B. Pin. 235.* *I. B. tom. 3. lib. 25. 23.* *Serratula*. *Matth.* *Dod.* *Adv. Lob. serratula flore purpureo*. *Serratula præalta centauroides montana italica*. *Bocc. mus. 45. Tab. 37.*

Sesamum Matth. *Ang.* *Lob.* *Dod.* & *C.B.P. 27.* *I.B. tom. 2. l. 21. 896.*

Seseli massiliense ferulæ folio. *C.B.P. 161.* *Seseli Massiliense*. *Matth.* *Siler montanum officinarum*. *Ger.*

Seselli Massiliense feniculi folio, quod *Dioscoridis censem setur*. *C.B.P. 161.* *Seseli massiliense*. *Ang.* *Dod.*

Sideritis vulgaris hirsuta erecta. *C.B.P. 233.* *Sideritis vulgaris*. *I.B. 3. l. 30. 425.* *Sideritis*, sive *Ferrumina trix*. *Adv.* *Lob.* *Icon.* *Sideritis vulgaris*. *Cambr. in Matth.* *Tetrahit*. *Lugd.*

Sideritis hirsuta vulgaris humilior. *C.B.P. 233.* *Sideritis 2.* *Clus. Pan. & his t.*

- Sideritis hirsuta procumbens. C.B.P. 233. Sideritis heraclea. Clus. & 3. hist. Herba judaica. Dodon. Sideritis. I. herculea. Cam. Tetrahit herbariorum. Lob. Lugd.
- Sideritis arvensis latifolia glabra. C.B.P. 233. Sideritis arvensis flore pallido. Cam. Alyssum Germanicum. Ger. Alyssum majus. T. M. sideritis glabra arvensis. I.B. tom. 3. l. 30. 427.
- Sideritis arvensis angustifolia rubra. C. B. Pin. 233.
- Sideritis arvensis flore rubro. Camerar. Ladanum segetum Plinii. Alyssum Galeni flore purpureo. T. M.
- Sideritis persica odorata latissimo folio, hirsuto flore luteo albicante ex Tourn.
- Sideritis lusitanica minor, flosculis luteis minimis saturate, ex Tournef.
- * Sideritis montis Libani Lithospermi minoribus acuminatis incanis foliis, flore purpureo.
- Sideritis glutinosa bitumen redolens. Moris. Præl. Bot. 309. Sideritide cretica viscosa con odore di bitume Zanon. hist. 186. H.L.B. Hermannus sideritidem spinosam. I.B. hanc Zanoni Sideritidem fecit idem, an recte si illa sine spinis, hæc spinosa, ut addidit etiam huic Clar. etiam stachidem spinosam creticam? C.B. P. 236.
- Siliqua edulis. C.B.P. 402. Siliqua Matth. Ang. Ceratonia Dod. siliqua vulgo carobe; siliqua arbor, sive cerasia. I.B. tom. 1. l. 12. 413.
- Siliqua sylvestris rotundifolia. C.B.P. 402. Arbor Jude Bellonii siliquastrum, & siliqua sylvestris, & satua Cast. Acacia vera fictitia. Matth.
- Sinapi rapi folio. C.B. Pin. 99. Sinapi siliqua latiuscula glabra semine rufo, sive vulgare. I.B. tom. 2. l. 21. 855. Sinapi sativum Erucæ, seu rapi folio. Lob.
- Sinapi erucæ folio. C.B. P. 99. Sinapi Erysimo cognatum Tragi, sive simile. I.B. tom. 2. lib. 21. 857. Eru-

- Ruca*, sive *Rucula marina minor*, & *sinapi 9. Trag.*
Eruca sylvestris. *Gesn.*
Sinapi siculum minus chelidonii folio laciniato flore luteo ex H. Cath. an idem cum *sinapi arvensi* album hyemale rapi folio semine luteo. *H. Cath.*
Sinapi Raphani folio minus flore albo ex H. Cath.
Sinapistrum siculum irionis siliquis moris concinatis H. Cath.
Sion, sive *Apium palustre* foliis oblongis. *C. B. P. 154.*
Sion umbelliferum. *I. B. tom. 3. l. 27. 172.* *Sium verum Matth.* *Apium palustre*. *Fuchs.* *Silaum Plinii Anguil.*
Sium minimum. *Prosp. Alp. exot. 331.*
Sion maximum latifolium. *I. B. tom. 3. l. 27. 175.* *Sion aquaticum latifolium*. *Moris. Umbel. 12.*
Syringa cærulea. *C. B. P. 398.* *Lilac.* *Matth.* *syringa flore cæruleo*, sive *Lilac.* *I. B. tom. 1. l. 8. 208.* *cauda vulpina Tuscarum Bellonii.*
Eadem lactea, seu *floris colore quasi argenteo*. *C. B. P. variet. 398.*
Smirnum Dioscoridis Hipposelinum Theophr. *C. B. P. 154.* *Petroselinum Alexandrinum*. *Trag.* *Petroselinum Macedonicum verum*. *Ger.* *Olusatrum cord. in Diosc.*
Solanum vesicarium, quod folliculi vesicæ inflatæ similes, vel ut Plinius lib. 21. c. 31. quod vesicæ, & calculis proposit. *C. B. Pin. 166.* *solanum halicacabum*. *Matth.* *Trag.* *halicacabum*. *Ang.* *Kengi Lon.*
Solanum vesicarium indicum. *C. B. P. 166.* *Solanum*, sive *halicacabum Indicum*. *I. B. tom. 3. l. 34. 609.* *halicacabum*, sive *solanum vesicarium Indicum*. *Can. Eyft.* fructu luteo.
Idem fructu viridi.
Solanum hortense nigrum Tragi, sive *Solanum Melanocerasos*. *C. B. Pin. 166.* hoc est fructu nigro. *Solanum majus Matth.* *Cost.* *Cæsalp.* *Solanum lethale. Dod.*

- Dod. Belladonna. Clusi Pan. Solanum maniacum multis, sive Belladonna. I. B. tom. 3. l. 34. 611.
- Solanum somniferum verticillatum. C.B.Pin. 166. Solanum verticillatum. I.B. tom. 3. l. 34. 610. AlkeKengi mexicanum. Column. ad Hern. 296. Solanum somniferum antiquorum. Alp. exot. 71. Pen-vechi H.M. tom. 4. 113. Solanum somniferum. Matth.
- Solanum fruticosum bacciferum. C.B. P. 166. Strychnodendron. Gesn. H. Adv. Lob. obs. Amomum Plinii. Gesn. Ger. Solanum arborescens. Cesalp. Pseudocapsicum. Dodon. Strychnodendros. I. B. tom. 3. lib. 34. 614.
- Solanum scandens, sive Dulcamara. C.B.P. 167. Glycypicros, sive Amaradulcis. I.B. tom. 2. l. 15. 109. Dulcis amara. Trag. Vitis sylvestris. Matth Salicastrum Plinii. Guil. circæa monspeliensium. Adv. Lob. obs. Cam.
- Solanum tuberosum esculentum. C. B. P. 167. Papas Peruanorum. Eyst. Picnocomum. Diosc. Cortuso. Papas radix Acost. Arachidnas. Theopb. & Papas peruanorum. Clus. H.
- Solanum pomiferum fructu striato molli. C.B.P. 167. Lycopersicon Galen. 1. Ang. Poma amoris. Dod. Gal. Adv. Lob. Pomum Amoris. Lugd. Camer. malum, & Pomum aureum. Gesn. H. Tumate Americanorum. Guil. de Papyro. Mala aurea odore fetido, quibusdam Lycopersicum. I. B. tom. 3. lib. 34. 621.
- Solanum pomiferum fructu rotundo striato duro. C. B. Pin. 167. mala Æthiopica. Dod. Lugd. capsicum rotundum Dalechampii. Lugd.
- Solanum pomiferum fructu oblongo. C.B.P. 167. mala insana. Trag. Fuebs. Dod. Melongenia. Match. fructu rubro.
- Idem fructu albo. C.B.P. variet. 167.
- Idem fructu luteo.
- Solanum officinarum. C.B.P. 166. Solanum hortense si-

ve vulgare. I.B.tom.3. l.34. 608. *solanum hortense.*
Matth.

Solanum spinosum fructu rotundo. C.B.P.167. *Pomum Hiericonticum Imper.* *Solanum pomiferum indicum spinosum boraginis flore, fructu croceo.* H.L.B. *Pomum de Hierico melongenis congener.* I.B.tom.3. l.34. 619. *chunda* H.M. tom.2. 69.

Solanum pomo spinoso, rotundo longo flore C.B.P.168.
Stramonia, sive *Pomum spinosum*. *Trag. nux metella*. *Matth. stramonia*, seu *datura pomo spinoso rotundo, longo flore*. H.L.B. *stramonia multis digita*, sive *Pomum spinosum*. I.B.tom.3. l.34. 624. *Humatu*. H.M. tom.2. 47.

Solanum fetidum pomo aculeis crassioribus, & robustioribus donato. Moris. H. Bles. 310. *Stramonia*, sive *datura ferox pomo crassioribus & robustioribus aculeis donato*. H.L.B. *Solanum fetidum pomo grandiori spinosissimo*. Cath.H.R. Paris. 168. *stramonium ferox* Bocc. Plant. sicol. 50. *Datura cochinensis, spinosissima*. Zanon. H. Bot. 76. *Datura fructu spinosissimo*. Garz. ab hort. l.1. arom.

Solanum pomiferum, sive *datura Asiatica Hyoscyami folio, flore rubro, albicante*.

Solanum pomiferum frutescens Africanum spinosum nigricans boraginis flore, foliis profunde laciniatis. H.L.B. *Solanum spinosum*, *arborescens capitis bonae spei*. Breyn. fasc. 25. *fructu ad maturitatem croceo*.

Solanum racemosum cerasorum forma pro.2. in Prodr. descriptum. C.B.P.167.

Solanum Africanum Spinosum latifolium hirsutum spinis violaceis, fructu rotundo croceo.

Idem spinis carens, fructu croceo oblongo oviformis.

Solanum racemosum tinctorium Americanum, foliis, & seminibus Amaranthi. H.L.B. *solanum racemosum indicum*. H. R. Paris. 167. *Solanum magnum Virginianum rubrum*. Park. Th. 347. *Solanum magnum*

gium Virginum facie solani somniferi lethalis nosstratis. *Illust. Scrip. Lob.* 88.

Solanum mexiocanum flore magno. C.B.P. 168. *Mirabilis Peruviana* purpureo flore. H.L.B. *jesminum mexicanum*, sive *flos mexicanus multis*. I.B. tom. 2. l. 20. 814. *Atzoyatl*, vel *mirabilis mexicana*. *Hern.* 176.

Idem flore flavo. C.B.P. variet. 168.

Idem flore exalbido. C.B.P. variet. 168.

Idem flore ex rubro luteo, & albo tam virgatim quam punctatim miniato. C.B.P. var. 168.

Sonchus asper non laciniatus. C.B.P. 123. intybus sylvestris, seu erratica acutis foliis Trago, *Sonchus tenerior* aculeis asperior, aut horridiusculis. *Lob. observat.*

Sonchus asper laciniatus, & non laciniatus. C.B.P. 124. *Sonchus mitis laciniosa*, minor, sive minor spinosa, & asperior, sive spinosior. I. B. tom. 2. lib. 24. 1014. *Cicerbita asperior*. *Eric. Cord.* *Sonchus aspera*. *Mattb.* *Andryala major Dalechampii*. *Lugd.*

Sonchus asper laciniatus creticus, qui f. in *Prodri. C.B.* P. 124.

Sonchus lœvis laciniatus latifolius. C.B.P. 124. *Sonchus lœvis*. *Matthiol.* *Sonchus non laciniatus non spinosus*. I.B. tom. 2 l. 24. 1015. *lactuca leporina Apuleii* *Endivia sylvestris*. *Lon.*

Sonchus lœvis lacinia tus cæruleus, vel *Sonchus alpinus cæruleus*. C.B.P. 124. *Sonchus lœvis flore cæruleo*. *Clusii*. *Pan.*

Sonchus lœvis laciniatus muralis parvis floribus. C.B. P. 124. *Scariola sylvestris lactucæ species Galeno*: *Ang.* *Sonchus lœvis alter*. *Matth.* *Sonchus sylvaticus* 4. T. M. *Lactuca sylvestris murorum flore luteo*. I.B. tom. 2. l. 24. 1004.

Soncho affinis Lampsana Domestica. C.B.P. 124. *Lampsana Dodonei*. I.B. tom. 2. l. 24. 1028. *Cichorio af-*

finis Lampsana domestica Moris. H. Bls. 359. Chrysanthemum solacanum Plinii. Ruel. Lampsana quibusdam napium Dod. Gal.

Sophera Galegæ proxima Alpini. Galegæ affinis sophera dicta. C. B. P. 352. senna orientalis fruticosa sophera dicta. H. L. B. securidaca Ægyptia. Park. sophera indiæ Orientalis. Breyn. Prodr. 51. Ponnam-Tangera. H. M. tom. 2. 201. Ecapatli altera. Hern. 376.

Sparganium ramosum. C. B. P. 15. Sparganium quibusdam. I. B. to. 2. l. 18. 541. Sparganium. Matth. Trag. Butomos. Teoph. An. Platanaria. Dod. Calamogrostis 2. Lugd.

Sparganium non ramosum. C. B. P. 15. Sparganium alterum. I. B. tom. 2. l. 19. 549. sparganium alterum. Lob. Cæsalp. Platanaria altera. Dod.

Stachys major Germanica. C. B. P. 236. Stachys Fuchsii. I. B. tom. 3. l. 18. 319. Marrubium agreste, vel 3. Trag. pseudostachys Matth. Lugd. stachys Matth. Salvia sylvestris Cæsalp. sideritis heraclea. Colum.

Stachys cretica pro Pseudostachide in Prodr. descripta C. B. P. 226.

Stachys palustris fætida. C. B. P. 236. Galeopsis angustifolia fætida. I. B. tom. 3. app. 854. betonica fætida Gesn. sideritis 1. gravis odoris. Thal. Clymenon minus. Lugd. Tertiola, quod tertianas sanet. Cæs. marrubium aquaticum acutum. Ger. Lysimachia galericulata adulterina. Eyf.

Stæbe major foliis cichoraceis mollibus lanuginosis. C. B. P. 273. Stæbe salmanticensis prior Clusi, sive jacea intybacea. I. B. tom. 3. l. 25. 36. Stæbe salmantica 1. Clusi bisp. & hist. Aphyllantes 1. Dod. flore purp.

Eadem flore albo.

Stæbe major foliis Erucæ mollibus lanuginosis. C. B. P. 273. Stæbe salmanticæ 1. altera species. Clus. hist. Lugd. Aphyllantes 3. Dod.

Succisa glabra: C.B.P. 269. jacea nigra. Brunsf. & morsus Diaboli eidem. Morsus Diaboli. Dod. Trag. Pycnocomon. *Column.*

Succisa hirsuta. C.B.P. 279. Morsus Diaboli hirsuta rarius. *Gesn. H.*



Amarix fruticosa folio crassiore , sive Germanica . C.B.P. 485. Tamarix Germanica , sive minor fruticosa . I.B.tom. I. l.10. 351. Myrica vulgo . Tamariscus Brunf. Tamariscus femina . Cord.in hist. Myrica humilis. Dod. Gal.

Tanacetum vulgare luteum . C. B.P: 132. Tanacetum vulgare flore luteo .

I.B.tom.3. l.25. 131. Tanacetum , matricariæ 2. species , & Parthenium . Brunf. Artemisia tenuifolia , sive monoclonos. Fuchs. Ambrosia quibusdam Cord. in Diosc. Tanacetum . Matth. Athanasia vulgaris : Lac.

Tanacetum foliis crispis. C.B.P.132. Tanacetum crispum flore luteo . I.B.tom. 3. l. 26. 132. Tanacetum crispum Anglicum . Lob. Lugd. Tanacetum crispum Anglicum . Camer. Artemisia sativa Anglica . T.M.

Tanacetum montanum inodorum minore flore. C.B.P. 132. Tanacetum album . I.B.tom.3. l.26. 133. Bellis leucanthemon Tanaci foliis inodoris flore minore . Moris. H. Bles. 362. Tanacetum leucanthemum . T. M. Sideritis 3. Matth. quoad folia , & Lugd. Athanasia leucanthemos . Lugd.

Telephium vulgare . C.B.P.287. Anacampseros , vulgo faba crassa . I.B.tom.3. l.35. 681. Fabaria . Matth. crassula major . Dod. Gal. Cotyledon alterum . Diosc. Colum. Anacampseros . Gesn. H. Acetabulum alterum. Cord. in Diosc.

Telephium repens folio deciduo . C.B.P.287. Anacampseros minor rotundiore folio semper virens . I. B. tom.3. l.53. 682. ex H.L.B: si est folio deciduo , cur semperfurens ? Cepaea Pancii. Clusii hist. & Camer. Telephium minus . T.M:

Telephium repens folio non deciduo . C.B.P.287. Polygonum perenne procumbens folio breviore floribus in

in capitulum congestis. *Moris.* Telephium Imperati *hist.* *Camer.* Telephium 7. sive legitimum imperato. *Clusii hist.*

Teucrium. C.B.P. 247. Teucrium 2. Matth. Teucrium vulgare fruticans, sive primum. *clus. hist.* Chamædrys altera, seu assurgens Dod. Teucrium latifolium.

Ger.

Teucrium Asiaticum minus foliis consolidæ regalis hirsutum perennis flore cæruleo: an Teucrium Orientale angustifolium flore magno subcæruleo. *Tournef.* 14.

Teucrium peregrinum folio sinuoso. C.B.P. 247. Teucrium Bæticum. *Clusii hist.* *Lugd.* T. M. Teucrium fruticans Bæticum. *clusi.* Teucrium Bæticum, & creticum *Clusii* I.B.tom. 3. l. 28. 291.

Teucrium alpinum coma purpurocærulea. C.B.P. 247. Clinopodium Alpinum *Ponæ Ital.*

Thalictrum majus siliqua angulosa, aut striata. C.B.P. 336. Thalictrum nigrius caule, & semine striato. I.B.tom. 3. l. 30. 486. Ruta pratensis. *Gesn.* H. Ruta pratensis herbariorum. *Adv. Lob.* saxifraga lutea eiusdem. *Gen.* Thalictrum secundum, sive Germanicum latifolium. *Cam.*

Thalictrum majus non striatum. C.B.Pin. 336. Thalictrum magnum 2. *Dod.* Ruta pratensis major 2. T.M.

Thalictrum majus flavum staminibus luteis, vel glauco folio. C.B.P. 336. Thalictrum primum vel Hispanicum. *Clus. Pan.* & *hist.* Thalictrum speciosissimum glaucum semine, & caule striato. I. B. tom. 3. l. 30. 486.

Thalictrum majus florum staminibus purpurascensibus. C.B.P. 337. Thalictrum v. flore purpureo. *Cam.* Ruta pratensis major 3. T.M.

Thalictrum pratense angustifolium. C.B.P. 337. I.B.tom. 3. l. 30. 437. Thalictrum 3. angustifolium. *Camer.*

Thalictrum minus. C.B.P. 337 Thalictrum minus, sive Rutæ pratensis genus minus semine striato. I. B.tom,

- B.tom.3. l.30. 487. Hypecoum forte. *Dod. Gal. Lugd.*
Ruta pratensis tenuifolia. Adv. Lob. Ruta pratensis minor. T. M.
- Thlaspi arvense Vaccariæ incano folio majus. C.B.P. 106. Thlaspi vulgatius. I.B.tom.2. l.22. 921. Thlaspi primum. *Matth.* Thlaspi vulgatissimum Vaccariæ folio *Lob.* Thlaspi officinarum. *Colum.*
- Thlaspi arvense perfoliatum majus C.B.P. 106. Thlaspi oleraceum. T. M. sub 4. Thlaspi incanum. *Ger. Icon.* Thlaspi alterum mitius rotundifolium bursæ pastoris fructu. *Colum.*
- Thlaspi perfoliatum minus. C.B.P. 106. Thlaspi pulmilum, vel Thlaspi montanum minus. *Clus. Pan. & hist.* Thlaspi minimum. T.M. Thlaspi minus. *Ger.*
- Thlaspi umbellatum arvense iberidis foliis C.B.P. 106. Thlaspi amarum. T.M. *Ger.* Thlaspi Allobrogicum cretico par. *Clus. H.*
- Thlaspi umbellatum creticum iberidis folio. C. B. P. 106. Draba, sive Arabis, aut Thlaspi Candiæ. *Dod.* Thlaspi Cappadocicum. *Ang.* flore incarnato, & flore albo. *Eyst.*
- Thlaspi siculum supinum umbellatum Leucoii folio, angusto flore albo, mellis odore, *ex H. Cath.*
- Thlaspi fruticosum umbellatum Persicum foliis leucoii instar sempervirentibus. *Moris.* Thlaspi fruticosum Persicum foliis Keiri, flore odorato. *Zanon. hist.* 196. Thlaspi sempervirens, & florens. *Dod.* 115. Thlaspi latifolium platicarpon Leucoii foliis. *Bocc. Plant. hist.* 51.
- Thlaspi fruticosum incanum. C.B.P. 108. Thlaspi incanum Mechliniense. *Lob. Lugd.* Thlaspi capsulis sublongis incanum. I. B.tom.2. l.22. 929. Thlaspi incanum flore albo, capsulis oblongis. *Moris.*
- Thlaspi alpinum minus capitulo rotundo. C.B.P. 107. Thlaspi petræum myagroides. *Ponæ.* Thlaspi 3. saxatile. *Cam. epit. Matth.*
- Thlaspi parvum saxatile flore rubente. C.B.P. 107. litho-

- thothlaspi quartum carnosō folio : *Colum.*
 Thlaspi montanum incanum luteum serpilli folio ma-
 jus C.B.P. 107. Thlaspi supinum lu teum. *Lob. Icon.*
 Thlaspi luteum. I.B.tom.2. l.22. 928.
 Thlaspi Austriacum leucoii folo incano flore luteo .
Bocc.
 Thlaspi saxatile incanum luteum serpilli folio minus .
 C.B.P. 107. jonthlaspi luteo flore incanum montanum
 discoides. *Colum.*
 Thlaspi Alyssum dictum campestre minus . C.B. P.107.
 Thlaspi 4. *Dodon. Gal.* Alyssum minus Dalecham-
 pii . *Lugd.* Alyssum minus clypeatum . T.M. Thlas-
 pi minus, quibusdam aliis Alysson minus . I.B.tom.
 2. l.27. 187.
 Thlaspi campestre umbellatum supinum album, bursæ
 pastoris laciniato folio nitido, capsulis rotundis .
 Thlaspi biscutatum asperum minus . C.B.P. 107. jondra-
 ba Alyssoides Apula spicata. *Colum.*
 Thlaspi creticum majoranæ folio supinum flore luteo
Sherardi.
 Thlaspi clypeatum serpillifolium hirsutum creticum .
Sherard.
 Thlaspi Virginianum iberidis folio .
 Thlaspi villosum capitulis hirsutis . C.B.P.
 Thyimbra legitima. *Clus.* Saturegia Cretica . C.B.P. Sa-
 turegia legitima Dioscoridis. *Ponæ.*
 Thymus vulgaris folio tenuiore. C.B.P. 219. thymnum
 vulgare rigidius , folio cinereo . I.B.tom.3. l.28. 263.
 Thymum durius *Dodon. Gal.* Thymus nostra , *Cerd.*
in Diose.
 Thymus capitatus qui Dioscoridis : C.B.P. 219. thy-
 mum. *Matth.* thymus verus capitatus creticus . *Cam.*
 thymum cræticum , sive antiquorum . I. B.tom. 3. l.
 28. 262.
 Tithymalus characias amygdaloïdes . C.B.P. 290. Asce-
 bra magnum mesue Tithymalus Characias 2. *Clus.*
hisp. *Cam.*

- Tithymalus characias* folio lanuginoso. C.B.P. 290. *Tithymalus characias* primo similis. *Clus. hist.*
- Tithymalus lunatus* hirsutissimus montis Pollini. H. *Cath.*
- Tithymalus sylvaticus* lunato flore. C.B.P. 390. *Tithymalus platiphyllus*. *Ang.* *Tithymalus lunato* flore. *Cam.*
- Tithymalus myrtifolius* arborescens. C.B.P. 290. *Tithymalus dendroides*. *Matth.* *Tithymalus characias*. 3. *Dod.*
- Tithymalus Myrsinites latifolius*. C.B.P. 290. *Tithymalus Myrsinites*. *Matth.* *Tithymalus myrsinites legitimus*. *Clus. hist.*
- Tithymalus myrsinites angustifolius*. C.B.P. 290. *Tithymalus myrsinites* *Dioscoridis*. *Adv. Lob. Icon.* *Tithymalus myrsinites alter*. T.M.
- Tithymalus myrsinites* fructu veronicæ simili. C.B.P. 291. *Esula multicaulis*, & 4. *Trag.* *Tithymalus verrucosus* *Dalechampii*. *Lugd.*
- Tithymalus maritimus*. C.B.P. 281. *Tithymalus paralius*. *Matth.* *Ang.* *Dod.*
- Tithymalus maritimus* purpurascens floribus. C.B.P. 291. *Esula rara* e Lio Venetorum insula. *Adv. Lob.* *Lugd.*
- Tithymalus helioscopius*. C.B.P. 291. *Esula*. *Brunf.* *Tithymalus helioscopius*. *Matth.*
- Tithymalus cyparissus*. C.B.P. 291. *Tithymalus cyparissus*. *Matth.* *Dod.* *Fuch.* *Pityusa minor*. *Lon.*
- Tithymalus*, sive *Esula exigua*. C.B.P. 591. *Esula exigua*. *Trag.* *Esula maxima*. *Lugd.* *Tithymalus leptophyllum* *Matth.* *Peplis minor* *Dalechampii*. *Lugd.*
- Tithymalus palustris* fruticosus. C.B.P. 292. *Esula major Germanica*. *Adv. Lob.* *Lugd.* *Esula major*, & 2. *Trag.* *Pityusa major*. *Dod.* *Gal.*
- Tithymalus montanus* non acris. C.B.P. 292. *Esula dulcis*, vel 7. *Trag.* *Erino cognata* herba. *Gesner.* H. *Pi-*

Pityusa, sive Esula minor altera floribus rubris. *Lob.*
Lugd.

Tomentilla sylvestris. C.B.P. 226. Tomentilla. I. B.
tom. 2. l. 17. 598. Tomentilla. Matth. *Trag.* Hepta-
phyllum. *Fuchs.*

Tragacantha. C.B.P. 388. Tragacantha Massiliensis.
I.B. tom. 1. l. 11. 407. Tragacantha massiliensis foliis
incanis perseverantibus, seu non deciduis, flore albo
Moris. Tragacantha. Matth. *Ang.* *Gesn.* H.

Tragacanthæ affinis lanuginosa, sive Poterium. C. B.
Pin. 388. Poterium. Matth. *Cast.* *Lugd.* T.M.

Tragopogon pratense luteum majus. C.B.P. 274. Tra-
gopogon flore luteo. I.B. tom. 2. l. 24. 1058. Barbula
hirci. *Trag.* Matth. Gerontopogon flore luteo. *Gesn.*
Col.

Tragopogon coronopi folio. C. B. P. 274. Chondrilla
Tragopogonanthemos major. *Thal.*

Tragopogon gramineis foliis hirsutis. C.B.P. 275. Tra-
gopogon alterum gramineo folio suaverubente flore.
Colum.

Tragopogon purpurocæruleum porri folio, quod Artisi
vulgo. C.B.P. 274. Tragopogon alterum. Matth. *Lugd.*
Tragopogon. *Lob.* *Dod.* Barbula hirci altera. Matth.
Tragopogon sylvestre flore purpureo. *Cæsalp.* Geron-
topogon flore puniceo. *Gesn.* *Col.*

Tragoriganum creticum. C.B.P. 223. Tragoriganum cre-
tense apud Venetos. *Adv.* *Lob.* Tragorigani 2. alte-
ra species. *Clus. hist.* Thymum magnum *Alp.*

Tribulus terrestris ciceris folio fructu aculeato. C. B.
P. 350. Tribulus terrestris. I.B. tom. 2. l. 17. 352. Tri-
bulus terrestris ciceris folio seminum integumento
aculeato. *Moris.* Tribulus terrestris. Matth.

Tribulus aquaticus. C. B. P. 194. I.B. tom. 3. l. 38. 775.
Trag. Matth. Butomos damocratis. *Ang.*

Trifolium bitumen redolens, C.B.P. 327. Trifolium af-
phaltites, sive bituminosum odoratum, & non o-
doratum. I.B. tom. 2. l. 17. 366. Trifolium bitumino-
sum,

sum, seu *Trifolium cæruleum*, aut *violaceum bitumen redolens Moris*. *Trifolium asphaltæum*. *Matth. Oxytriphyllum*? *Gesn. H.* sed perperam: nam hoc nomen acetoso trifolio tribuitur.

Idem flore variegato minus frutescens.

Trifolium palustre. C.B.P. 327. I. B. tom. 2. l. 17. 389.
Trifoliata paludosa. *Moris. H.* *Trifolium majus*, & *fibrinum*, T.M. *isopyrum*. *Dod. Gal. Gesn. H.* *Limonium*. *Cord. in Diose*.

Trifolium Americanum. C.B.P. 327. *Trifolium Americanum*. *Lob. Dod. Loti sylvestris genus latifolium ex America*. *Cesalp.*

Trifolium pratense purpureum. C.B.P. 327. *Trifolium pratense*. *Matth. Dod.* *Trifolium pratense purpureum*. *Trag.* *Trifolium purpureum vulgare*. I.B. tom. 2. l. 17. 374.

Trifolium pratense album. C.B.P. 327. *Trifolium pratense alterum*. *Trag. Matth.* *Trifolium pratense flore albo minus, & fœmina glabrum*. I.B. tom. 2. l. 17. 380. *Trifolium pratense album vulgare odoratum*. *Moris.*

Trifolium pratense luteum capitulo breviore. C. B. P. 328. *Melilotum minus*. *Brunf.* *Trifolium 4. arvense*. T.M. *Trifolium pratense luteum mas flore minore, semine multo*. I.B. tom. 2. l. 17. 380. *melilotus lutea minima hirsuta procumbens, spica breviori densissima disposita seminis pericarpiorenali nigro*. *Moris.*

Trifolium pratense luteum capitulo lupuli, vel agrarium. C.B.P. 328. *Trifolium agrarium*. *Dod.* *Trifolium pratense luteum fœmina flore pulchriore, sive lupulino*. I.B. tom. 3. l. 17. 381. *Trifolium agrarium luteum capitulo lupuli majus*. *Moris.*

Trifolium pratense minus flosculis purpureis. C.B.P. 328. *lotus pratensis purpurea*. *Lugd.*

Trifolium alpinum flore magno radice dulci, quod 4. in Phyt. & 20. in Prodr. C.B.P. 328. *Trifolium angust-*

gussifolium alpinum. *Ponæ*. *Trifolium Glyzirrhizi-*
tes. *Parki. Moris.*

Trifolium alpinum argenteum persiciflore. C.B.P. 328.

Trifolium argenteum alpinum. *Ponæ*.

Trifolium spica subrotunda rubra. C.B.P. 328. *lag-*
opus maximus *Lob.* *Lagopus major folio trifolii*. *Dod.*

Trifolium spica oblonga rubra. C.B.P. 328. *Trifolium*
majus tertium. *clus. Pan. & bist.* I.B. tom. 3. l. 17.

375.

Trifolium montanum spica longissima rubente. C.B.
P. 328. *Trifolium purpureum majus folio, & spica*
longiore. I.B. tom. 2. l. 17. 375. *Trifolium purpureum*
montanum pinnatum spica longissima. *Moris.* *Lago-*
pus altera folio pinnato. *Lob.* *Lugd.*

Trifolium montanum angustissimum spicatum. C.B.P.
328. *Lagopus altera angustifolia Adv. Lob. Icon.* *Lugd.*
Alopecuros graminea Dalechampii. *Lugd.*

Trifolium arvense humile spicatum sive Lagopus. C.
B.P. 328. *Leporinus pes. cord. in Dioso.* *Lagopus, &*
lotus campestris. *Trag.* *Lagopus, sive pes leporinus*
Mattb. Fuchs. Dod.

Trifolium album angustifolium, floribus velut in ca-
pitulum congestis. C.B.P. 329. *Dorycnium falso di-*
ctum. *Gesn.* H. *Dorycnium monspeliensium*. *Adv.*
Lugd. *Dorycnium*. *Lob.*

Trifolium cochleatum fructu nigro hispido. C.B.P.
329. *medica cochleata minor polycarpos annua, ca-*
psula nigra hispidiore. *Moris.* *Trifolium cochleatum*
alterum. *Dod.* *medica foliculo spinoso*. *Lob.* *Lugd.*
medica semine minuto hirsuto. *Camer.*

Trifolium cochleatum folio cordato maculato. C.B.P.
329. *medica Arabica*. *Cam.* an *Trifolii species ni-*
gitis maculis, quod hemoroidum cognominant Gesn.
H. medica echinata glabra cum maculis nigricanti-
bis. I.B. tom. 2. l. 17. 384. *medica cochleata minor po-*
lycarpos annua capsula majore alba folio cordato ma-
cula fusca notata. *Moris.*

Trifolium cochleatum fructu magis tortili. *Honor. Belli.*
C.B.P. 329. ex Cræta.

Trifolium cochleatum fructu latiore. *C.B.P. 329. me-*
dica scutellata. *I.B. tom. 2. l. 17. 384. medica cochlea-*
ta major dicarpos fructus, *capsula rotunda globosa*
scutellata. *Moris. medica minor.* *Trifolium tortuo-*
sum. *Gesn. Hort.* *Trifolium cochleatum primum.*
Dod.

Trifolium echinatum arvense. *C. B. P. 329. Tribulus*
terrestris minor repens. *Lugd. medica pusilla.* *Ca-*
mer. medica echinata minima. *I.B. tom. 2. l. 17. 386.*
medica cochleata polycarpos annua, *capsula minima*
rotunda. *Moris.*

Trifolium sylvestre luteum siliqua cornuta, vel medica
frutescens. *C.B.P. 330. medica sylvestris.* *I. B. tom.*
2. l. 17. 383. Medica sylvestris frutescens siliqua cor-
nuta tortili. *Moris. meliloti majoris species 3. Trag.*
medica flavo flore. *Clus. Pan. & hist.*

Trifolium acetosum vulgare. *C. B. P. 330. Trifolium*
acetosum. *Matth. Brunf. Dod. Lugd.* *Trifolium ace-*
tosum flore albo. *Eyst. oxytriphyllum Trag. Oxys.*
Fuchs. Dod. Gal. panis cuculi. *Brunf..*

Trifolium acetosum corniculatum. *C.B.Pin. 330. Oxys*
flore luteo vel flavo. *Clus. Hisp. & hist.* *Oxys lutea.*
I B. tom. 2. l. 17. 387. Oxys, *sive Trifolium acetosum*
corniculatum luteum minus repens, *& etiam pro-*
cumbens. *Moris.*

Trifolium acetosum corniculatum majus rectum, seu vir-
ginianum. *Maur. Hoffm. Moris. hist.*

Trifolium acetosum flore purpureo magno radice bul-
bosa, *seu Oxys Africana flore purpureo magno ra-*
dice bulbosa. *H.L.B.*

Trifolium cochleatum maritimum tomentosum. *C. B.*
Pin. 329. Trifolium maritimum. *Gesn. medica ma-*
rina. *Adv. Lob.* *Trifolium cochleatum marinum.*
Gerar.

Trifolium hepaticum flore simplici. *C.B.P. 330. Hepa-*
ti-

tica. Dod. Trinitas Matth. Ang. herba Trinitatis
Ges. H. Lugd. Hepaticum Trifolium. Adv. Lob. Cam.
Tuliparum præcocium serotinarum, & dubiarum in-
numere varietates pulcherrimis florum coloribus iu-
cunde florentes, quibus instructus est Hort. Maur. ut
videre est.

Tussilago vulgaris. C.B.P. 197. Tussilago. I.B. tom. 3.
l. 32. 563. Ungula caballina. Trag. Tussilago. Matth.
Ang. Farfara Adv. Lob. Cas.



Aderiana hortensis. Phu folio *Olusatris* *Diosc.* C.B.P. 164. *Valeriana major odorata radice.* I.B.tom.3. l. 27. 209. *Valeriana major hortensis.* *Moris.* Phu *magnum.* *Fuchs.* Phu *majus.* *Matth.* Phu *ponticum.* T.M. *Carpesium.* *Cast.* *Valeriana peregrina purpurea, albave.*

C.B.P. 164 *Valeriana indica.* *Clus.* *Valeriana peregrina ocimi folio.* *Colum.*

Valeriana sylvestris major. C.B.P. 164. *Valeriana sylvestris magna aquatica.* I.B.tom. 3. l. 27. 210. *Valeriana major sylvestris foliis latioribus Moris.* *Umbel.* 50. *Valeriana vulgaris.* *Trag.* Phu *parvum.* *Matth.*

Valeriana cærulea. C.B.P. 164. *Valeriana græca flore cæruleo.* *Eyst.* *Valeriana græca quorundam, flore cæruleo.* I.B.tom.3. l.27. 212.

Eadem flore albo. *Eyst.* *Moris.* *Umbel.* 55. C.B.P. *variet.* 164. *Valeriana græca quorundam, flore albo.* I. B.tom.3. l.27. 252.

Valeriana palustris minor. C.B.P. 164. *Valeriana minor pratensis, vel aquatica.* I.B.tom.3. l.27. 211. *Valeriana minor perennis palustris.* *Moris.* *Umbel.* 50. *Valeriana exigua, vel 4.* *Trag:* Phu *parvum* *Dod.* *Gal.*

Valeriana alpina prima. C.B.P. 164. quæ 4. in *Prod.*

Valeriana alpina altera. C.B.P. 164. Phu *saxatile, seu petræum.* *Gesn.* H. *Valeriana sylvestris alpina 1. latifolia.* *clus.* *bist.*

Valeriana rubra. C.B.P. 165. *Polemonii altera species.* *Dod.* *Gal.* *Limonium monspeliensium.* *Gesn.* H. Phu *peregrinum.* *Cam.ep.* *Valeriana latifolia rubra.* I. B. tom.3. l.27. 211. *Valeriana marina latifolia, seu major rubra.* *Moris.* *Umbel.* 50.

Eadem alba. *Moris.* *Umbel.* 50.

Valeriana campestris inodora major. C.B.P. 165. *Locusta herba.* I.B.tom.3. l.28. 325. *Valeriana arvensis pre-*

cox humilior semine depresso. *Moris. Umbel.* 53. *La-*
etuca agnina. T.M. *Locusta quibusdam.* *Gesn.* album
olus. *Dod.*

Valeriana Cretica, flore vesicario. *Tournef. Corall.*

Valeriana peregrina flore elegantissimo purpureo.

Verbascum mas latifolium luteum. C.B.P. 239. *Verbas-*
cum vulgare flore luteo magno, folio maximo. I.
 B. tom. 3. app. 871. *Verbascum* foliis incanis mas la-
 tifolium, floribus luteis arcte caulis adhærentibus,
 sive foliis angustis. inter flores emanantibus. *Moris.*
H. *Verbascum.* *Matth.* *Thapsus barbatus.* *Gesn.*

Verbascum mas angustioribus foliis, floribus pallidis.

C.B.P. 239. *Verbascum* 2. *Matth.* *Verbascum sylve-*
stre majus. *Lon.*

Verbascum foemina flore albo. C.B.P. 239. *Verbascum*
sylvestre. *Trag.* *Verbascum candidum* mas. *Fuchs. Dod.*
Gal. *Gesn.* H. *Verbascum* 3. flore candido. *Cesalp.*
Thapsus barbatus flore albo. *Ger.*

Verbascum foemina flore luteo magno. C.B.P. 239. *verbas-*
cum maximum meridionalium, odoratum luteum. I.B.
 to 3. app. 871. *Verbascum* foliis incanis maximum odo-
 ratum meridionalium, floribus luteis arcte caulis ad-
 hærentibus, & foliis multis angustis inter flores
 emanantibus. *Moris* H. *Verbascum,* sive candela re-
 gia. *Trag.* *Verbascum nigrum.* *Fuchs.*

Verbascum nigrum folio papaveris corniculati, & Ca-
 mer. C.B.P. 240. *Verbascum intubaceum.* T.M. *Ver-*
basicum laciniatum. *Lugdun.* *Verbascum alterum.*
Matth.

Verbascum latis salviæ foliis. C.B.P. 240. *Verbascum*
sylvestre. *Matth.* *Verbascum sylvestre* *salvifolium*
fruticosum lignosum. *Adv.* *Salvia sylvestris* *Verbasci*
latis foliis *Moris.* H. *Bles.* 278. *Verbascum* *sylvestre*
salvifolium exoticum, folio rotundiore. I.B. tom. 3.
 128. 307.

Verbascum siculum *Brassicæ* folio. *Bocc.* an *Verbas-*
cum *Brassicæ* folio. *Colam.* *Aeph.* vel *arturus.* *Pone*

aut *Verbascum humile creticum laciniatum*. C. B.

P. 240.

Verbena peregrina foliis *Urticæ*. Dod. mem. *Verbena urticæ* folio canadensis. Cath. H.R. Paris. Zanon. bist. Bot. 203.

Verbena nodiflora in Phyt. Matth. & Prodr. descripta. C.B.P. 269. *Verbenaca nodiflora* Imperati.

Verbena communis flore ceruleo. C.B.P. 269. *Verbenova vulgaris*. I.B. tom. 3. l. 30. 443. *Verbenaca*. Matth. herba sacra. *Anguil.*

Veronica mas supinæ, & vulgatissima. C.B.P. 246. *Veronica vulgatior* folio rotundiore. I.B. tom. 3. l. 38. 274. *Veronica mas supina vulgaris* foliis serratis. Moris. *Veronica mas serpens* Dod. *Betonica Pauli* Dod. Gal.

Veronica spicata angustifolia. C. B. Pin. 246. *Veronica major angustifolia* caulis viridibus. I. B. tom. 3. l. 28. 284. *Veronica angustifolia recta minor vulgaris*. Moris. *Veronica recta* herbariorum. Lob. *Lugd. auricula muris* 4. Cœsalp.

Veronica pratensis serpillifolia. C. B. P. 247. *Veronica fœmina quibusdam*, aliis *Betonica Pauli serpillifolia*. I.B. tom. 3. l. 28. 285. *Eufragia nobilis*. Brunf. *Veronica fœmina*. Dod. Gal. Lugd.

Veronica alpina frutescens. C.B.P. 247. *Veronica alpina serpillifolia* Ponæ *Veronica* 3, fruticans. Clus. Pan. & bist.

Veronica supina facie Teucrii pratensis. Moris. chame-drys spuria major angustifolia. C.B.P. 249. chame-drys spuria angustifolia. I.B. tom. 3. l. 28. 285.

Veronica erecta Teucrii tenuifolii, facie fiore Teucrii bætici forma.

Viburnum Matth. C.B.P. 316. *Lantana vulgo*, aliis *Viburnum*. I.B. tom. 1. l. 5. 557.

Vicia maxima dumetorum. C.B.P. 345. *Cracca major T.M. Osmunda latinorum*. Trag. Aphace. Diosc. *Vicia separum perennis* I.B. to. 2. l. 17. 313. *Vicia perennes maxima dumetorum* flore obscurorubente. Moris.

Vi-

- Vicia sylvestris spicata*. C.B.P. 345. *Vicia sylvestris* spicato flore. *Clus. Pan.* 345. *Vicia lutea* foliis convolvuli minoris. C.B. Pin. 345. *Aphace*. *Diosc. Gal. Plin.* Pisine Theophrasti. *Anguil. aphaca*. *Adv. Lob. Cæs. Camer.* Elatine 3. T.M. *Lathyrus lutheus annuus* foliis convolvuli minoris. *Morris.* *Vicia quæ Pitina*. *Ang.* lata siliqua, flore luteo. I.B. tom. 2. l. 17. 317. *Aphaca vulgo*. *Vicia Benghalensis hirsuta*, & incana siliquis Pisi. *Herm. H.L.B.* 620.
- Viola lunaria major* siliqua rotunda. C.B.P. 203. *lunaria major*. *Cam.* *Viola latifolia*. *Dod.* *Viola bulbosa foliata officinarum* Bulbonac. *Adv. Lob.* *lunaria græca*. *Cæs.* *lunaria græca annua*. *Eyst.* *Thlaspi montanum*. *Gesn. H.*
- Viola martia purpurea* flore simplici odore. C.B.P. 199. *Viola martia purpurea* I.B. tom. 3. l. 32. 542. *Viola sativa*. *Brunf.* *Viola purpurea*. *Mattb.*
- Eadem flore cæruleo. C.B.P. variet. 199.
- Eadem flore albo. *Viola martia alba*. C.B.P. 199. *Viola martia* flore albo odorato. I.B. tom. 3. lib. 32. 542.
- Eadem flore multiplice violaceo. *Viola martia multiplice flore*. C.B.P. 199. *Viola martia purpurea* flore multiplico majore. I.B. tom. 3. l. 32. 542.
- Viola martia inodora sylvestris*. C.B.P. 199. *Viola canina*. T.M. 345.
- Viola alpina rotundifolia lutea*. C.B.P. 199. *Viola lutea* *martia inodora alpina*. *Cam.* *Viola martia lutea*. I.B. tom. 3. l. 32. 544.
- Viola tricolor erecta*, an jovis flos Theoph. C.B.P. 199.
- Viola assurgens tricolor*. *Dod.*
- Viola montana tricolor* odoratissima. C.B. Pin. 199.
- Viola montana* 3. sive *tricolor*. *Clus. Pan.* & *Hist. jaceæ* *tricoloris*, sive *floris trientalis* genus flore luteo, & purpureo magno, repens non annum. I.B. tom. 3. l. 32. 547.
- Viola tricolor hortensis* repens. C.B.P. 199. *jacea*, si-

- ve flos trinitatis. Matth. jacea tricolor sive Trinitatis flos. I.B.tom.3. l.32. 547.
- Ejusdem species variæ pro floris colorum diversitate. Viola martia arborescens purpurea. C.B. Pin. 199. Viola arborescens. Matth. Viola erecta flore cœruleo. Morris. jacea tricolor surrectis caulinulis, quibusdam arborea dicta. I.B. tom.3. l.32. 547.
- Viola bicolor arvensis. C.B.P. 200. jacea altera. Matth. viola sylvestris. Lob. Icon. herba Trinitatis sylvestris. Trag.
- Viola indica scandens nasturtii sapore, & odore, flore flavo. H.L.B. Acriviola. Ces. Tab. 935. Nasturtium indicum majus. C.B.P. 306. nasturtium indicum folio peltato scandens. I.B.tom.2. l.15. 175. Pelon-Mexixquilitl. Pelon chilli, seu nasturtium Peruanum. Herm. 161.
- Eadem flore sulphureo. Nasturtium indicum flore luteo dilutiore Catb. H. R. Paris.
- Eadem flore luteo coloris sanguinei striato.
- Viola indica scandens nasturtii sapore maxima odorata. Herm. H.L.B. 629.
- Virga aurea major, vel Doria C.B.P. 268. Alisma Monspeliensium, sive Doria. I.B. tom.2. l.24. 1064. Doria forte Panaces chironium. Gesn. H. herba Doria. Lob. Ces. 114.
- Virga aurea latifolia serrata. C.B.P. 268. Virga aurea, sive solidago saracenica latifolia serrata. I.B. tom.2.l. 24. 1063. virga aurea vulgo dicta. Ces. Virga aurea margine crenato. Dod.
- Virga aurea angustifolia serrata. C.B.P. 268. Virga aurea angustifolia serrata, sive solidago saracenica. I.B. to. 2. l.24. 1063. Solidago saracenica. Trag. Fuchs. Dog. Consolida aurea Trag.
- Virga aurea magno flore. C.B.P. 268. Consolida aurea nemorum limonii folio. Adv. Leb. Icon.
- * Virga aurea ferrata minima alpina.
- Virga aurea mexicana. C.B.P. app. 521. Virga aurea li-

monii folio, panicula uno versu disposita. *Moris. H. Bles.* 220. *Virga aurea Virginiana.* *Eod. a Stapel. in Theop.* 365.

Virga aurea Americana hirsuta radice odorata foliis ferratis. *Moris. H. Bles.* 320. *Virga aurea canadensis hirsuta paniculis minus speciosis.* *Cath. H.R. Paris.* *Virga aurea Novangliæ lato rigido folio: an herba doria minor Americana.* *Parck.* 542.

Urtica urens pilulas ferens, prima Dioſc. semine lini. *C.B.P. 232.* *Urtica Romana, sive mas cum globulis.* *I.B. tom. 3. l. 30.* 445. *Urtica Romana vel mascula.* *Lob.*

Urtica aculeata foliis ferratis. *C. B. P. 232.* *cannabis sylvestris.* *Trag. Lugd.* *cannabis spuria.* *Ger. cannabina alba.* *T.M.*

Urtica aculeata foliis striatis altera. *C.B. P. 232.* *cannabis sylvestris spuria 3.* *Lob. Icon.* *Alyffum arvense album.* *T.M.* *Urtica mortua 4.* *Dod. post.*

Urtica aculeata foliis non ferratis. *C.B.P. 232.* *fideritis altera.* *Mattb. Lugd.* *cannabis spuria facie Urticæ.* *Lob. Icon.*

Urtica racemosa canadensis. *Dodart. mem.* *Moris. H. Bles.* 323.

F I N I S.

28
MARCH
1938. - WEDNESDAY
A very cold day with snow on the ground.
The temperature was about 20° F. at 10 A.M.
Cloudy and overcast. Wind from the west.
Temperature at 1 P.M. was 25° F.
Wind from the west.
At 2 P.M. the temperature was 28° F.
Wind from the west.
At 3 P.M. the temperature was 30° F.
Wind from the west.
At 4 P.M. the temperature was 32° F.
Wind from the west.
At 5 P.M. the temperature was 34° F.
Wind from the west.
At 6 P.M. the temperature was 36° F.
Wind from the west.
At 7 P.M. the temperature was 38° F.
Wind from the west.
At 8 P.M. the temperature was 40° F.
Wind from the west.
At 9 P.M. the temperature was 42° F.
Wind from the west.
At 10 P.M. the temperature was 44° F.
Wind from the west.
At 11 P.M. the temperature was 46° F.
Wind from the west.
At 12 M. the temperature was 48° F.
Wind from the west.

21 MARCH

I T E R

ANTONII TITÆ

*Per Alpes Tridentinas in Feltrensi
ditione, per Vallem Sambucæ inter
Bassani Montes, ac per Marcesi-
næ alpestria, quæ Septem Com-
munibus accensentur. Ubi multa ad
rei Botanicæ incrementum animad-
versa, & notata, quæ nunc de-
mum publici juris fiunt.*

A|NNO MDCCXIII.

ЛІСТІ
ЛІСТІ ПРОТОКА

Будьмо відповідальними за
таке погане виконання завдань
заданих мною 22 лютого 1918 р.
Все це зроблено з метою знищіння
їхніх військ та знищіння їхніх
засобів боротьби та знищіння
їхніх засобів боротьби та знищіння
їхніх засобів боротьби та знищіння

ЛІЗОВОМ ОНІКА

ANTONIUS TITA

Le^ttori.

Nibi eram, ut opere manum
subducerem, cum in mentem
venit iter hoc Botanici studii
caussa suscep^tum evulgare.
Qui enim semel verecundiae fines trans-
ierit, eum bene & naviter oportet
esse impudentem *. Nihil profero per
se quidem ipsum admiratione dignum:
sed tamen, si quanti mihi
steterit, paullum reputare volueris,
lector humanissime, non tu sane,
ut spero, contemnes. Quam enim
sæpe, ut hæc qualiacunque collige-
rem, per montium anfractus, calle-
que non antea tritos de capite ipso
dimicavi! Quas angustias adii, bo-
ne Deus; quam diruptas, ac præ-
cipi-

* Cic. Fam. lib. 5. epist. 12.

cipites ! Quoties in lubrico prolap-
sus ; quoties offusa repente tempe-
state , vento , atque imbre afflictus ;
quoties siti , atque æstu intolerabili
pene confectus ! Obversantur adhuc
animo impendentium montium alti-
tudines , fædæ rupes , prominentia
faxa , arresti scopuli , latebrosæ val-
les , sylvarum horror ac silentium ;
quæ me faciunt , ut aliquem labo-
rum meorum fructum petere ex am-
plissimo laudis & gloriæ campo , te
probante , non dubitem . Vides , o-
pinor , quam paucis contentus mea
omnia in medium afferam . Tu no-
li plura viribus ab homine infirmis-
simo postulare : sed his æquo ani-
mo fruere in domestico otio , quæ
mihi ut compararem , cum Alpibus
ipsis vehementer luctandum fuit .

IN Marchia Tarvisina Feltria est, urbs non ignobilis ad Asonem amnem, qui paullum progressus decidit in Anaxum. A Septentrione, & occasu Tridentinis Alpibus clauditur, quasique media inter Cenetam & Bellunum, distat utrinque passum circiter millia XV. Tertio ab Urbe lapide, qua in Boream spectat, rus est vulgo *Pedevena*, ad ipsas Alpium radices, quæ peculiari ejus loci nomine *Vette* appellantur. Illinc ad summa juga contendenti septem passuum millia conficienda sunt: & primo quidem clivus est ineundus, via nec admodum recta, nec præcipiti, preter Vallem, quæ *Vena* dicitur. Hic *Aonem* usque assurgit quatuor millium spatio: *Aonem* autem montani appellant pagum quendam perpetua montium corona circumdatum, qui omnes Alpibus committuntur, variisque nominibus pro vario regionis discrimine inter se singuli distinguuntur. A *Vena* igitur clivo iter exorsus, plurima observatione dignissima animadverti; sed hæc in primis notanda mihi visa sunt, & in codicem memoriarum caussa referenda.

* Tra-

* *Trachelium majus*, sive *campanula urticae*
cæ folio major flore candido. C. B. P.
Cyclamen orbiculato folio inferne purpu-
rascente. C. B. P. sive *Cyclaminus vul-
garis*, & æstivus *Campanula austriaca*.
* *Hieratium minus* longius radicatum fo-
lio nitido angusto ramosum luteo flore.
Gentiana Asclepiadis folio. C. B. P.
Alcea folio rotundo laciniato. C. B. P. sive
Malva montana, seu *Alcea rotundifolia*
laciniata Col.

Cuminum pratense, *Carvi officin.* C. B. P.

Vennæ clivo lustrato, antequam *Aonem*
pervenirem, in Vallem incidi vulgo
Valdellam, quæ passus ferme quingen-
tosi in levam extenditur. Ibi autem pre-
fertim occurunt

Balsamina lutea, sive *Noli me tangere*.
C. B. P. seu *Perficaria siliquosa*. Adv. Lob.

Herba Paris. Matth. sive *solanum quadri-*
folium bacciferum. C. B. P.

Sanicula montana rotundifol. major. C.
B. P. sive *Sanicula guttata*. Eyst.

Saxifragia rotundifol. aurea. C. B. P.

Valeriana alpestris prima. C. B. Prod.

Chondrilla montana dentis leonis profun-
de laciniato fol. flore luteo.

* *Alsine major scandens* *Circeæ* minim.

Co-

- Colum. rotundo folio, flore albo. et
Laureola fol. deciduo, flore purpureo : C.
B. P. sive Chamælea Germanica Dod.
Piper montanum. Anguil. et
Aconitum racemosum. C.B.P. sive Chri-
stophoriana Gesneri. et
Myrrhis minor. C.B.P. sive Myrrhis altera
parva. Adv. Lob. ALD.
Tithymalus amygdaloides sylvaticus, lu-
nato flore. C.B.P. et
Dentaria pentaphyllos. C.B.P. Viola den-
taria prima. Dod.
Cacalia foliis crassis lanuginosis. C.B.P. et
Lysimachia siliquosa minima glabra. et
Lysimachia siliquosa hirsuta major. C.B.P.
* Eadem latifolia hirsuta major ramosa,
flore purpurascente. et
Ipsi porro Valdellæ prata quædam immi-
nent, in quibus hæc passim germinant.
Myrrhis sylvestris seminibus levibus. C.B.P.
Geranium batrachoides, Gratia Dei Ger-
manorum C.B.P. sive Geranium batra-
chioides primum. Clus. et
Ranunculus montanus aconiti folio, flo-
re globoso. C.B.P. sive Ranunculus flo-
re glomerato Clusii. et
* Trachelium montanum minimum, in-
tegro, acuminato, oblongo folio, flo-

re campanulato cæruleo.

Ranunculus montanus folio aconiti, magno flore. C.B.P.

Carduus mollis laciniato folio. C.B.P. seu Erisyphales flore luteo, folio Acanthi.

Gentiana major purpurea. C.B.P.

Gentiana minor Matth. sive Gentiana cruciata. C.B.P.

Gentianella alpina Æstiva, Centaur. minoris foliis. C.B.P.

Gentianella alpina angustifol. magno flore.

Panax sphondylii fol. C. B. P. sive sphondylium alterum Lob.

Lapathum unctuosum folio triangulo. C. B.P. seu Bonus Henricus Trag.

Trifolium album petreum majus Ponæ.

Helleborus niger Saniculæ folio major. C. B. Pin. sive Sanicula feminina adulterina.

Eyst.

Bellis alpestris major rigido folio. C. B. Prodr.

Caryophyllus sylvestris vulgaris, angustifol. C.B.P.

Chamædrys spuria major angustifol. C.B. P. seu Veronica Teucrii effigie patentif. Lob. Icon.

* Succisa montana minor rotundifol. glabra.

Pim.

Pimpinella crispa, sive petrea Tab.
Jacobæa alpestris, angustifol. altera. Clus.
Pimpinella saxifraga major, umbella ru-
bente. C.B.P.
Chamædrys minor spuria angustifol. C.B.
P. Teucrii quarti species tertia Clus.
* Hieratium fructicosum minus, breviori-
bus foliis.
Consolida media alpina cærulea. C.B.P.
Brunella cærulea magno flore. C.B.P.
Linum pratense flosculis exiguis. C.B.P.
seu Linum sylvestre pusillum, candican-
tibus florib. Cam.

Aonem prætergressus a lœva iter institui
Confinium versus: perque trita juxta at-
que invia curiose vaganti hæc se mihi
obtulerunt.
Rubia latifolia, vel quadrifolia levis. C.
B.P. Rubia levis Taurinensium. Lob.
Echinophora tertia. Colum. flore purpu-
reo.
* Chondrilla lutea longioribus foliis, niti-
dis, dentatis.
Carduus capite rotundo tomentoso. C.B.
P. Carduus eriocephalus. Dod.
Hinc ad Vallaciam, ut incolæ appellant,
per arctas, & valde lubricas semitas

perrexi. Sed in media fere via locus
est quidam, vulgo *Le Pezze*; unde in
subjectum vicum nomine *Cervum* pro-
spectus est. Hic duo Clusii *Asphodeli*,
ramosus scilicet, & *non ramosus* lätissime
germinant, hoc veluti solo suo ita con-
tent, ut alibi nusquam regionem illam
peragranti occurrant. His addi possunt
Pedicularis alpina filicis folio major. C.
B. Pin.

Eadem filicis folio minor. C.B.P.
Pedicularis pratensis purpurea. C.B.P. Fi-
stularia. Dod.

Orchis palmata, seu *Palma Christi*.
Clinopodium montanum C.B.P. *Clinopo-*
dium Austriacum Clus.

Vallaciam denique cum pervenissem, ejus
dorsum tentare cœpi, confectoque se-
ptem millium spatio per salebrosas an-
gustias, rectis ubique faxis, non sine
ingenti conatu jugum tenui. Hic vero
deserta omnia, aspera, lapidosa, &
præter una pastorum mapalia, tolera-
bile nihil. Nisi forte deliciarum loco
germina quedam habenda sunt, quæ a
postica mapalium parte succrescunt:
idest

Aconitum Napellus dictus primus. C.B.P.
Aco-

- Aconitum salutiferum**, seu **Anthora**. C.
B.P. *Alconiti ciliatae foliis et ramos*
- Aconitum cæruleum hirsutum flore Con-**
solidè regalis. C.B.P. *Convolvuli*
- Rhodia radix**: C.B. Matth. *Rhodiæ radix*
- Cotyledon media**, foliis oblongis ferratis.
C.B.P.
- Cotyledon media**, subhirsuta floribus pun-
ctatis. C.B.P. *rhodiæ foliis sed und*
- Cotyledon minor**, foliis subrotundis, in
Prodr. C.B. *rhodiæ foliis*
- Bellis globularia frutescens minor**. C.B.P.
- Aster atticus alpinus alter**. C.B.P. *scia*
- Hieracium Chondrillæ**, folio glabro, raf-
dice succisa minus. C.B.P. *rhodiæ foliis*
- * **Eadem strictissimo Coronopi Mat.**, fol. *rhodiæ foliis*
- Hieracium hirsutum dentis leonis folio,**
flore luteo. *rhodiæ foliis*
- Veronica alpina frutescens**. C.B.P. Vero-
nica alpina serpillifolia Ponæ. *rhodiæ foliis*
- Veronica pratensis serpillifolia** C.B.P. Vero-
nica fœmina Dodonæi :
- Alchimilla**, seu **stellaria** vel **Pes Leonis**
Matth. *Alchimiæ foliis*
- Ledum alpinum hirsutum** C.B.P. *Balsa-*
mum Alpinum Gesn. *rhodiæ foliis*
- Ledum alpinum** foliis ferrea rubigine ni-
ganticibus. C.B.P. *rhodiæ foliis*
- Chamæcistus vulgaris** flore luteo. C.B.P.

Helianthemum Cord. Lob.
Chamæcistus foliis minoribus, & incanis
C.B.P. **Helianthemum** anglicum luteum
Gerardi.

Chamæcistus serpillifolia, floribus carneis.
C.B.P.

Sed & rupibus in septentrionem vergentibus hæc potissimum innascuntur.

Leontopodium verum Matth.

Nardus Celtica flore albo Diosc. C.B.P.

Chamædrys alpina saxatilis. C.B.P. Vernalis petrea, sempervirens Ponæ.

Thimelææ affinis facie externa C. B. P. Cneorum Matth.

Bistorta minor alpina C.B.P.

Alsine montana capillacea folio C. B. P.

Alsine saxifraga angustifolia minima Columnæ.

Auricula Ursi major, flore luteo. Sanicula alpina lutea. C.B.P.

Alævo Mapalium latere aliquantum digressus vallem inii, cui nomen *Siel*, in magnam altitudinem abruptam: ibique in mediis fere saxis ecce mihi.

Cortusa Matth. seu **Sanicula** montana, latifolia laciniata. C.B.P.

Draba alba siliquosa minor. C.B.P.

Car-

**Carduus mollis alpinus Lapathi folio , C.
B.P.**

Sed citò periculo inonitus , & ad mapalia revocatus in dexteram concessi . Vix autem duodecim stadia processeram , cum in vallem deveni , vulgo . *Morsupian* . In media ferme planicie Attegiæ quædam sunt pro ea loci solitudine non plane incondite , & pecorum septa non una . Inter ipsos porro lapides attegiis , septisque circumpositos nascuntur

Absinthium alpinum umbelliferum latifol.

C.B.Pin. sive *Absinthium umbelliferum alpinum* , floribus albis Ponæ in Bald.

Lapathum alpinum rotundifol. *C.B.P.*

Alpine hederacea montana maxima . *Co-*
lumn.

Inde vero ad altiora converso itinere , quæ se mihi aditus non impeditus offerebat ; in herbidum cacumem ascendi , cui nomen *Prel.* Hæc autem ibi præter cætera nascuntur :

* *Virga aurea parva seu minima* , folio cre-

nato flore luteo .

Rapunculus umbellatus folio gramineo .

C.B.P. *Rapantium alterum angustifol.*
alpinum . *Colum.*

Lunaria botryitis Matth.

* **Salix pumila alpestris repens Pyrecanthæ**
folio lucido.

Salix pumila alpina repens rotundi foli lin-
xii ferne subcinerea C.B.P.
Salix pumila brevis, angusto que folio in-
cano. C.B.P.

Sed cum biceps jugum sit, in sinistro tan-
gutum latere inveni.

Doronicum plantaginis foli. C.B.P.

Ab adverso latere, quod Septentrionem
spectat, cum descendisse, glareas of-
fendi nescio quas valde adustas, ac ste-
riles. In illis tamen eccè mihi

* **Hieracium minus saxatile, dentis leonis**
folio, unico caule, flore flammæo.

Matricaria alpina Chamæmeli foliis. C.B.

P. Parthenium alpinum Clus.

Nasturtium petreum bursæ pastoris folio.

C.B. P.

Thlaspi incanum montanum luteum, fer-
pilli folio C. B.P.

Thlaspi alpinum umbellatum album mi-
nus, rotundo folio crasso: an Thlaspi sa-

xatile rotundifol. quod 5. in Prodr. C.B.

Argemone alpina Coriandri folio. C.B.P.

Argemone lutea Ponæ Ital. qui in Bal-

do collectam transmisit.

Helleborus albus, flore subviridi. C.B.P.

Ead. flôrâ atro rubente. C.B.P.

* Carduus alpinus spinosissimus, polycephalus, foliis in summitate albicantibus, & albo flore.

Sed cum me aliquanto plus spatii demissi

tentabundus, ac vix hærens vestigio, ad

Passetum perveni. Sic enim appellant in-

colæ locum illum præruptum, saxosum,

ac ne stirpium quidem satis feracem.

Ex ipsis tamen saxis, passim succrescunt

Sedum alpinum Bupleori folio. C.B.P.

Pulsatilla flore albo. C.B.P. Anemone syl-

vest. 2. Clus.

Libanotis latifolia altera, sive vulgatior.

C.B.P. Sefeli Æthiopicum herba Dod.

* Ranunculus alpestris luteus minor gru-

mosa radice, cinereo folio.

Lamium flore luteo, oblongo folio. C.B.

Pin.

Gramen hirsutum angustifol. minus, pa-

niculis albis. C.B.P.

Geranium alpestre, aconiti fol. flore vio-

laceo. C.B.P.

* Hieracium alpestre pilosum, angustis lon-

goribus fol. flore pallente.

Gramen Parnassi albo simplici flore. C.B.P.

Imperatoria Matthioli.
* Panax sphyndylia folio laciniatissimo.
Aconitum pardalianches prim. Thora ma-
jor. C.B.P.
Scabiosa montana, dentis leonis folio, que
4. in Prodr. C.B.
* Scabiosa alpestris succisæ longioribus fo-
liis, villoso, purpurascente, a magno
flore.
Bupleuron angustissimo fol. C.B.P.
Tussilago alpina rotundo folio canescens.
C.B.P.
Tussilago alpina rotundifol. glabra. C.B.
P. Tussilago alpina minima Lob.

Rursus in jugum cum rediisse, inde ad
Morsupiani atqueias reverti, ut in tali
loco, delicias nostras. Ibi viribus tantis
per refectis, viæ me in levam commisi;
cumque oculis certum quoddam cacu-
men designasse, mihiique proposuisse,
repente per obliqua in patentem Vallem
deveni, quam *Cavren* montani dixerent.
In ea porro sunt.
Chrisanthemum alpinum abrotani folio
multifido C. B. P.
Jacea latifolia capite hirsuto. C.B.P.
Leontopodium alterum. Matth. Gnapha-
lium anglicum Tab.

Vitis Idæa foliis oblongis ferratis , fructu nigricante . *C.B.P.*

Caryophyllata aquatica nutante flore . *C.B.P.* *Caryophyllata alpestris* , flore nutante purpurascente *Cluf.*

Caryophyllata alpina lutea . *C.B.P.*

Rapunculus folio oblongo , spica orbiculari . *C.B.P.* *Rapunculus corniculatus montan.* *Col.*

Ad dexterum latus paullum procedenti, pone rupes quasdam hæc se fere offerunt ,
Lonchitis aspera . *C.B.P.*

Sanicula montana flore calcari donato . *C.B.P.* *Pinguicula* , seu *Liparis Gesn.*

* *Planta anonyma* Ieseli Peloponnesi. simil. *Colligit.* sine flore .

Ad lævam cum revertissem , perque glareas sub ipsum jugum profectus essem , hæc se mihi statim

* *Astragalus alpinus saxatilis lignosus* : *Ciceri* glabro folio , flore purpurascente , semine *Trifolii americanii* .

* *Astragalus incanus saxatilis* , hirsutus minor , acuminato folio , flore purpurascente .

Virga aurea magno flore . *C.B.P.* *Consolida aurea* nemorum *Limonii* fol. Ad. *Lob.*

Rha ponticum folio Helenii incano. C.B.

P. Rha capitatum folio Enulæ, Centaurii majoris facie Ad. Lob.

Aster montanus cæruleus, magno flore, foliis oblongis. C.B.P.

Ad medium Vallem regressus Collem petii, cui nomen *le Cavallae*, in quo hæc præfertim nascuntur:

Teucrium alpinum coma purpurocærulea.

C.B.P. Clinopodium alpinum Ponæ.

Viola alpina lutea. C.B.P.

Sedum alpinum album foliolis compactis.

C.B.P. Sedum alpinum 3. Cluf.

Sedum alpinum hirsutum, luteum. C.B.P.

Sedum alpinum flore pallido. C.B.P.

* Chamæmespilus alpinus lato fol. ferrato.

* Chamæmespilus alpinus lato fol. non ferrato.

* Salix alpina latifolia canescens.

Rapunculus spicatus. C.B.P. Rapunculus nemorosus primus Tab.

Gentiana major flore pallido. C.B.P.

Jam vero a summo Alpium cacumine non longe aberam, cum passuum fere milia progressus Vallem tenui, ab ipso *Vettium* nomine per celebrem. In qua præcipue germinant

* Tha-

* *Thalictrum alpinum* minus saxatile, rutæ folio, staminibus luteis.

Ranunculus præcox i. rutæ folio Cluf. *Ranunculus rutaceo* fol. suaverubente flore. C.B.P.

* *Ranunculus saxatilis* aconiti folio lacinatiſſimo nigricante, albo flore.

Linaria foliis carnosis cinereis, flore violaceo. C.B.P.

Lychnis alpina pumila folio gramineo; si-
ve *Muscus alpinus* *Lychnidis* flore. C.B.
P. *Ocimoides muscosus* Ponæ.

Alsine muscosa *Ocimoides muscosæ* similiſ, albo flore.

Ab hac Valle in aliam profectus, quę *Fa-*
vara dicitur, statim vidi *Imperatoriam*,
Saniculam guttatam, *Cortisam*, *Valerinam*
utramque Bauchini in Prodromo, & pre-
terea multa, de quibus superius.

Hinc profectus mapalia quedam preterii,
& ad ipsum Alpium supercilium sub-
ivi.

Ubi mihi informia primum jumentorum
septa, deinde incomposita saxorum strues.
in istis autem saxis,

An *Saxifraga petrea*, flore purpureo.

Rapunculus alpinus corniculatus. C.B.P.

Trachelium petreum minus Ponæ.

* Ge-

***Geranium batrachoides**, Gratia Dei Germanorum, flore vinato.

Trifolium argenteum alpinum persici flore
C.B.P.

Chamédrys alpina Cisti flore. *C.B.P.* **Chamédrys montana durius frutescens.** Ad. Lob.

Campanula minor rotundifol. alpina. *C.B.P.*

Eadem rotundifol. minima. *C.B. Prod.*

Meum alpinum umbella purpurascente
C.B.P.

Daucus alpinus multifido, longoque folio,
sive montanus umbella candida. *C.B.P.*

Saxifragia Bavarica Ponæ.

Locum hunc **Covolo** appellant, unde in proximum Alpium cacumen ascendi; tantumque vię processi, donec subiectum *Aonem* prospexi, cepique de reditu cogitare. In ipso autem descensu hęc in primis animadversione digna visa sunt:

Campanula folio Echii, floribus villosis.

C.B. Prod.

***Carduus spinosissimus latifolius spherocephalus**, flore candido.

***Hieracium alpinum Jaceę villoso folio integrō, flore aureo magno.**

Scorzonera angustifol. subcerulea. *C.B.P.*
Ona-

Onagra Lugd. Cef. Lysimachia Chamœne-
rion dicta latifol. C.B.P.

Jamque *Aonem* reversus, inde *Vennam*, ac
deinceps *Pedevennam*, demum quam po-
tui brevissimo itinere *Feltriam* petii. Tum
vero novas regiones meditatus, viribus
nondum satis ex labore recreatis, ad Val-
lem *Sambucæ*, ut vulgo appellant, iter
contuli. Itaque *Arsedum*, *Primolanum*,
& *Cismonem* prætergressus, non procul a
Carpineto in publica via ad postica sacræ
Ædiculę parte glareas offendit; per quas
semita nec iniqua, nec perdifficilis in
Vallem ipsam exit. Hic vero germina
non plane vulgariat.

Aconitum Napelli flore, ceruleum. C.B.
P. Aconitum lycocitonum 7. vel autu-
mnale Cluf.

Laserpitium Veterum. C.B.P.
Hieracium alpinum latifol. hirsutum, in-
canum, magno flore. C.B.P.

Gramen nemorosum spicatum latifol. C.
B.P.

Chamebuxus flore Coluteę. C.B.P. Ano-
nymus flore Coluteę Cluf.

Linaria montana flosculis albicantibus. C.
B.P. Anonymus Linarie folio Cluf.

* Eadem lignosa, & ramosa, foliis longio-
ri-

ribus sinuatis, flore albo. *C. B. P.*
Scabiosa argentea foliis gramineis. *C. B.*
Prodr.

Centaurea alpinum luteum majus 3. *C.*

B. Prodr. *luteum* foliis gramineis

Silene montanum majus cili ornatum

Cirsium foliis non hirsutis, floribus compactis. *C. B. P.*

Idem angustifol. non laciniatum. *C. B. P.*

* *Hieracium alpestre* saxatile fol. gramineis

angustis, flore luteo magno.

Aquilegia montana parvo flore, talictri fol. *C. B. Prodr.*

Pseudoaspodelus pumilis foliis iridis Clus.

pseudoaspodelus alpinus. *C. B. P.*

Alni effigie lanato fol. major. *C. B. P.*

Aria Theophrasti, vel *Sorbus terminalis*,

alterum genus Ces.

Alni effigie lanato folio minor. *C. B. P.*

Amelanchier Lob.

* *Succisa alpina* foliis nitidis longioribus.

Tithymalus myrsinites angustifol. *C. B. P.*

Tithymalus myrsinites in montibus Ces.

Scorzonera latifolia sinuata. *C. B. P.*

Aster Linarie rigido fol. flore luteo. *C. B. P.*

Colutea siliquosa minor coronata. *C. B. P.*

Colutea scorpoides montana Gerard.

Inde digressus *Carpinetum*, *Medoacum* tra-
je-

jeci, ubi *Vallistamneæ*, frequens, ut ian-
ter montana, cultoribus vicus. Ab ejus
platea in magnam quandam vallem a-
ditus est, quam pro loci asperitate, mol-
lior. In ipsa autem valle via duplex, al-
tera in levam *Gallium versus*, in dex-
tram altera, qua *Foxam* contendit. Hic
autem passim per quatuor fere millium
spatium occurruunt *Daucus*, *Meum*, *Ra-*
punculus cæruleus corniculatus, *Taxus arbor*,
& alia præterea non pauca, de quibus
alibi mentio. Ipsiis porro *Foxæ* pratis fa-
miliarissima est
Mirris major folio *Cicutæ*

Ad paucas hinc horas animi gratia commo-
ratus, in proximum jugum me contuli,
& a tergo descendit, ubi nemus quatuor
millia in longitudinem excedens, vastissi-
mam planitem excipit, cui nomen *Mar-*
cesina. In nemore autem ipso
Nasturtium alpinum trifolium. C.B.P. Car-
dama trifolia Lob.
Muscus terrestris clavatus. C.B.P. Lycopo-
dium, idest *pes lupi*. Dod.
Muscus denticulatus major. C.B.P.
Ead. minor. C.B.P.
Muscus pulmonarius. C.B.P. Pulmonaria
fungosa Lugd.

- Muscus capillaceus longissimus. C. B. P.*
Muscus capillaceus cinerei coloris, e rami ilicis dependens Cluf.
- Muscus clavatus foliis cupressi. C.B.P. Savina sylvestris Trag.*
- * *Muscus, seu lichen petreus, incanus galericulatus.*
- Muscus terrestris coralloides, erectus incanus. C.B.P.*
- * *Muscus arboreus capillaceus, lignosus floridus, glauco colore.*
- Lichen petreus caulinulo pileolum sustinente C.B.P. Lichen Plinii primus pileatus Column.*
- Leucojum alpinum petreum Centaurii minoris folio, unico caule nudo, albo flore.*
- Filicula alpina crispa. C.B.P. Filicula saxatilis crispa Ponæ.*
- Circea parva minima Column.*
- Pyrola rotundifol. minor. C.B.P.*
- Asperula, seu Rubeola montana odora. C.B.P. Hepatica stellata Tab.*
- * *Carduus sylvaticus altissimus polycephalus, capitulis compactis, caule rotundo acutissimis spinis armato, flore purpureo.*
- Myrthillus exiguus Trag. Vitis Idæa foliis subrotundis, non crenatis, baccis rubris. C.B.P.*

Agrimonioides. Col.

Nemus claudunt incondita quædam , ac plusquam sylvestria pastorum mapalia , unde longe lateque prospectus est in planiciem . Hic mihi respirare quodammodo visus sum , statimque ad paludem accessi , quæ dexterum Vallis latus tenet . Plurima circa Pinus silvestris montana altera . C. B. P. seu Pinus sylvestris Mugo . Matth.

In media vero ipsa palude .

*Erica alpina palustris Rosmarini fol. flore purpureo .

Trifolium fibrinum palustre C.B.P.

In adverso Vallis latere

Carlina acaulis minore purpureo flore . C. B.P. Carduus acaulis Septentrionalium Lob.

Ad irriguos quosdam rivulos , qui se per Vallem insinuant ,

*Nardus , seu Valeriana minima aquatica Consolidæ minoris fol. flore albo .

Hic jam consistendum mihi putavi ; tametsi insitus discendi ardor longius compell-

pelleret, omnesque locorum, ac viarum
asperitates animo præceptas explanaret.
Sed tamen vel honestissima desideria
cohibenda sunt, suisque finibus con-
cludenda. Itaque domum redii, quo
me dudum & ratio temporis, & do-
mestica negotia, & concretiti mihi
horti, & illius in primis jussa vocabant,
qui

..... *nobis hæc otia fecit.*


F I N I S.



ERRATA.

CORRIGE.

In nominib. Au&tor.	Cristophorus,	leg. Christophorus.
Pag. 10 Lin. 2 Get.		Leg. Ger.
11	21	subjungatur Amaracus, seu Majorana.
12	7	Scherardi Sherard.
15	33	Leg. Aparine C.B.P. 234. I.B. 334. tom. 3. l. 36. 713.
16	5	Petroselinum Petroselinum.
16	37	Apocyna Apocynum.
17	9	Por. Bot. Par. Bat.
18	30	& L. B. & I. B.
21	35	Par. Bot. Prod. Par. Bot. Prod.
23	34	frugifera fragifera.
29	18	tota plene tota plena.
30	16	Brunella Bugula, subjung. Brunella, seu Bugula.
36	14	Necete folio Nepete folio.
37	20	A. R. Paris. H. R. Paris.
41	3	Pulmarius Plumarius.
48	22	Bacchini Bauhini.
52	26	A. R. Paris. H. R. Paris.
53	23	Parn. Part. 2. 260.
57	13	Bauchini Bauhini.
63	22	Cretica. Scherard. Creticus. Sherard.
85	34	Scherard. Sherard.
92	20	C. Bouh. in Prod. C. Bauh. in Prod.
104	5	Laureolamas Laureola mas.
110	30	M. H. H. M.
123	6	Alisara Alisnia.
131	12	medicum medium.
133	6	Basilium Basilicum.
143	23	Quadr. Quad. (num.
148	31	Constantinopolitana Constantinopolita-
151	32	Cast. Cast.
159	4	Scorpioton scorpium.
162	18	Tuscarum Turcarum.
162	28	KeKengi AlKeKengi.
162	37	Cost. Cast.
170	17	Cretico Creticum.
171	24	capitulis hirsutis capsulis hirsutis.
173	21	Artisi Artifi.
180	36	perennies perennis.





250

